

Effective 3-22



A200 / 12389454

Jacto's Arbus 200 airblast sprayer delivers big performance in a small package. Engineered with many of the same features as our biggest sprayers that ensure long life, excellent durability, and maximum crop protection for smaller, specialty growers and for use with low horsepower tractors.

Jacto designed the Arbus 200 to economically meet the demands of a wide variety of crop applications such as orchard, vineyard, berry, nursery, Christmas tree and other fruit applications.

SPECIFICATIONS

LIST PRICE \$ 7,365

- Tank capacity – 50 Gallons high density poly
- Fan diameter – 22 Inches
- Fan performance – 12,065 CFM @ 51 MPH
- Controls - CJ-42 control valve with manual lever
- Pump model - JP-42 piston pump 11 GPM
- Agitation – Bypass with venturi
- 16 flip-over nozzle holder - 32 total nozzles
- Nozzles installed - AD-2/AC-25 & AD-4/AC-25
- Suction filter – FVS-100 with shut off valve (M-60)
- Maximum row width – 14 feet
- Minimum row width – 4 feet
- Maximum crop height – 12 feet

OPTIONS AVAILABLE

- Minitower
- Electric in-cab controls
- Deluxe spot spray gun



A270 / 12389493

Jacto's Arbus 270 will give you excellent coverage at a very competitive price. Its components are light and chemical resistant; a thick wall high density polyethylene tank, stainless steel nozzle branches, ceramic nozzles, a single three-way control valve with regulator and Jacto ceramic cylinder piston pump are just some of the standard features.

It can be mounted on compact tractors as small as 22 HP to spray a wide variety of crops such as: blueberries, apples, pears, cherries, grapes, plums, vegetable crops, nursery stock, nut trees and Christmas trees.

SPECIFICATIONS

LIST PRICE \$ 7,920

- Tank capacity – 70 Gallons high density poly
- Fan diameter – 24 Inches
- Fan performance – 14,493 CFM @ 83 MPH
- Controls – Pressure regulator with manual lever
- Pump model - JP-50 piston pump 13 GPM
- Agitation – Bypass with venturi
- 12 flip-over nozzle holder - 24 total nozzles
- Nozzles installed - AD-2/AC-25 & AD-4/AC-25
- Suction filter – FVS-100 with shut off valve (M-60)
- Maximum row width – 18 feet
- Minimum row width – 4 feet
- Maximum crop height – 16 feet

OPTIONS AVAILABLE

- One way volute
- Electric in-cab controls
- Deluxe spot spray gun



A400/725 VDC / 1230143

Jacto's Arbus 400/725 VDC is one of our most popular, efficient and easily operated sprayers with low maintenance cost. The A400VDC utilizes our 28-inch diameter fan and provides optimal coverage for grapes, blueberries, cane berries, fruit and nut trees to approximately 18 feet, nursery stock and Christmas trees.

The A400/725 VDC feature a chemical resistant poly tank, stainless steel nozzle branches, ceramic nozzles, a three-way control valve, pressure regulator, by-pass agitation with venturi and cable control. The A400 is the cost-effective choice for small to medium size farms.

SPECIFICATIONS

LIST PRICE \$ 11,975

- Tank capacity – 105 Gallons high density poly
- Fan diameter – 28 Inches
- Fan performance – 21,612 CFM @ 91 MPH
- Controls – VAR manual cable controls standard
- Pump model - JP-75 piston pump 20 GPM
- Agitation – Bypass with venturi
- 14 flip over nozzle holders - 28 total nozzles
- Nozzles installed - AD-4/AC-23 & AD-6/AC-23
- Suction filter – FVS-100 with shut off valve (M-30)
- Maximum row width – 25 feet
- Minimum row width – 4 feet
- Maximum crop height – 18 feet

OPTIONS AVAILABLE

- Minitower
- Electric in-cab controls
- Deluxe spot spray gun



A400/850 VDC / 1227244

The A400-850 Golden utilizes our 33 inch two-port fan and is the perfect solution for hops, mature orchards, citrus or tall trees up to 25 feet in height and crops with very dense canopies.

Features a chemical resistant poly tank, stainless steel nozzle branches, ceramic nozzles, a three-way control valve, pressure regulator, by-pass agitation with venturi and cable control. The A400/850 uses the same 33" fan that comes on our larger trailed airblast models.

SPECIFICATIONS

LIST PRICE \$ 13,414

- Tank capacity – 105 Gallons high density poly
- Fan diameter – 33 Inches
- Fan performance – 30,299 CFM @ 78 MPH
- Controls – VAR manual cable controls standard
- Pump model - JP-75 piston pump 20 GPM
- Agitation – Bypass with venturi
- 24 single nozzle holders with shutoff - 24 total nozzles
- Nozzles installed - 24 AD5/AC25
- Suction filter – FVS-100 with shut off valve (M-30)
- Maximum row width – 25 feet
- Minimum row width – 4 feet

- Maximum crop height – 25 feet
- Minimum tractor engine HP - 55
- Clean water tank
- Spot spray compatible
- Chemical container rinse

OPTIONS AVAILABLE

- Electric in-cab controls
- Deluxe spot spray gun
- Will not fit "850" models with 33-inch fans



Salt Lake City, UT
800-767-0555

Portland, Oregon
800-234-0033

Boise, Idaho
800-676-0555

Billings, Montana
800-772-3165

Jamestown, ND
866-974-2182

Waco, TX
800-227-6367

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

Effective 3-22

A500N / 1245058

Jacto's Arbus 500N airblast sprayer is perfect for grapes, caneberries, blueberries, fruit orchards, nut growers, nursery and Christmas trees.

The A500N is only 43" wide, features a standard clevis hitch, fixed axle and designed for compact tractors as small as 20 HP... perfect for narrow row applications.

Features a high-density poly tank, stainless nozzle branches, ceramic nozzles, Jacto high pressure piston pump, fresh water chemical circuit rinse tank, hand wash tank, cable controls and plumbed for optional handguns.



SPECIFICATIONS

- Tank capacity – 150 Gallons high density poly
- Fan diameter – 22 Inches
- Fan performance – 11,536 CFM @ 48 MPH
- Controls – VAR manual cable controls standard
- Pump model - JP-50 piston pump 13 GPM
- Agitation – Bypass with venturi
- 16 flip-over nozzle holder - 32 total nozzles
- Nozzles installed - AD-2/AC-25 & AD-4/AC-25
- Suction filter – FVS-100 with shut off valve (M-60)
- Maximum row width – 14 feet
- Minimum row width – 5 feet
- Maximum crop height – 12 feet

LIST PRICE \$ 12,002

- Minimum tractor engine HP - 20
- Chemical circuit rinse & fresh water tanks standard
- Quick connects for spot spraying
- Chemical container rinse

OPTIONS AVAILABLE

- Minitower
- Electric in-cab controls
- Deluxe spot spray gun

A500T / 1247381

Jacto's Arbus 500T airblast sprayer is perfect for grapes, caneberries, blueberries, fruit orchards, nut growers, nursery and Christmas trees and areas where tight turns are needed.

The A500T has a tracking axle and features a "T" bar connection to the tractor lift arms. This action allows the sprayer to follow the track of the tractor without damage to the PTO shaft. Designed for compact tractors as small as 20 HP that are working in tight crop areas. Features are the same as the A500N.



SPECIFICATIONS

- Tank capacity – 150 Gallons high density poly
- Fan diameter – 22 Inches
- Fan performance – 11,536 CFM @ 48 MPH
- Controls – VAR manual cable controls standard
- Pump model - JP-50 piston pump 13 GPM
- Agitation – Bypass with venturi
- 16 flip-over nozzle holder - 32 total nozzles
- Nozzles installed - AD-2/AC-25 & AD-4/AC-25
- Suction filter – FVS-100 with shut off valve (M-60)
- Maximum row width – 14 feet
- Minimum row width – 5 feet
- Maximum crop height – 12 feet

LIST PRICE \$ 12,772

- Minimum tractor engine HP - 20
- Chemical circuit rinse & fresh water tanks standard
- Quick connects for spot spraying
- Chemical container rinse

OPTIONS AVAILABLE

- Minitower
- Electric in-cab controls
- Deluxe spot spray gun

A1000/725 / 1227075

Jacto's Arbus 1000/725 airblast sprayer has a steering axle that allows for tight turns. The "T" bar connection to the lift arms of the tractor actuates a tie rod that turns the trailer wheels, allowing the sprayer to follow the track of the tractor.

The A1000/725 is a versatile sprayer, perfect for orchards, vineyards, nurseries and high bush blueberries.

Features include a fiberglass tank, stainless nozzle branch, ceramic flip-over nozzles, Jacto piston pump, bypass and mechanical agitation and 28" fan.



SPECIFICATIONS

- Tank capacity – 265 Gallons fiberglass
- Fan diameter – 28 Inches
- Fan performance – 20,553 CFM @ 94 MPH
- Controls – VAR manual cable controls standard
- Pump model - JP-75 piston pump 20 GPM
- Agitation – Mechanical & Bypass
- 18 flip-over nozzle holder - 36 total nozzles
- Nozzles installed - AD-4/AC-23 & AD-6/AC-23
- Suction filter – FVS-100 with shut off valve (M-30)
- Maximum row width – 25 feet
- Minimum row width – 6 feet
- Maximum crop height – 18 feet

LIST PRICE \$ 23,289

- Minimum tractor engine HP – 55
- Fresh water tank
- Quick connects for spot spraying
- Chemical container rinse

OPTIONS AVAILABLE

- Minitower
- Electric in-cab controls
- Deluxe spot spray gun

A1000/850 / 1246680

Jacto's high performance Arbus 1000/850 airblast sprayer comes standard with a 33" fan, in-cab electric spray controls and a steering axle that allows for a very tight turning radius.

The larger 33-inch fan is perfect for mature orchards, vineyards, nurseries and high bush blueberries plus high density and taller crops like hops.

Features are the same as for the A1000/725 except for fan size and standard electric in-cab controls.



SPECIFICATIONS

- Tank capacity – 265 Gallons fiberglass
- Fan diameter – 33 Inches
- Fan performance – 32,630 CFM @ 59 MPH
- Controls – VAR Electric in-cab controls standard
- Pump model - JP-75 piston pump 20 GPM
- Agitation – Mechanical & Bypass
- 18 Anti-drip flip-over nozzle holder - 36 total nozzles
- Nozzles installed - AD-4/AC-23 & AD-6/AC-23
- Suction filter – FVS-100 with shut off valve (M-30)
- Maximum row width – 25 feet
- Minimum row width – 6 feet

LIST PRICE \$ 27,602

- Maximum crop height – 30 feet
- Minimum tractor engine HP – 60
- Fresh water tank
- Quick connects for spot spraying
- Chemical container rinse

OPTIONS AVAILABLE

- Deluxe spot spray gun
- Will not fit "850" models with 33-inch fans



Salt Lake City, UT
800-767-0555

Portland, Oregon
800-234-0033

Boise, Idaho
800-676-0555

Billings, Montana
800-772-3165

Jamestown, ND
866-974-2182

Waco, TX
800-227-6367

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

Effective 3-22

A1500 DIAMOND/EL / 1244854

Jacto's Arbus 1500 Diamond airblast sprayer provides exceptional coverage for fruit and nut growers and hops farms.

The 1500 has electric in-cab spray controls, 33" axial fan, two-speed gearbox with neutral. The gearbox lets you select the proper fan speed for sensitive crops.

The low mount fan design with debris shield and 24 nozzle holders insures excellent coverage for crops that have low growth, all the way up to canopies as high as 25 feet.



SPECIFICATIONS

LIST PRICE \$ 28,849

- Tank capacity – 400 Gallons high density poly
- Fan diameter – 33 Inches
- Fan performance Low - 32,630 CFM @ 75 MPH
High – 32630 CFM @ 83 MPH
- Controls – VAR Electric in-cab controls standard
- Pump model - JP-150 piston pump 40 GPM
- Agitation – Mechanical & Bypass
- 24 Anti-drip flip-over nozzle holder - 48 total nozzles
- Nozzles installed - AD-4/AC-56 & AD-5/AC-25
- Suction filter – FVS-200 Double filter (M24/40)
- Maximum row width – 25 feet
- Minimum row width – 6 feet

- Maximum crop height – 25 feet
- Minimum tractor engine HP – 65
- Chemical Circuit & Fresh water tank
- Quick connects for spot spraying
- Chemical container rinse

OPTIONS AVAILABLE

- Large Tire & Wheel Kit
- Deluxe spot spray gun
- 2" quick fill available

A2000 SAPPHIRE/EL / 1244883

Jacto's Arbus 2000 Sapphire/EL airblast sprayer offers incomparable performance in a wide variety of crops, such as highbush blueberries, apples, stone fruits, grapes, nuts, avocados, citrus and large nursery trees.

A 33" two port fan delivers 51,000 CFM of air at speeds up to 78 MPH, Jacto JP190 (50 GPM) ceramic cylinder high pressure piston pump, flip over and anti-drip nozzle holders with ceramic nozzles, CV PTO shaft and electric in-cab spray controls are standard.



SPECIFICATIONS

LIST PRICE \$ 29,342

- Tank capacity – 530 Gallons fiberglass
- Fan diameter – 33 Inches
- Fan performance Low - 50,853 CFM @ 78 MPH
- Controls – VAR Electric in-cab controls standard
- Pump model - JP-190 piston pump 50 GPM
- Agitation – Mechanical & Bypass
- 18 Anti-drip flip-over nozzle holder - 36 total nozzles
- Nozzles installed - AD-4/AC-56 & AD-6/AC-23
- Suction filter – FVS-200 Double filter (M24/40)
- Maximum row width – 25 feet
- Minimum row width – 6 feet
- Maximum crop height – 30 feet

- Minimum tractor engine HP – 80
- Chemical Circuit & Fresh water tank
- Quick connects for spot spraying
- Chemical container rinse

OPTIONS AVAILABLE

- Large Tire & Wheel Kit
- Quick fill kit
- Deluxe spot spray gun

A2000 SE/EL / 1227243

Jacto's Arbus 2000 Super Export is equipped with our mid-mount 33" two-port fan. The center of the fan is approximately 66" from the ground, moving the air and nozzles closer to the crop canopy for increased spray deposition. Ideal when used in fruit and nut orchards, citrus groves and tall tree farms.

The SE features HD poly tank, stainless chemical circuit, flip over anti-drip nozzle holders with ceramic nozzles, high pressure piston pump, adjustable height axle, in-cab electric spray controls, chemical and circuit rinse tank, flotation tires and CV PTO.



SPECIFICATIONS

LIST PRICE \$ 29,798

- Tank capacity – 550 Gallons high density poly
- Fan diameter – 33 Inches
- Fan performance - 32,640 CFM @ 78 MPH
- Controls – VAR Electric in-cab controls standard
- Pump model - JP-190 piston pump 50 GPM
- Agitation – Mechanical & Bypass
- 36 Anti-drip flip-over nozzle holder - 72 total nozzles
- Nozzles installed - AD-4/AC-56 & AD-5/AC-45
- Suction filter – FVS-200 Double filter (M24/40)
- Maximum row width – 25 feet
- Minimum row width – 6 feet
- Maximum crop height – 30 feet

- Minimum tractor engine HP – 80
- Chemical Circuit & Fresh water tank
- Quick connects for spot spraying
- Chemical container rinse

OPTIONS AVAILABLE

- Deluxe spot spray gun

A2000 VA/EL / 1245176

Jacto's Arbus 2000 Valencia 190EL airblast sprayer was specifically designed to meet the demands of large citrus groves, using our high-mount 33" two-port fan. The center of the fan is 81" from the ground, moves the air closer to the canopy and is excellent for nut groves and tall crops too.

The A2000 VA/EL has all the same features as the A2000 SE/EL including CV PTO and in cab electric spray controls.



SPECIFICATIONS

LIST PRICE \$ 32,237

- Tank capacity – 550 Gallons high density poly
- Fan diameter – 33 Inches
- Fan performance - 32,640 CFM @ 78 MPH
- Controls – VAR Electric in-cab controls standard
- Pump model - JP-190 piston pump 50 GPM
- Agitation – Mechanical & Bypass
- 36 Anti-drip flip-over nozzle holder - 72 total nozzles
- Nozzles installed - AD-4/AC-56 & AD-5/AC-45
- Suction filter – FVS-200 Double filter (M24/40)
- Maximum row width – 25 feet
- Minimum row width – 6 feet
- Maximum crop height – 30 feet

- Minimum tractor engine HP – 80
- Chemical Circuit & Fresh water tank
- Quick connects for spot spraying
- Chemical container rinse

OPTIONS AVAILABLE

- Deluxe spot spray gun



Salt Lake City, UT
800-767-0555

Portland, Oregon
800-234-0033

Boise, Idaho
800-676-0555

Billings, Montana
800-772-3165

Jamestown, ND
866-974-2182

Waco, TX
800-227-6367

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

Effective 3-22

A4000 SE/EL / 1246788

Jacto's Arbus 4000 SE Airblast Sprayer is for the citrus, orchard, nut or tree grower with big acreage. The 1,050-gallon poly tank allows for fewer refills. The 33 inch two port mid-mount fan provides excellent air flow for optimum canopy penetration.

A chemical induction hopper on the side of the sprayer facilitates the mixing of chemicals without climbing on the sprayer. Plus a 100-gallon chemical circuit rinse and separate chemical container and fresh water rinse systems, poly tank and in cab electric spray controls for easier operation.



SPECIFICATIONS

- Tank capacity – 1050 Gallons high density poly
- Fan diameter – 33 Inches
- Fan performance - 51,488 CFM @ 78 MPH
- Controls – VAR Electric in-cab controls standard
- Pump model - JP-190 piston pump 50 GPM
- Agitation – Mechanical & Bypass
- 36 Anti-drip flip-over nozzle holder - 72 total nozzles
- Nozzles installed - AD-4/AC-56 & AD-5/AC-25
- Suction filter – FVS-200 Double filter (M24/40)
- Maximum row width – 25 feet
- Minimum row width – 6 feet
- Maximum crop height – 30 feet

LIST PRICE \$ 49,686

- Minimum tractor engine HP – 90
- Chemical induction hopper with Chemical Circuit & Fresh water tank
- Quick connects for spot spraying
- 2-inch quick fill
- Chemical container rinse

OPTIONS AVAILABLE

- Deluxe spot spray gun

Optional: A4000 Valencia with High Fan available

A200 or A500 Tower / 1197701



TOWER ATTACHMENTS FOR A200 OR A500


- Excellent for blueberries, blackberries, raspberries, grapes and most fruit crops
- Quickly and easily mounts to any Jacto A200 or A500 sprayer
- The Minitower utilizes the existing 16 flip over nozzle holders and ceramic nozzles
- Engineered with precise air channels, the Minitower delivers uniform air flow from top to bottom
- Made of HDPE and color matched to the fan housing with UV protection for long life and durability

- Tower dimensions: 64 x 40 inches when installed on the A500T the overall height from the ground is 80 inches

LIST PRICE \$1,675

ITEM # 1197701

A400/725 or A1000/725 Tower / 1198618



TOWER ATTACHMENTS FOR A400 OR A1000/725

- Excellent for blueberries, blackberries, raspberries, grapes and most trellised fruit crops
- Quickly and easily mounts to any A400 or A1000 Sprayer with 28-inch fan
- The Minitower utilizes the existing 18 flip over nozzle holders and ceramic nozzles
- Engineered with precise air channels, the Minitower delivers uniform airflow from top to bottom
- Made of HDPE and color closely matched to the fan housing with UV protection for long life and durability

- When installed on the A1000 the overall height from the ground is 89 inches
- Will not fit "850" models with 33-inch fans

LIST PRICE \$ 1,690

ITEM # 1198618



Salt Lake City, UT
800-767-0555

Portland, Oregon
800-234-0033

Boise, Idaho
800-676-0555







Billings, Montana
800-772-3165

Jamestown, ND
866-974-2182

Waco, TX
800-227-6367

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

OPTIONS FOR AIRBLAST - CANNON SPARYERS

Picture	Model & PN	Description	
	J400 Horizontal Hydraulic Kit 228965	Designed to convert the J400's manual vertical adjustment to hydraulic controls	Call for all pricing
	J400 Vertical Hydraulic Kit 229161	Designed to convert the J400's manual vertical adjustment to hydraulic controls	
	Cannon Valve kit ELCKIT2	Designed for use on all 3-Point mounted cannon sprayers. Includes in cab controls.	
	Arbus Valve Kit ELKIT2A	Designed for use on all Jacto Arbus sprayers 1000 liter & smaller. Includes in cab controls.	
	Arbus 200 Valve kit ELKIT200	Designed specifically for use on the A200 and PH400 models. Includes in cab controls.	
	002203F	Spot Spray gun (Hose adapter <u>not</u> included)	
	006320	Hose adapter for Spot Spray gun, 3/8 "hose	
	006330	Hose adapter for Spot Spray gun, 1/2" hose	

