

## PREMIER EARTH AUGERS

POWER FOR VIRTUALLY ANY DIGGING APPLICATION

Premier Attachments, with our modern state-of-the-art manufacturing facility located in Fort Wayne IN, has built the most reliable earth auger attachments for over two decades. With a complete and comprehensive line of earth auger drive units, mounts, augers, adapters, extensions, teeth, and accessories, rest assured that Premier is the single source for all your earth auger needs.



#### PREMIER POWER

Premier hydraulic earth auger drive units utilize the power of the host machine to turn it into a high-performance drilling machine. Without leaving the vehicle seat, an equipment operator can dig countless holes in the harshest digging conditions. Fence posts, foundation footings, tree planting, utility poles, and many others that require vertical or angled holes are at their control.

#### PREMIER VERSATILITY

Premier earth auger attachments adapt to skid steer loaders, mini skid steer loaders, wheel loaders, tractors, backhoes, excavators, forklifts, cranes, digger derricks, mini digger derricks, and other hydraulic machinery. The Duo-Tach™ Mounting System (Patent Pending) allows attachments to fit both Mini Skid Steer Loaders and Full-Size Skid Steer Loaders.



#### PREMIER SERVICE

With the best lead times in the industry, we provide the best solution for your digging needs with the best delivery date possible.

#### PREMIER WARRANTY

Premier Attachments takes great pride in the quality and reliability of our products. We offer the best warranties in the industry.





#### **AUGER DRIVES**

MINI-SKID LOADER AUGER DRIVES											
MS11	PD	GPM   RPM	PSI   TORQUE	OUTPUTS	WARRANTY						
MAX AUGER DIAM	24"	7   45	2,500   1,274								
MIN HYD GPM	6 GPM	9   58	3,000   1,529	2" HEX	3 YEARS						
MAX HYD GPM	12 GPM	11   71	3,500   1,783	2-9/16" RND	3 IEANS						
MAX HYD PSI	3500 PSI										
MS14	PD	GPM   RPM	PSI   TORQUE	OUTPUTS	WARRANTY						
MAX AUGER DIAM	30"	12   50	2,500   1,825								
MIN HYD GPM	10 GPM	15   61	3,000   2,190	2" HEX	3 YEARS						
MAX HYD GPM	20 GPM	17   71	3,500   2,555	2-9/16" RND	S TEARS						
MAX HYD PSI	3500 PSI										
MS18	IPD	GPM   RPM	PSI   TORQUE	OUTPUTS	WARRANTY						
MAX AUGER DIAM	36"	15   50	2,500   2,290								
MIN HYD GPM	15 GPM	18   60	3,000   2,748	2" HEX	3 YEARS						
MAX HYD GPM	25 GPM	20   67	3,500   3,206	2-9/16" RND	O TEARS						
MAX HYD PSI	3500 PSI										



IDEAL RPM RANGE									
MODEL #				GPM					
MODEL#	6	9	11	12	15	17	20		
MS11PD	45	58	71						
MS14PD				50	61	71			
MS18PD					50	60	67		

#### MINI-SKID LOADER


#### AUGER DRIVES (MS-SERIES)

Premier Attachments produces three Mini Skid Steer Auger Drives specifically designed for the hydraulics GPM and PSI of this popular machine. These Medium-Duty Auger Drives are cost-effective, powerful, and designed to maximize the hydraulics of the various machinery available.

- · 3 Year Warranty
- We offer mounting brackets that include the Universal Mini Skid Steer mount as well as the Bobcat MT mount
- A full range swivel that allows the auger to hang plumb to the ground at any angle
- Output shafts available in 2" hexagon and 2-9/16" round







SKID STEER, TRACTOR, & MINI-EXCAVATOR EARTH AUGER DRIVES (MD-SERIES) Premier Attachments offers five models in the Standard Duty MD-Series Auger Drives. The Standard Duty auger drive is designed for light to moderate drilling conditions at competitive prices. · No drain line is required 3 Year Warranty

- All Auger Drives are designed and engineered for the higher hydraulic pressures of today's equipment
- Universal Skid Steer mount is an industry standard for all makes and models, however we do offer late model obsolete mounts for those older machines
- Output shafts available in 2" hexagon and 2-9/16" round

	IDEAL RPM RANGE											
MODEL #						GF	M					
MODEL#	6	7	9	10	11	12	13	15	17	18	20	25
MD06PD	62	73	93	104								
MD09PD		48	61		75		88					
MD12PD			49		59		71	81				
MD14PD						50		61	71		83	
MD18PD								50		60	67	83





#### **AUGER DRIVES**

Н	HERVY DUTY AUGER DRIVES										
HØ10F	םי	GPM   RPM	PSI   TORQUE	OUTPUTS	WARRANTY						
MAX AUGER DIAM	24"	8   48	2,500   1,274								
MIN HYD GPM	6 GPM	10   60	3,000   1,529	2" HEX -0r-	E VEADO						
MAX HYD GPM	15 GPM	12   72	3,500   1,783	2-9/16" RND	5 YEARS						
MAX HYD PSI	3,500 PSI	15   90		2							
HØ15F	םי	GPM   RPM	PSI   TORQUE	OUTPUTS	WARRANTY						
MAX AUGER DIAM	30"	12   47	2,500   1,975								
MIN HYD GPM	10 GPM	15   58	3,000   2,372	2" HEX -0r-	5 YEARS						
MAX HYD GPM	25 GPM	17   66	3,500   2,768	2-9/16" RND	JILANS						
MAX HYD PSI	3,500 PSI	20   78									
HØ19F	םי	GPM   RPM	PSI   TORQUE	OUTPUTS	WARRANTY						
MAX AUGER DIAM	36"	15   46	2,500   2,481								
MIN HYD GPM	15 GPM	18   56	3,000   2,977	2" HEX -0r-	5 YEARS						
MAX HYD GPM	30 GPM	20   62	3,500   3,474	2-9/16" RND	JILANS						
MAX HYD PSI	3,500 PSI	25   77									
HØ24F	-0	GPM   RPM	PSI   TORQUE	OUTPUTS	WARRANTY						
MAX AUGER DIAM	36"	20   48	2,500   3,184	011 UEV							
MIN HYD GPM	20 GPM	24   58	3,000   3,821	2" HEX -0R-	5 YEARS						
MAX HYD GPM	35 GPM	26   63	3,250   4,140	2-9/16" RND	D TEAKS						
MAX HYD PSI	3,250 PSI	30   72									

## SKID STEER & MINI-EXCAVATOR EARTH AUGER DRIVES (HØ-SERIES)

Premier Attachments offers four models in the Heavy Duty HO-Series Auger Drives. The Heavy-Duty auger drives are built with industrial grade components for the toughest of drilling conditions.

- · No drain line is required
- · 5 Year Warranty
- All Auger Drives are designed and engineered for the higher hydraulic pressures of today's equipment
- Universal Skid Steer mount is an industry standard for all makes and models, however we do offer late model obsolete mounts for those older machines
- Output shafts available in 2" hexagon and 2-9/16" round
- Premier's proprietary Labyrinth Seal allows for multiple sealing surfaces within the seal to defend against dirt coming in and oil leaking out. The five different seals outperform the basic double seal used by other manufacturers.


IDEAL RPM RANGE										
MODEL#					G	PM				
WUDEL #	8	10	12	15	17	18	20	24	25	30
HO10PD	48	60	72	90						
HO15PD			47	58	66		78			
HO19PD				46		56	62		77	
HO24PD							48	58	63	72







#### **AUGER DRIVES**





#### HIGH FLOW SKID STEER & EXCAVATOR EARTH AUGER DRIVES (HØ-SERIES)

Premier Attachments offers nine models of the Heavy-Duty High flow Auger Drives. Our Heavy-Duty High Flow auger drives are specifically designed to maximize the high flow capability of torque and speed.

- · No drain line is required
- · 2, 3, and 5 Year Warranty
- All Auger Drives are designed and engineered for the higher hydraulic pressures of today's equipment
- Universal Skid Steer mount is an industry standard for all makes and models, however we do offer late model obsolete mounts for those older machines
- Output shafts available in 2" hexagon, 2-1/2" hexagon, 3" Hexagon, and 4" Square

IDEAL RPM RANGE									
MODEL#					GPM				
MODEL #	20	25	30	35	40	45	50	55	60
HO40PD	53	67	80	94					
HO45PD		53	63	74	85				
HO55PD				58	67	75	84		
HO65PD					54	60	67	74	
HO75PD					43	49	54	65	
HO85PD					54	39	43	51	
HO95PD						30	34	37	41
H0120PD			15			22			29
HO130PD			9			14			18





#### **AUGER DRIVES**

	2	-SPEED A	IUGER DRIV	'ES STANI	OARD FLOY	V	
H2Ø3 <b>2</b> -	-SPEED		SPEED		SPEED	OUTPUTS	WARRANTY
		GPM   RPM	PSI   TORQUE	GPM   RPM	PSI   TORQUE		
MAX AUGER DIAM	36"	13   82	2,500   1,219	13   40	2,500   2,448	2" HEX	
MIN HYD GPM	13 GPM	15   94	3,000   1,462	15   47	3,000   2,934	-OR-	2 YEARS
MAX HYD GPM	17 GPM 3.500 PSI	17   107	3,500   1,706	17   53	3,500   3,426	2-1/2" HEX	
MAX HYD PSI	3,300 F31	mon	CDEED	LOW	CDEED		
H2Ø4 <mark>2</mark> -	-SPEED	нин	SPEED	LUW	SPEED	OUTPUTS	WARRANTY
		GPM   RPM	PSI   TORQUE	GPM   RPM	PSI   TORQUE		
MAX AUGER DIAM	48"	15   74	2,500   1,542	15   37	2,500   3,085	OT UEW	
MIN HYD GPM	15 GPM	17   84	3,000   1,851	17   42	3,000   3,702	2" HEX -0r-	2 YEARS
MAX HYD GPM	19 GPM	19   94	3,500   2,159	19   47	3,500   4,319	2-1/2" HEX	
MAX HYD PSI	3,500 PSI						
H2Ø5 <mark>2</mark> -	-SPEFN	HIGH	SPEED	LOW	SPEED	OUTPUTS	WARRANTY
	<u> </u>	GPM   RPM	PSI   TORQUE	GPM   RPM	PSI   TORQUE	5511 515	
MAX AUGER DIAM	48"	17   66	2,500   1,985	17   33	2,500   3,965		
MIN HYD GPM	17 GPM	19   73	3,000   2,382	19   37	3,000   4,759	2" HEX -0r-	2 YEARS
MAX HYD GPM	21 GPM	21   81	3,500   2,779	21   40	3,500   5,552	2-1/2" HEX	2 TEANS
MAX HYD PSI	3,500 PSI						
11000 0	CDEED	HIGH	SPEED	LOW	SPEED	OUTDUTO	WADDANTY
H2Ø8 <mark>2</mark> -	-SPEEU	GPM   RPM	PSI   TORQUE	GPM   RPM	PSI   TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	48"	19   49	2,500   2,961	19   24	2,500   5,921		
MIN HYD GPM	19 GPM	22   57	3,000   3,553	22   28	3,000   7,106	2" HEX	
MAX HYD GPM	25 GPM	25   65	3,500   4,145	25   32	3,500   8,290	-or- 2-1/2" HEX	2 YEARS
MAX HYD PSI	3,500 PSI						
	2-SP	EED AUGE	R DRIVES	HIGH FLOV	V/HIGH TOF	ROUE	
H2Ø6 <mark>2</mark> -	-SPEED	HIGH	SPEED	LOW	SPEED	OUTPUTS	WARRANTY
		GPM   RPM	PSI   TORQUE	GPM   RPM	PSI   TORQUE		
MAX AUGER DIAM	48"	25   56	2,500   3,376	25   37	2,500   5,054		
MIN HYD GPM	25 GPM	30   68	3,000   3,713	30   45	2,750   5,560	2" HEX	2 YEARS
MAX HYD GPM	35 GPM	35   80	3,500   4,051	35   53	3,500   6,065	- III.N	E /ENIIV
MAX HYD PSI	3,000 PSI						
H215 <mark>2</mark> -	SPEED	HIGH	SPEED	LOW	SPEED	OUTPUTS	WARRANTY
		GPM   RPM	PSI   TORQUE	GPM   RPM	PSI   TORQUE	0011 013	WAIIIAIII
MAX AUGER DIAM	48"	30   26	2,500   7,895	30   12	2,500   11,843		
MIN HYD GPM	30 GPM	40   34	2,750   8,684	40   26	2,750   13,027	9_1 /9" UEV	2 VEADO
MAX HYD GPM	50 GPM	50   43	3,500   9,471	50   33	3,500   14,211	2-1/2" HEX	2 YEARS
MAX HYD PSI	3,000 PSI						
11000	CDEED	HIGH	SPEED	LOW	SPEED	OUTPUTO	WADDANTY
H23Ø <mark>2</mark> -	-SPEEU	GPM   RPM	PSI   TORQUE	GPM   RPM	PSI   TORQUE	OUTPUTS	WARRANTY
MAX AUGER DIAM	48"	30   12	2,500   18,577	30   8	2,500   27,866		
MIN HYD GPM	30 GPM	40   17	2,750   20,435	40   11	2,750   30,652	Am	
		50   21	3,500   22,292	50   14	3,500   33,439	3" HEX	2 YEARS
MAX HYD GPM	50 GPM	00   2	J,JUU   LL,LJL	00   17	0,000   00,700		







#### STANDARD SINGLE & DOUBLE FLIGHT AUGER

- · One-piece cast steel boring head
- Hardened bolt-on gage teeth on outside positions
- Hardened bolt-on wisdom teeth on inside positions
- · Hardened Fishtail Pilot
- · 2" round, 2-9/16" round, 2" hex collars
- · Available in 3', 4', 5' and 6' lengths

## AGGRESSIVE DOUBLE FLIGHT AUGER

- · Heavy-duty cast steel boring head
- Hardened drive-in gage teeth on outside positions
- Hardened drive-in chisel teeth on inside positions
- · Hardened Fishtail Pilot
- · Heavy-duty double flighting
- · 2" Round, 2-9/16" Round, 2" Hex
- · Available in 3', 4', 5' and 6' lengths

#### TREE AUGER

IMPLEMENT DISTRIBUTORS

- · Two-diameter design
- · Fabricated boring head
- Hardened bolt-on gage teeth and wisdom teeth with hardened Pilot
- · Heavy-duty double flighting
- · 2" Round, 2-9/16" Round, 2" Hex



#### **AUGERS**



#### STANDARD DUTY AUGERS

SINGLE FLIGHTING, 4FT											
MODEL #	AUGER	TOOTU #	OUTSIDE	INSIDE	PILOT						
MODEL#	DIAM.	TOOTH#	TOOTH ITEM #	TOOTH ITEM #	ITEM#						
A09CDF4SF	9"	3									
A12CDF4SF	12"	4	202	200	203						
A15CDF4SF	15"	5	202	200	203						
A18CDF4SF	18"	6									
A24CDF4SF	24"	8									
			•								

DOUBLE FLIGHTING, SFT										
MODEL#	AUGER	T00TH#	OUTSIDE	INSIDE	PILOT					
MUDEL#	DIAM.	IUUIN#	TOOTH ITEM #	TOOTH ITEM #	ITEM#					
AO4CDF3	4"	0	N/A	N/A						
AO6CDF3	6"	2								
A08CDF3	8"	2								
A09CDF3	9"	3								
A10CDF3	10"	3								
A12CDF3	12"	4								
A15CDF3	15"	5	202	000	000					
A16CDF3	16"	5	202	200	203					
A18CDF3	18"	6								
A20CDF3	20"	6								
A24CDF3	24"	8								
A30CDF3	30"	9								
A36CDF3	36"	11								

DOUBLE FLIGHTING, 4FT										
MODEL#	AUGER	T00TH#	OUTSIDE	INSIDE	PILOT					
MODEL#	DIAM.	100111#	TOOTH ITEM #	TOOTH ITEM #	ITEM #					
AO4CDF4	4"	0	N/A	N/A						
AO6CDF4	6"	2								
AO8CDF4	8"	2								
A09CDF4	9"	3								
A10CDF4	10"	3								
A12CDF4	12"	4								
A15CDF4	15"	5			203					
A16CDF4	16"	5	202	200						
A18CDF4	18"	6								
A20CDF4	20"	6								
A24CDF4	24"	8								
A30CDF4	30"	9								
A36CDF4	36"	11								

#### AGGRESSIVE DUTY AUGERS

DOUBLE FLIGHTING, SFT										
MODEL #	AUGER	TOOTH #	OUTSIDE	INSIDE	PILOT					
MODEL#	DIAM.	TOOTH#	TOOTH ITEM #	TOOTH ITEM #	ITEM#					
AO6CDC3	6"	2								
AO8CDC3	8"	4								
AO9CDC3	9"	4								
A10CDC3	10"	4								
A12CDC3	12"	4			203					
A15CDC3	15"	6	000	201						
A16CDC3	16"	6	202							
A18CDC3	18"	6								
A20CDC3	20"	6								
A24CDC3	24"	8								
A30CDC3	30"	10								
A36CDC3	36"	12								

DOUBLE FLIGHTING, 4FT										
AUGER		TOOTH #	OUTSIDE	INSIDE	PILOT					
MODEL#	DIAM.	TOOTH#	TOOTH ITEM #	TOOTH ITEM #	ITEM#					
AO6CDC4	6"	2								
AO8CDC4	8"	4								
A09CDC4	9"	4								
A10CDC4	10"	4								
A12CDC4	12"	4	000							
A15CDC4	15"	6			203					
A16CDC4	16"	6		201						
A18CDC4	18"	6	202							
A20CDC4	20"	6								
A24CDC4	24"	8								
A30CDC4	30"	10								
A36CDC4	36"	12								
A42CDC4	42"	16								
448CDC4	48"	18								

#### TREE AUGERS

TREE AUGER, SFT						
MODEL#	AUGER TOOTH#		OUTSIDE	INSIDE	PILOT	
MODEL#	DIAM.	100111#	TOOTH ITEM #	TOOTH ITEM #	ITEM#	
A18CDT3	18"	7			203	
A24CDT3	24"	10	202	200		
A30CDT3	30"	11	202	200		
A36CDT3	36"	13				
TREE AUGER, 4FT						
	AHOED		OUTSIDE	INSIDE	DU OT	

TREE AUGER, 4FT						
MODEL # AUGER		GER TOOTH # OU		INSIDE	PILOT	
MUDEL #	DIAM.	TOOTH #		TOOTH ITEM #	ITEM#	
A18CDT4	18"	7			203	
A24CDT4	24"	10				
A30CDT4	30"	11	202	200 20		
A36CDT4	36"	13	202	200		
A42CDT4	42"	15				
A48CDT4	48"	17				







#### HIGH TORQUE AUGER

- Heavy-duty cast steel boring head w/replaceable shank plates
- Outside gage teeth, standard or carbide teeth & pilot
- 3/8" thick flighting, Extra heavy-duty center shaft
- · 2-1/2" Hex, 2-5/8" Hex, 3" Hex collars available
- Available in custom lengths upon request

#### HEAVY DUTY ROCK AUGER

- · Fabricated boring head
- Bullet style teeth
- · Carbide pilot
- · Heavy Duty Flighting
- · 3/4" Thick bottom flighting
- · 2" Round, 2-9/16" Round, 2" Hex Collars Available

#### HIGH TORQUE ROCK AUGER

- · Fabricated boring head
- · Bullet style teeth
- · Heavy-duty 3/8" thick flighting
- · ¾" Thick bottom flighting, extra heavy-duty center shaft
- · 2-1/2" Hex, 2-5/8" Hex, 3" Hex collars available
- Available in custom lengths upon request

#### STUMP PLANER AUGER

- High quality alloy dual cutting edges
- Cutting edges can be removed and sharpened
- · ¾" Thick flighting
- Center point pulls stump planer into the stump
- · Replaceable center point
- · 2-9/16" Round, 2" Hex, 2-1/2" Hex Collars Available





#### **AUGERS**



`	HIGH TORQUE DIRT, 6FT						
	MODEL#	AUGER TOOTH# OUTSIDE INSIDE		OUTSIDE INSIDE			
	MUDEL#	DIAM.	IUUIN#	TOOTH ITEM #	TOOTH ITEM #	ITEM#	
	AO9HTA6	9"	2				
	A12HTA6	12"	4				
	A16HTA6	16"	4			217	
	A18HTA6	18"	6				
	A20HTA6	20"	6	214	213		
	A24HTA6	24"	7	214	213		
	A30HTA6	30"	8				
	A36HTA6	36"	8				
	A42HTA6	42"	12				
	A48HTA6	48"	14				

HIGH TORQUE ROCK, SFT						
MODEL#			INSIDE	PILOT		
MODEL#	DIAM.	TOOTH#	TOOTH ITEM #	TOOTH ITEM #	ITEM#	
AO9HTR6	9"	10				
A12HTR6	12"	12				
A16HTR6	16"	16			236	
A18HTR6	18"	18				
A20HTR6	20"	20	001	N /A		
A24HTR6	24"	24	221	N/A		
A30HTR6	30"	30				
A36HTR6	36"	36				
A42HTR6	42"	42				
A48HTR6	48"	48				

#### HEAVY DUTY ROCK AUGERS

ı	HEAVY	DUTY F	ROCK AUG	ER, 4FT	
MODEL #	AUGER TOOTH OUTSIDE INSIDE				PILOT
MODEL#	DIAM.	TOOTH#	TOOTH ITEM #	TOOTH ITEM#	ITEM#
AO2CDR3	2"	0			NI /A
AO2CDR4	2"	0	N/A		N/A
AO4CDR4	4"	0			
AO6CDR4	6"	6			
AO9CDR4	9"	10			
A12CDR4	12"	12			
A16CDR4	16"	16			
A18CDR4	18"	18	221	N/A	236
A2OCDR4	20"	20			
A24CDR4	24"	24			
A30CDR4	30"	30			
A36CDR4	36"	36			

#### STUMP PLANER AUGERS

	STUMP PLANER AUGERS							
1		STUM	P PLAN	IER AUGE	R, 4FT			
	MODEL#	AUGER Diam.	BLADE#	BLADE Item#	PILOT ITEM #			
	SPA12H200	12"		301				
	SPA12R256	12"		301	200			
	SPA16H200	16"	2	303	300			
	SPA 16H250 16" 303							
				SO-VARA				



Prices Effective as of 2-23

#### **AUGER DRIVE KITS**

#### MINI SKID STEER STANDARD DUTY AUGER DRIVE KITS - 3 YEAR WARRANTY

Standard Duty Auger Drive Kits Include Drive Unit, Full Swivel Function, Universal Mount, 1/2" Hose Kit and Flat Faced Couplers

Description	Approx	Suggested List
Description	Weight	Price (US \$)
7-14 gpm, 2"Hex Shaft, Max Auger Dia. 24"	153 lbs.	\$2,730.00
7-14 gpm, 2-9/16" Round Shaft, Max Auger Dia. 24"	153 lbs.	\$2,730.00
10-20 gpm, 2" Hex Shaft, Max Auger Dia. 30"	157 lbs	\$2,835.00
10-20 gpm, 2-9/16" Round Shaft, Max Auger Dia. 30"	157 lbs	\$2,835.00
15-30 gpm, 2" Hex Shaft, max Auger Dia. 36"	160 lbs	\$2,896.00
15-30 gpm, 2-9/16" Round Shaft, Max Auger Dia. 30"	160 lbs	\$2,896.00
	7-14 gpm, 2-9/16" Round Shaft, Max Auger Dia. 24" 10-20 gpm, 2" Hex Shaft, Max Auger Dia. 30" 10-20 gpm, 2-9/16" Round Shaft, Max Auger Dia. 30" 15-30 gpm, 2" Hex Shaft, max Auger Dia. 36"	Description       Weight         7-14 gpm, 2"Hex Shaft, Max Auger Dia. 24"       153 lbs.         7-14 gpm, 2-9/16" Round Shaft, Max Auger Dia. 24"       153 lbs.         10-20 gpm, 2" Hex Shaft, Max Auger Dia. 30"       157 lbs         10-20 gpm, 2-9/16" Round Shaft, Max Auger Dia. 30"       157 lbs         15-30 gpm, 2" Hex Shaft, max Auger Dia. 36"       160 lbs

NOTE: For Bobcat MT Mount add \$80.00

#### TRACTOR AUGER STANDARD DUTY DRIVE KITS - 3 YEAR WARRANTY

Standard Duty Auger Drive Kits Include Drive Unit and Offset Mount. \*Hoses and Couplers are NOT included - listed and sold separately.

#### UNIVERSAL SKID STEER QUICK ATTACH LOADER KITS

Model/Item#	Description	Approx Weight	Suggested List Price (US \$)
MD09PDH200RKIT	7-14 gpm, Max Auger Dia. 18"	316 lbs	\$2,600.00
MD12PDH200RKIT	8-17 gpm, Max Auger Dia. 24"	320 lbs	\$2,690.00
MD14PDH200RKIT	10-20 gpm, Max Auger Dia. 30"	340 lbs	\$2,956.00
MD18PDH200RKIT	15-30 gpm, Max Auger Dia. 36"	344 lbs	\$3,076.00

#### **GLOBAL MOUNT LOADER KITS**

Model/Item#	Description	Approx	Suggested List
		Weight	Price (US \$)
MD09PDH200GRKIT	7-14 gpm, Max Auger Dia. 18"	326 lbs	\$2,733.00
MD12PDH200GRKIT	8-17 gpm, Max Auger Dia. 24"	330 lbs	\$2,823.00
MD14PDH200GRKIT	10-20 gpm, Max Auger Dia. 30"	350 lbs	\$3,089.00
MD18PDH200GRKIT	15-30 gpm, Max Auger Dia. 36"	354 lbs	\$3,209.00

### **JOHN DEERE 400/500 SERIES LOADER KITS**

Model/Item#	Description	Approx	Suggested List
Wodely Itelli #	Description	Weight	Weight Price (US \$)
MD09PDH200JD45KIT	7-14 gpm, Max Auger Dia. 18"	326 lbs	\$2,733.00
MD12PDH200JD45KIT	8-17 gpm, Max Auger Dia. 24"	330 lbs	\$2,823.00
MD14PDH200JD45KIT	10-20 gpm, Max Auger Dia. 30"	350 lbs	\$3,089.00
MD18PDH200JD45KIT	15-30 gpm, Max Auger Dia. 36"	354 lbs	\$3,209.00



Prices Effective as of 2-23

### **AUGER DRIVE KITS**

#### SKID STEER STANDARD DUTY AUGER DRIVE KITS - 3 YEAR WARRANTY

:	Standard Duty Auger Drive Kits includes Drive Units, Mounting Bracket, 1/2" Hose Kit and Flat Faced Couplers					
Model/Item#	Description	Approx Weight	Suggested List Price (US \$)			
MD09PDH200KIT	7-14 gpm, 2" Hex Shaft, Max Auger Dia. 18"	321 lbs	\$2,911.00			
MD12PDH200KIT	8-17 gpm, 2" Hex Shaft, Max Auger Dia 24"	325 lbs	\$3,001.00			
MD14PDH200KIT	10-20 gpm, 2" Hex Shaft, Max Auger Dia 30"	345 lbs	\$3,267.00			
MD14PDR256KIT	10-20 gpm, 2-9/16" Round Shaft, Max Auger Dia 30"	345 lbs	\$3,267.00			
MD18PDH200KIT	15-30 gpm, 2" Hex Shaft, Max Auger Dia 36"	350 lbs	\$3,387.00			
MD18PDR256KIT	15-30 gpm, 2-9/16" Round Shaft, Max Auger Dia 36"	350 lbs	\$3,387.00			



Prices Effective as of 2-23

### **AUGER DRIVES**

#### STANDARD DUTY AUGER DRIVES - 3 YEAR WARRANTY

For Use on Skid Steer Loaders, Compact Excavators, Tractors, and Telehandlers						
Model/Item#	Description	Approx Weight	Suggested List Price (US \$)			
MD06PD	5-10 gpm, 2" Hex Shaft, Max Auger Dia. 15"	133 lbs	\$1,959.00			
MD09PD	7-14 gpm, 2" Hex Output Shaft, Max Auger Dia 18"	136 lbs	\$1,989.00			
MD12PD	8-17 gpm, 2" Hex Output Shaft, Max Auger Dia 24"	14 lbs	\$2,079.00			
MD14PD	10-20 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max Auger Dia 30"	146 lbs	\$2,345.00			
MD18PD	15-30 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max Auger Dia 36"	149 lbs	\$2,465.00			

#### **HEAVY DUTY AUGER DRIVE KITS - 5 YEAR WARRANTY**

Includes Drive Unit, Mounting Bracket, 1/2" Hose Kit and Flat Faced Couplers					
Model/Item#	Description	Approx Weight	Suggested List Price (US \$)		
H015PDH200KIT	10-25 gpm, 2" Hex Output Shaft, Max Auger Dia 30"	351 lbs	\$3,541.00		
H015PDR256KIT	10-25 gpm, 2-9/16" Round Output Shaft, Max Auger Dia 30"	351 lbs	\$3,541.00		
H019PDH200KIT	15-20 gpm, 2" Hex Output Shaft, Max Auger Dia 36"	354 lbs	\$3,647.00		
H019PDR256KIT	15-20 gpm, 2" Hex Output Shaft, Max Auger Dia 36"	354 lbs	\$3,647.00		

#### **HEAVY DUTY AUGER DRIVES - 5 YEAR WARRANTY**

	For Use on Skid Steer Loaders, Compact Excavators, Tractors and Telehandlers					
Model/Item#	Description	Approx Weight	Suggested List Price (US \$)			
H010PD	6-15 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max Auger Dia 24"	163 lbs	\$2,612.00			
H015PD	10-25 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max Auger Dia 30"	166 lbs	\$2,619.00			
H019PD	15-30 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max Auger Dia 36"	169 lbs	\$2,725.00			
H024PD	20-35 gpm, 2" Hex or 2-9/16" Round Output Shaft, Max Auger Dia 36"	175 lbs	\$3,119.00			

#### **HEAVY DUTY HIGH FLOW/HIGH TORQUE AUGER DRIVES - 5 YEAR WARRANTY**

For Use on High Flow Skid Steers, Backhoe Loaders, Articulated Loaders, Tractor Loaders, Integrated Tool Carriers, Excavators, Telescopic Handlers, Boom Cranes, and Digger Derricks

Model/Item#	Description	Approx Weight	Suggested List Price (US \$)
H040PD	20-36 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max Auger Dia 48"	250 lbs	\$4,989.00
H045PD	25-45 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max Auger Dia 48"	250 lbs	\$5,098.00
H055PD	30-60 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max Auger Dia 48"	255 lbs	\$5,270.00



Prices Effective as of 2-23

#### **AUGER DRIVES**

#### HEAVY DUTY HIGH FLOW/HIGH TORQUE AUGER DRIVES - WARRANTY NOTED BELOW

For Use on High Flow Skid Loaders, Backhoe Loader, Articulated Loaders, Tractor Loaders, Integrated Tool Carriers, Telescopic Handlers, Boom Cranes, and Digger Derricks

Model/Item#	Description	Approx Weight	Suggested List Price (US \$)
H065PD	30-60 gpm 2" Hex or 2-1/2 Hex Output Shafts, Max Auger Dia 48", 3 Yr Warranty	260 lbs	\$5,689.00
H075PD	30-60 gpm 2-1/2" Hex Output Shaft, Max Auger Dia 48", 3 Yr Warranty	415 lbs	\$8,449.00
H085PD	30-60 gpm 2-1/2" Hex Output Shaft, Max Auger Dia 48", 3 Yr Warranty	420 lbs	\$8,789.00
H095PD	30-60 gpm 2-1/2" Hex Output Shaft, Max Auger Dia 48" 2 Yr Warranty	515 lbs	\$9,955.00
H120PD	30-60 gpm 3" Hex or 4" Square Output Shaft, Max Auger Dia 48", 2 Yr Warranty	605 lbs	\$15,935.00
H130PD	30-60 gpm 4" Square Output Shaft, Max Auger Dia 48", 2 Yr Warranty	725 lbs	\$19,615.00

#### 2-SPEED STANDARD FLOW AUGER DRIVES - 2 YEAR WARRANTY

For Use on Skid Steer Loaders, Backhoes, Excavators, Digger Derricks and Cranes for Auguring or Earth Anchor Applications

Model/Item#	Description	Approx Weight	Suggested List Price (US \$)
H203PD	13-18 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max Auger Dia 30"	225 lbs	\$6,749.00
H204PD	15-20 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max Auger Dia 36"	230 lbs	\$6,749.00
H205PD	17-28 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max Auger Dia 48"	235 lbs	\$6,749.00
H208PD	20-28 gpm, 2" Hex or 2-1/2" Hex Output Shaft, Max Auger Dia 48"	240 lbs	\$6,749.00

#### 2-SPEED HIGH FLOW/HIGH TORQUE AUGER DRIVES - 2 YEAR WARRANTY

For Use on Skid Steer Loaders, Backhoes, Excavators, Digger Derricks and Cranes for Auguring or Earth Anchor Applications

Model/Item#	Description	Approx Weight	Suggested List Price (US \$)	
H215PD	30-60 gpm, 2-1/2" Hex Output Shaft, Max Auger Dia 48"	685 lbs	\$13,169.00	
H230PD	30-60 gpm, 3" Hex or 4" Square Output Shaft, Max Auger Dia 48"	836 lbs	\$20,599.00	
Larger Auger Drives available in Kit form, please call for specifications and price				



Prices Effective as of 2-23

A30CDF3

A36CDF3

3 FT

3 FT

#### **AUGERS**

#### STANDARD DUTY AUGER SINGLE FLIGHTING

For Light to Moderate Ground Conditions. Heavy-Duty Single Flighting, One piece Cast Steel Boring Head, Hardened Fishtail point. Hardened Bolton Wisdom Teeth - Inside Positions & Hardened Bolt-on Gage Teeth - Outside Positions. Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge)

Model/Item#	Length	Diameter	Tooth Quantity	Approx Weight	Suggested List Price (US \$)
A09CDF4SF	4 FT	09"	3	70 lbs	\$525.00
A12CDF4SF	4 FT	12"	4	95 lbs	\$605.00
A15CDF4SF	4 FT	15"	5	125 lbs	\$721.00
A18CDF4SF	4 FT	18"	6	155 lbs	\$768.00
A24CDF4SF	4 FT	24"	8	195 lbs	\$879.00

#### STANDARD DUTY AUGER DOUBLE FLIGHTING

For Light to Moderate Ground Conditions. One Piece Cast Steel Boring Head, Hardened Fishtail Point, Heavy-Duty Double-Flighting, Hardened Bolton Wisdom Teeth - Inside Positions. Hardened Bolt-on Gage Teeth - Outisde Positions. Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge)

#### **3 FOOT CDF AUGERS Suggested List Price** Model/Item# **Diameter Tooth Quantity Approx Weight** Length (US \$) 04" A04CDF3 3 FT 0 36 lbs \$329.00 A06CDF3 3 FT 06" 2 40 lbs \$373.00 A08CDF3 3 FT 08" 2 60 lbs \$504.00 09" A09CDF3 3 FT 3 76 lbs \$548.00 3 FT 10" 3 A10CDF3 81 lbs \$625.00 A12CDF3 3 FT 12" 4 93 lbs \$641.00 15" 5 \$707.00 A15CDF3 3 FT 98 lbs 3 FT 16" 5 \$749.00 A16CDF3 103 lbs 18" A18CDF3 3 FT 6 127 lbs \$759.00 A20CDF3 20" 6 \$780.00 3 FT 136 lbs 3 FT 24" 8 A24CDF3 151 lbs \$806.00

30"

36"



9

11

233 lbs

315 lbs

\$1,166.00

\$1,449.00

Prices Effective as of 2-23

#### **AUGERS**

#### STANDARD DUTY AUGER DOUBLE FLIGHTING Continued

For Light to Moderate Ground Conditions. One Piece Cast Steel Boring Head, Hardened Fishtail Point, Heavy-Duty Double-Flighting, Hardened Bolton Wisdom Teeth - Inside Positions. Hardened Bolt-on Gage Teeth - Outisde Positions. Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge)

#### **4 FOOT CDF AUGERS**

Model/Item#	Length	Diameter	Tooth Quantity	Approx Weight	Suggested List Price (US \$)
A04CDF4	4 FT	04"	0	47 lbs	\$340.00
A06CDF4	4 FT	06"	2	58 lbs	\$379.00
A08CDF4	4 FT	08"	2	91 lbs	\$535.00
A09CDF4	4 FT	09"	3	104 lbs	\$599.00
A10CDF4	4 FT	10"	3	108 lbs	\$674.00
A12CDF4	4 FT	12"	4	124 lbs	\$700.00
A15CDF4	4 FT	15"	5	133 lbs	\$763.00
A16CDF4	4 FT	16"	5	148 lbs	\$832.00
A18CDF4	4 FT	18"	6	169 lbs	\$900.00
A20CDF4	4 FT	20"	6	194 lbs	\$998.00
A24CDF4	4 FT	24"	8	205 lbs	\$1,089.00
A30CDF4	4 FT	30"	9	325 lbs	\$1,499.00
A36CDF4	4 FT	36"	11	383 lbs	\$1,899.00

#### AGGRESSIVE-DUTY AUGERS DOUBLE FLIGHTING

For Difficult Ground Conditions, Compacted Solis, Heavy Clay, Asphalt, Frozen Ground, & Fracturable Rock. Heavy-Duty Double Flighting, Cast Steel Boring Head, Hardened Fishtail Point, Hardened Drive-In Chisel Teeth - Inside Positions and Hardened Drive-in Gage Teeth - Outside Positions. Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge)

#### **3 FOOT CDC AUGERS**

Model/Item#	Length	Diameter	Tooth Quantity	Approx Weight	Suggested List Price (US \$)
A06CDC3	3 FT	6"	2	44 lbs	\$464.00
A08CDC3	3 FT	8"	4	70 Lbs	\$619.00
A09CDC3	3 Ft	9"	4	74 lbs	\$656.00
A10CDC3	3 FT	10"	4	78 lbs	\$698.00
A12CDC3	3 FT	12"	4	96 lbs	\$713.00
A15CDC3	3 FT	15"	6	109 lbs	\$862.00
A16CDC3	3 FT	16"	6	117 lbs	\$881.00
A18CDC3	3 FT	18"	6	134 lbs	\$977.00
A20CDC3	3 FT	20"	6	158 lbs	\$1,180.00
A24CDC3	3 FT	24"	8	173 lbs	\$1,299.00
A30CDC3	3 FT	30"	10	220 lbs	\$1,619.00
A36CDC3	3 FT	36"	12	302 lbs	\$1,942.00



Prices Effective as of 2-22

#### **AUGERS**

#### **AGGRESSIVE-DUTY AUGERS DOUBLE FLIGHTING** Continued

For Difficult Ground Conditions, Compacted Solis, Heavy Clay, Asphalt, Frozen Ground, & Fracturable Rock. Heavy-Duty Double Flighting, Cast Steel Boring Head, Hardened Fishtail Point, Hardened Drive-In Chisel Teeth - Inside Positions and Hardened Drive-in Gage Teeth - Outside Positions. Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge)

#### **4 FOOT CDC AUGERS**

Model/Item#	Length	Diameter	Tooth Quantity	Approx Weight	Suggested List Price (US \$)
A06CDC4	4 FT	6"	2	57 lbs	\$479.00
A08CDC4	4 FT	8"	4	89 lbs	\$639.00
A09CDC4	4 FT	9"	4	108 lbs	\$691.00
A10CDC4	4 FT	10"	4	113 lbs	\$764.00
A12CDC4	4 FT	12"	4	126 lbs	\$774.00
A15CDC4	4 FT	15"	6	141 lbs	\$900.00
A16CDC4	4 FT	16"	6	152 lbs	\$933.00
A18CDC4	4 FT	18"	6	170 lbs	\$1,030.00
A20CDC4	4 FT	20"	6	195 lbs	\$1,302.00
A24CDC4	4 FT	24"	8	209 lbs	\$1,462.00
A30CDC4	4 FT	30"	10	283 lbs	\$1,946.00
A36CDC4	4 FT	36"	12	376 lbs	\$2,179.00
A42CDC4	4 FT	42"	16	460 lbs	\$3,685.00
A48CDC4	4 FT	48"	18	550 lbs	\$4,037.00

#### **STUMP PLANER**

Model/Item#	Description	Approx Weight	Suggested List Price (US \$)
SPA12H200	12" Stump Planer Auger, 2" Hex Collar	48 lbs	\$1,289.00
SPA12R256	12" Stump Planer Auer, 2-9/16" Round Collar	48 lbs	\$1,289.00
SPA16H200	16" Stump Planer Auger, 2" Hex Collar	70 lbs	\$1,575.00
SPA16H250	16" Stump Planer Auger, 2-1/2" Hex Collar	70 lbs	\$1,575.00
300	Pilot Cone		\$112.00
40093	M10-1.5 X 65mm Hex Head Screw (Pilot Cone)		\$4.00
40094	M10-1.5 Nylock Nut (Pilot Cone)		\$2.00
301	12" Stump Planer Edge		\$312.00
303	16" Stump Planer Edge		\$374.00
40091	M10-1.5 X 25mm Socket Head Screw (Edges)		\$3.00
40092	M10 Split Washer (Edges)		\$2.00
NOTE: 12" requires 4 S	crews & Washers. 16" requires 5 Screws & Washers		



Prices Effective as of 2-23

#### **AUGERS**

#### **TREE AUGERS**

For Tree and Shrub Planting. Two Diameter Design, Heavy-Duty Double Flighting, Fabricated Boring Head, Hardened Fishtail Point, Hardened Bolton Wisdom Teeth - Inside Positions, and Hardened Bolt-on Gage Teeth - Outside Positions. Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge)

#### **3 FOOT CDT AUGERS**

Model/Item#	Length	Diameter	Tooth Quantity	Approx Weight	Suggested List Price (US \$)
A18CDT3	3 FT	18"	7	130 lbs	\$757.00
A24CDT3	3 FT	24"	10	185 lbs	\$811.00
A30CDT3	3 FT	30"	11	207 lbs	\$1,128.00
A36CDT3	3 FT	36"	13	269 lbs	\$1,247.00

#### **4 FOOT CDT AUGERS**

Model/Item#	Length	Diameter	Tooth Quantity	Approx Weight	Suggested List Price (US \$)
A18CDT4	4 FT	18"	7	144 lbs	\$896.00
A24CDT4	4 FT	24"	10	198 lbs	\$911.00
A30CDT4	4 FT	30"	11	264 lbs	\$1,302.00
A36CDT4	4 FT	36"	13	349 lbs	\$1,480.00
A42CDT4	4 FT	42"	15	389 lbs	\$2,390.00
A48CDT4	4 FT	48"	17	449 lbs	\$3,042.00

#### **CDR BULLET TOOTH ROCK AUGERS**

For Solid and Fracturable Rock, Compacted Soils, Frozen Ground, Asphalt, and Concrete. Cast Steel Boring Head, Bullet Style Teeth, Heavy-Duty Single Flighting, 3/4" Thisck Bottom Flight'. Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge).

Model/Item#	Length	Diameter	Tooth Quantity	Approx Weight	Suggested List Price (US \$)	
A02CDR3	3FT	2"	0	46 lbs	\$430.00	
A04CDR4	4FT	4"	0	70 lbs	\$983.00	
A06CDR4	4FT	6"	6	85 lbs	\$1,076.00	
A09CDR4	4FT	9"	10	112 lbs	\$1,372.00	
A12CDR4	4FT	12"	12	138 lbs	\$1,493.00	
A16CDR4	4FT	16"	16	159 lbs	\$2,328.00	
A18CDR4	4FT	18"	18	201 lbs	\$2,452.00	
A20CDR4	4FT	20"	20	240 lbs	\$2,856.00	
A24CDR4	4FT	24"	24	291 lbs	\$3,051.00	
A30CDR4	4FT	30"	30	340 lbs	\$3,366.00	
A36CDR4	4FT	36"	36	395 lbs	\$3,925.00	
Other Sizes Priced Upon	Other Sizes Priced Upon Request					



Prices Effective as of 2-23

#### **AUGERS**

#### HIGH TORQUE AUGERS

#### **6 FOOT HTA AUGERS**

For use with High Torque Drive Unit Models: H040PD, H045PD, H055PD, H065PD, H075PD, H085PD, H095PD, H120PD, H130PD, H205PD, H206PD, H208PD, H215PD, H230PD. Heavy-Duty Cast Steel Boring Head, Standard or Carbide Teeth & Point, Outside Drive-in Gage Teeth, 60" of Heavy-Duty 3/8" Thick Flighting, Extra Heavy-Duty Center Shaft (3-3/4" Tubing X 5/8" Wall). Indicate 2", 2-1/2", 2-5/8", 3" Hex or 4" Square Collar (No Additional Charge)

Model/Item#	Length	Diameter	Tooth Quantity	Approx Weight	Suggested List Price (US \$)
A09HTA6	72" OAL	09"	2	136 lbs	\$2,015.00
A12HTA6	72" OAL	12"	4	160 lbs	\$2,075.00
A16HTA6	72" OAL	16"	4	244 lbs	\$2,630.00
A18HTA6	72" OAL	18"	6	297 lbs	\$2,644.00
A20HTA6	72" OAL	20"	6	305 lbs	\$2,730.00
A24HTA6	72" OAL	24"	7	380 lbs	\$2,986.00
A30HTA6	72" OAL	30"	8	455 lbs	\$4,019.00
A36HTA6	72" OAL	36"	8	575 lbs	\$5,197.00
A42HTA6	72" OAL	42"	10	795 lbs	\$7,275.00
A48HTA6	72" OAL	48"	13	936 lbs	\$7,809.00

#### **6 FOOT HTR ROCK AUGERS**

For use with High Torque Drive Unit Models: H040PD, H045PD, H055PD, H065PD, H075PD, H085PD, H095PD, H120PD, H130PD, H205PD, H208PD, H208PD, H215PD, H230PD. Fabricated Boring Head using Bullet Style Teeth, Heavy-Duty 3/8" Flighting, 3/4" think Bottom Flighting, Extra Heavy-Duty Center Shaft (3-3/4" Tubing X 5/8" Wall. Indicate 2", 2-1/2", 2-5/8", 3" Hex or 4" Square Collar (No Additional Charge)

Model/Item#	Length	Diameter	Tooth Quantity	Approx Weight	Suggested List Price (US \$)
A09HTR6	72" OAL	09"	10	139 lbs	\$2,182.00
A12HTR6	72" OAL	12"	12	187 lbs	\$2,277.00
A16HTR6	72" OAL	16"	16	261 lbs	\$2,529.00
A18HTR6	72" OAL	18"	18	323 lbs	\$2,791.00
A20HTR6	72" OAL	20"	20	340 lbs	\$2,913.00
A24HTR6	72" OAL	24"	24	402 lbs	\$3,400.00
A30HTR6	72" OAL	30"	30	581 lbs	\$5,217.00
A36HTR6	72" OAL	36"	36	1013 lbs	\$5,563.00
A42HTR6	72" OAL	42"	42	1289 lbs	\$8,940.00
A48HTR6	72" OAL	48"	48	1462 lbs	\$9,763.00





#### MOUNTS

#### SKID STEER LOADER MOUNTS

- · Universal Skid Steer Mount
- · Down Pressure Mount (Additional weights sold separately)
- · High Reach Mount Extensions

#### BACKHOE, MINI-EXCAVATOR, & EXCAVATOR MOUNTS

- · Pin-on Mounts
- · Pin Grabber Style Mounts
- · Dedicated Quick Attach Systems

#### AG-STYLE EQUIPMENT MOUNTS

- · Off-set universal Skid Steer Mount
- · Euro/Universal Loader Mount
- · John Deere 200 500 Tractor Loader Mounts
- · John Deere 600 & 700 Mounts
- · Tractor Loader Mounts



MODEL#	DESCRIPTION
SM001	UNIVERSAL SKID STEER MOUNT SAE J2513
SMHD001	UNIVERSAL SKID STEER MOUNT FOR HIGH TORQUE AUGER DRIVES
SM026	DOWN PRESSURE MOUNT BASE
SM028	DEDICATED HIGH REACH MOUNT

#### **BACKHOE MOUNTS**

MODEL#	DESCRIPTION
BH001	CASE 580/590 B THROUGH M SERIES PIN-ON
BH002	JOHN DEERE 310/410/510 PIN-ON
BH006	JOHN DEERE 310SE-K/410SE-K SERIES PIN-ON
BH003	CATERPILLAR 416/426/428/436 PIN-ON
BH004	NEW HOLLAND 400/500/600/700 SERIES PIN-ON
BH005	JCB 1400/1700 PIN-ON
BH110	CASE 580-N SERIES PIN-ON
BH116	NEW HOLLAND 90-B/95-B/110-B

#### MISC WEAR PARTS

MODEL#	DESCRIPTION
91001	KNUCKLE PIN
91002	SWIVEL
91003	CRADLE

## HEAVY DUTY WELD-ON MOUNT BLANK

MODEL #	DESCRIPTION
95009	WELD-ON ADAPTER, 5/16" STEEL PLATE
95021	WELD-ON ADAPTER, 3/8" STEEL PLATE
50124	MINI SKID MOUNT PLATE
95029	BOBCAT MT MOUNT PLATE

#### BACKHOE, MINI-EXCAVATOR, & EXCAVATOR MOUNTS

MODEL#	DESCRIPTION
VARIES	PIN SIZES: ( 1-1/4" TO 1-3/4"), (55MM TO 85MM+)

#### AG-STYLE EQUIPMENT MOUNTS

MODEL#	DESCRIPTION
SM020	OFF-SET UNIVERSAL SKID STEER MOUNT
SM021	EURO/UNIVERSAL LOADER MOUNT
SM019	JOHN DEERE 200-500 TRACTOR LOADER MOUNT
SM027	JOHN DEERE 600-700
TM001	TRACTOR LOADER MOUNTS

## EXCAVATOR & BACKHOE DEDICATED QUICK ATTACH MOUNTS

MODEL#	DESCRIPTION		
BH099	BOBCAT QUICK ATTACH MOUNT		
BH011	KUBOTA KX71-3 THROUGH KX121-3/U35/KX40		
BH010	KUBOTA KX161-3/U45 MOUNT		
BH065	KUBOTA KXO80-3 MOUNT		
BH141	KUBOTA KX057 COUPLER MOUNT		
BH078	TAG/C&P WAIN ROY STYLE #027 MOUNT		
BH097	TAG/C&P WAIN ROY STYLE #030 MOUNT		
BH064	JOHN DEERE 35-G COUPLER MOUNT		
BH091	JOHN DEERE 50-G COUPLER MOUNT		
BH150	JOHN DEERE 17-G COUPLER MOUNT		
	ACCESSORIES		

DESCRIPTION

WEIGHTS FOR DOWN PRESSURE MOUNT 100 LBS. EACH



MODEL #

50202

Prices Effective as of 2-23

#### **MOUNTING BRACKETS**

#### **AG STYLE EQUIPMENT MOUNTS**

Tractor Loader Mounts are designed to hang the Auger System to the Right Side for Greater Operator Visibility. They Include Swivel, Cradle and Connecting Pins (greaseable and contained with snap rings)

Model/Item#	Description	Approx Weight	Suggested List
	_		Price (US \$)
SM020	Off Set Right Universal Skid Steer Mount	175 lbs	\$611.00
SM021	Global Loader Mount, Off-Set Right	225 lbs	\$744.00
SM019	John Deere 400/500 Tractor Loader Mount, Off-Set Right	225 lbs	\$744.00
SM027	John Deere 600/700 Tractor Loader Mount, Off-Set Right	275 lbs	\$1,223.00
TM001	Tractor Loader Mounts, Attach to Lip of Loader Bucket or Arm	45 lbs	\$404.00

#### **SKID STEER MOUNTS AND ADAPTERS**

Skid Steer Mounts include Required Hardware and Pins to Attach to Premier Erath Auger Drives, Complete with Swivel, Cradle, and Connecting Pins (greasable and contained with snap rings)

Model/Item#	Description	Approx Weight	Suggested List Price (US \$)
SM001	Universal Skid Steer Mount SAE J2513	180 lbs	\$611.00
SMHD001	Universal Skid Steer Mount for High Torque Auger Drives	250 lbs	\$1,733.00
SM028	Dedicated 4' High Reach Mount	385 lbs	\$1,621.00
SM026	Down-Pressure Mount Base (additional weights sold separately)	500 lbs	\$3,059.00
50202	Additional Weights for Down-Pressure Mount (each)	100 lbs	\$249.00

#### MINI-EXCAVATOR, BACKHOE, AND EXCAVATOR MOUNTS

Dipper Pin Only Style Backhoe Mounts. \*For Heavy-Duty High Flow Drive Unit Models up to H065PD

Dipper in only office business mountain for meanly but, mg. mountains up to mouse b			
Model/Item#	Description	Approx Weight	Suggested List Price (US \$)
BH001	Case 580/590 B through M Series Pin-On	75 lbs	\$583.00
BH002	John Deere 310/410/510 Pin-On	75 lbs	\$583.00
BH006	John Deere 310SE-K / 410SE-K Series Pin-On	75 lbs	\$583.00
BH003	Caterpillar 416/426/428/436 Pin-On	75 lbs	\$583.00
BH004	New Holland 400/500/600/700 Series Pin-On	75 lbs	\$583.00
BH005	JCB 1400/1700 Pin-On	75 lbs	\$583.00
BH110	Case 580-N Series Pin-On	75 lbs	\$583.00
BH116	New Holland 90-B/95-B/110-B	75 lbs	\$583.00



Prices Effective as of 2-23

MOUNTING BRACKETS			
DIPPER PIN ONLY STYLE EXCAVATOR MOUNTS			
Pricing Guidelines given below. Too many available mounts to list all machines. Call factory for	part number		
For Standard Duty Applications and Drive Units up to Model H015F			
		Suggested List	
Description	Part#	Price (US \$)	
Mounts for Drive Units up to H015PD, Pin Sizes up tp 1-1/2"	Part # Varies	\$445.00	
For Standard & Heavy-Duty Drive Unit Models up to H065PD, using 1-1/4"	Mount Pin		
Description	Part#	Suggested List	
Description	Pail#	Price (US \$)	
Mounts for Drive Units up to H065, Pin Sizes up to 55mm	Part # Varies	\$583.00	
Mounts for Drive Units up to H065PD, Pin Sizes up to 80mm	Part # Varies	\$828.00	
Mounts for Drive Units up to H065PD, Pin Sizes up to 85mm and up	Part # Varies	\$1,021.00	
For Heavy-Duty High Flow/High Torque Drive Unit Models H075PD and up, using	1-3/4" Moun	t Pin	
Description	Part#	Suggested List	
	D + #1)/ :	Price (US \$)	
Mounts for Drive Units H075PD and up, Pin Sizes up to 55mm  Mounts for Drive Units H075PD and up, Pin Sizes 60mm to 80mm	Part # Varies Part # Varies	\$726.00 \$1,021.00	
Mount for Drive Units H075PD and up, Pin Sizes from 85mm and up	Part # Varies	\$1,021.00	
Mount for Drive Offics 11075FD and up, Filt Sizes from 6511111 and up	rait# valles	\$1,107.00	
PIN GRABBER STYLE EXCAVATOR MOUNTS			
Pricing Guidelines given below. Too many available mounts to list all machines. Call factory for part number. A  Mounts come complete with Cradle, Swivel, and Connecting Pins	ll Pin Grabber St	yle Excavator	
Mounts come complete with craule, 5 wiver, and connecting i ms			
For Standard & Heavy-Duty Drive Unit Models up to H065PD, using 1-1/4"	<b>Mount Pin</b>		
Description	Part#	Suggested List	
		Price (US \$)	
Mounts less than 55mm Pins, for Dirve Units up to H065PD	Part # Varies	\$1,451.00	
Mounts from 60mm to 80mm Pins, for Drive Units up to H065PD	Part # Varies	\$1,803.00	
Mounts greater than 85mm Pins, for Drive Units up to H065PD	Part # Varies	\$2,082.00	
For Heavy-Duty High Flow Drive/High Torque Unit Models up to H075PD and up, using 1-3/4" Mount Pin			
Description	Part#	Suggested List	
Mounts less than 55mm Pins, for Drive Units Ho75PD and up	Part # Varies	Price (US \$) \$2,050.00	
Mounts from 60mm to 80mm Pins, for Drive Units H075PD and up	Part # Varies	\$2,030.00	
Mounts greater than 85mm, for Drive Units H075PD and up	Part # Varies	\$2,784.00	
	raith valies	72,707.00	



Prices Effective as of 2-23

### **MOUNTING BRACKETS**

#### **AG STYLE EQUIPMENT MOUNTS**

Tractor Loader Mounts are designed to hang the Auger System to the Right Side for Greater Operator Visibility. They Include Swivel, Cradle and Connecting Pins (greaseable and contained with snap rings)

Model/Item#	Description	Approx	Suggested List Price (US \$)
BH099	Bobcat Quick Attach Mount	Weight 135 lbs	\$1,062.00
BH011	Kubota KX71-3 through KX121-3 / KX40 Mount	125 lbs	\$813.00
BH010	Kubota KX161-3 Mount	145 lbs	\$813.00
BH065	Kubota KX080-3 Mount	195 lbs	\$813.00
BH141	Kubota KX057 Coupler Mount	195 lbs	\$813.00
BH078	TAG/C&P Wain Roy Style #027 Mount	195 lbs	\$1,407.00
BH097	TAG/C&P Wain Roy Style #030 Mount	225 lbs	\$1,544.00
BH064	John Deere 35-G Coupler Mount	155 lbs	\$813.00
BH091	John Deere 50-G Coupler Mount	170 lbs	\$813.00
BH150	John Deere 17-G Coupler Mount	145 lbs	\$813.00
BH027	Yanmar VIO27/35 Pin Grab Mount	135 lbs	\$1,357.00
BH092	Caterpillar 303 Coupler Mount	140 lbs	\$1,422.00
BH120	Caterpillar 305E CCR Pin Grabber Mount	180 lbs	\$1,451.00
BH127	Yanmar VIO 55 Pin Grabber Mount	132 lbs	\$1,451.00
BH158	Yanmar SV100 & 80 Coupler Mount	195 lbs	\$1,357.00





#### **AUGER TEETH**







#### ACCESSORIES, EXTENSIONS, ETC.

# VARIABLE & FIXED LENGTH EXTENSIONS

VARIABLE MODEL #	FIXED MODEL #	LENGTH	COLLAR	
CVE12R200	CFE12R200	12"		
CVE24R200	CFE24R200	24"		
CVE36R200	CFE36R200	36"	2" RND	
CVE48R200	CFE48R200	48"		
CVE72R200	CFE72R200	72"		
CVE12R256	CFE12R256	12"	ſ	
CVE24R256	CFE24R256	24"	U	
CVE36R256	CFE36R256	36"	2-9/16" RND	
CVE48R256	CFE48R256	48"		
CVE72R256	CFE72R256	72"		
CVE12H200	CFE12H200	12"		
CVE24H200	CFE24H200	24"		
CVE36H200	CFE36H200	36"	2" HEX	
CVE48H200	CFE48H200	48"		
CVE72H200	CFE72H200	72"		
HVE48H250	HFE48H250	48"	0.1/0" UEV	
HVE72H250	HFE72H250	72"	2-1/2" HEX	
HVE72H262	HFE72H262	72"	2-5/8" HEX	

#### HOSES & FITTINGS

MODEL#	DESCRIPTION
61061	1/2" HYDRAULIC HOSES 68" LONG
61050	1/2" HYDRAULIC HOSES 108" LONG
61049	1/2" HYDRAULIC HOSES 120" LONG
61006	1/2" FEMALE FLAT FACED COUPLER
61007	1/2" MALE FLAT FACED COUPLER
61051	3/4" HYDRAULIC HOSE KIT 108" LONG
61043	3/4" FEMALE FLAT FACED COUPLER
61044	3/4" MALE FLAT FACED COUPLER
61008	5/8" FEMALE FLAT FACED COUPLER
61009	5/8" MALE FLAT FACED COUPLER
61022	1/2" NPT PIONEER FEMALE COUPLER
61023	1/2" NPT PIONEER MALE COUPLER
91052	SPRING 1/2" HOSE HOLDER KIT
91053	SPRING 3/4" HOSE HOLDER KIT
61070	TRACTOR REAR REMOTE HYDRAULIC HOSE KIT 240" LONG

#### **VARIABLE LENGTH EXTENSION**



### FIXED LENGTH EXTENSION

<del>------</del> 72" -

ADAPTERS				
MODEL#	FEMALE OUTPUT	MALE OUTPUT		
C200H256R	2" HEX	2-9/16" RND		
C200H200R	2" HEX	2" RND		
C256R200H	2-9/16" RND	2" HEX		
C256R200R	2-9/16" RND	2" RND		
C200R200H	2" RND	2" HEX		
C200R256R	2" RND	2-9/16" RND		
C200H250H	2" HEX	2-1/2" HEX		
C200H262H	2" HEX	2-5/8" HEX		
C250H200H	2-1/2" HEX	2" HEX		
C262H2OOH	2-5/8" HEX	2" HEX		
C250H262H	2-1/2" HEX	2-5/8" HEX		
C262H250H	2-5/8" HEX	2-1/2" HEX		

#### **AUGER COLLARS**

MODEL#	DESCRIPTION
00102	2" HEX AUGER COLLAR
00101	2-9/16" ROUND AUGER COLLAR
00100	2" ROUND AUGER COLLAR
00103	2-1/2" HEX COLLAR
00104	2-5/8" HEX COLLAR

## PREMIER TORQ-HUB MONITORING SYSTEM

MODEL #	DESCRIPTION
THMSH200	TORQ-HUB MONITORING SYSTEM (2" HEX)
THMSH250	TORQ-HUB MONITORING SYSTEM (2-1/2" HEX)
THMSH300	TORQ-HUB MONITORING SYSTEM (3" HEX)
THMSS400	TORQ-HUB MONITORING SYSTEM (4" SQUARE)



### **AUGER ACCESSORIES & REPLACEMENT PARTS**

#### ADAPTER FOR DRIVE UNITS AND AUGERS

Model/Item#	Description	Approx Weight
C200H256R	2" Hex Female to 2-9/16" Round Male Adpater	16 lbs
C200H200R	2" Hex Female t0 2" Round Male Adpater	4 lbs
C256R200H	2-9/16" Round Female to 2" Hex Male Adpater	15 lbs
C256R200R	2-9/16" Round Female to 2" Tound Male Adapter	12 lbs
C200R200H	2" Round Female to 2" Hex male Adpater	9 lbs
C200R256R	2" Round Female to 2-9/16" Round Male Adapter	10 lbs
C200H250H	2" Hex Female to 2-1/2 Hex Male Adapter	25 lbs
C200H262H	2" Hex Female to 2-5/8" Hex Male Adapter	25 lbs
C250H200H	2-1/2" Hex Female to 2" Hex Male Adapter	25 lbs
C262H200H	2-5/8" Hex Female to 2" Hex Male Adpater	25 lbs
C250H262H	2-1/2" Hex Female to 2-5/8" Hex Male Adpater	25 lbs
C262H250H	2-5/8" Hex Female to 2-1/2" Hex Male Adapter	25 lbs

#### **HOSES AND FITTINGS**

Model/Item#	Description	Approx Weight
61061	1/2" Hydraulic Hoses 68" long	12 lbs
61050	1/2" Hydraulic Hoses 108" long	15 lbs
61049	1/2" Hydrualic Hoses 120" long	17 lbs
61006	1/2" Female Flat Faced Coupler	3 lbs
61007	1/2" Male Flat Faced Coupler	1 lbs
61051	3/4" Hydraulic Hose kit 108" long	25 lbs
61043	3/4" Female Flat Faced Coupler	5 lbs
61044	3/4" Male Flat Faced Coupler	2 lbs
61008	5/8" Female Flat Faced Coupler	3 lbs
61009	5/8" Male Flat Faced Coupler	1 lbs
61022	1/2" NPT Pioneer Female Coupler	1 lbs
61023	1/2" NPT Pioneer Male Coupler	1 lbs
91052	Spring 1/2" Hose Holder Kit	5 lbs
91053	Spring 3/4" Hose Holder Kit	5 lbs
61070	Tractor Rear Remote Hydraulic Hose Kit 240" long	35 lbs

#### **AUGER COLLARS**

Model/Item#	Description	Approx Weight
102	2" Hex Auger Collar	10 lbs
101	2-9/16" Round Auger Collar	7 lbs
100	2" Round Auger Collar	5 lbs
103	2-1/2" Hex Collar	11 lbs
104	2-5/8" Hex Collar	10 lbs



### **AUGER ACCESSORIES & REPLACEMENT PARTS**

#### **CONSTRUCTION AUGER TEETH**

Model/Item#	Description	Approx Weight
200	Wisdom Tooth	1 lbs
201	Chisel Tooth	1 lbs
202	Wisdom Gage Tooth	1 lbs
205	Hardfaced Wisdom Tooth	1 lbs
206	Hardfaced Chisel Tooth	1 lbs
207	Hardfaced Wisdon Gage Tooth	1 lbs
208	Carbide Wisdome Tooth	1 lbs
209	Carbide Chisel Tooth	1 lbs
261	Carbide Gage Tooth	1 lbs
237	RB Carbide Wisdom Tooth	1 lbs
225	Tooth Pocket for CDC Augers	1 lbs
221	Rock Auger Bullet Tooth	1 lbs
223	Bullet Tooth Holder	1 lbs
40000	5/8"-11 Carriage Bolt 1-1/2" Long	1 lbs
40001	5/8"-11 Lock Nut	1 lbs

#### **CONSTRUCTION AUGER POINTS**

Model/Item#	Description	Approx Weight
203	Fishtail Point Male	3 lbs
210	Hardfaced Fishtail Point Male	3 lbs
211	Carbide Fishtail Point Male	3 lbs
204	4-1/2" Auger Fishtail Point Female	3 lbs
105	Square Drive Lug	1 lbs
106	4" Auger Drive Lug	1 lbs
236	CDR Rock Auger Pilot with 1-3/4" Square Shank	14 lbs
222	CDR Rock Auger Pilot with 2-3/8" API	14 lbs
239	4" CDR Rock Auger Fishtail Point Female	3 lbs
253	RB Carbide Fishtail Point Male	3 lbs
268	2" Carbide Rock Bit Pilot	1 lbs



### **AUGER ACCESSORIES & REPLACEMENT PARTS**

#### HIGH TORQUE AUGER TEETH

Model/Item#	Description	Approx Weight
213	High Torque Dirt Tooth	1 lbs
214	High Torque Gage Tooth	1 lbs
215	High Torque Carbide Dirt Point	1 lbs
216	High Torque Carbide Gage Tooth	1 lbs
221	Rock Auger Bullet Tooth	1 lbs
223	Bullet Tooth Holder	1 lbs

#### **HIGH TORQUE AUGER PILOT POINTS**

Model/Item#	Description	Approx Weight
217	High Torque Fishtail Point	5 lbs
218	High Torque Hardfaced Fishtail Point	5 lbs
219	High Torque Carbide Fishtail Point	5 lbs
220	High Torque Drive Lug	1 lbs
224	High Torque Pilot Adapter	9 lbs
260	High Torque Hardfaced Fishtail Point	5 lbs
236	CDR Rock Auger Pilot with 1-3/4" Square Shank	14 lbs

#### TORQ-HUB MONITORING SYSTEM

	Model/Item#	Description	Approx
			Weight
	THMSH200	Torq-Hub Monitoring System (2" Hex)	70 lbs
Ī	THMSH250	Torq-Hub Monitoring System (2-1/2" Hex)	70 lbs
Ī	THMSH300	Torq-Hub Monitoring System (3" Hex)	70 lbs
	THMSS400	Torq-Hub Monitoring System (2" Hex)	70 lbs



Prices Effective as of 2-23

### **AUGER EXTENSIONS**

#### **VARIABLE LENGTH AUGER EXTENSIONS**

Model/Item#	Description	Approx	Suggested List
		Weight	Price (US \$)
CVE12H200	2" Hex Variable Extension 12" Long	20 lbs	\$275.00
CVE12R256	2-9/16" Round Variable Extension 12" Long	21 lbs	\$275.00
CVE24H200	2" Hex Variable Extension 24" Long	34 lbs	\$351.00
CVE24R256	2-9/16" Round Variable Extension 24" Long	40 lbs	\$351.00
CVE36H200	2" Hex Variable Extension 36" Long	48 lbs	\$414.00
CVE36R256	2-9/16" Round Variable Extension 36" Long	54 lbs	\$414.00
CVE48H200	2" Hex Variable Extension 48" Long	57 lbs	\$490.00
CVE48R256	2-9/16" Round Variable Extension 48" Long	74 lbs	\$490.00
CVE72H200	2" Hex Variable Extension 72" Long	83 Lbs	\$614.00
CVE72R256	2-9/16" Round Variable Extension 72" Long	109 Lbs	\$614.00
HVE48H250	2-1/2" Hex Variable Extension 48" Long	85 Lbs	\$887.00
HVE72H250	2-1/2" Hex Variable Extension 72" long	127 Lbs	\$1,193.00

#### **FIXED LENGTH AUGER EXTENSIONS**

Model/Item#	Description	Approx	Suggested List
		Weight	Price (US \$)
CFE12R200	2" Round Fixed Extension 12" Long	14 lbs	\$211.00
CFE12H200	2" Hex Fixed Extension 12" Long	20 lbs	\$250.00
CFE12R256	2-9/16" Round Fixed Extension 12" Long	21 lbs	\$250.00
CFE24R200	2" Round Fixed Extension 24" Long	25 lbs	\$240.00
CFE24H200	2" Hex Fixed Extension 24" Long	34 lbs	\$289.00
CFE24R256	2-9/16" Round Fixed Extension 24" Long	40 lbs	\$289.00
CFE36H200	2" Hex Fixed Extension 36" Long	48 lbs	\$315.00
CFE36R256	2-9/16" Round Fixed Extension 36" Long	54 lbs	\$315.00
CFE48H200	2" Hex Fixed Extension 48" Long	57 lbs	\$376.00
CFE48R256	2-9/16" Round Fixed Extension 48" Long	74 lbs	\$376.00
CFE72H200	2" Hex Fixed Extension 72" Long	83 Lbs	\$575.00
CFE72R256	2-9/16" Round Fixed Extension 72" Long	109 Lbs	\$575.00
HFE48H250	2-1/2" Hex Fixed Extension 48" Long	85 Lbs	\$734.00
HFE72H250	2-1/2" Hex Fixed Extension 72" long	127 Lbs	\$1,019.00

