4630-36

36' Folding Seeder

The 4630-36 Folding Seeder is a combination of the proven Landoll front folding grain drill hitch and the iconic Brillion twelve foot Sure Stand Seeder.

This provides a state of the art machine with a quick transition from road transport to a 36' seeding width.

One of the key features of the 4630-36 is the ability of the main frame to allow each of the three seeders to operate completely independently of each other. The individual, frame mounted three-point

hitches raise and lower the seeders without changing the position of the main frame.



STANDARD MACHINE SPECIFICATIONS				
(3) 12' Three-Point Hitch Seeders	Electric Clutches on Each Seeder	13'6" Transport Width		
Coil Tine Track Remover for Center Section	Seed Shaft Monitor	Hydraulic Leveling Hitch		
Wheel Track Removers for Wings	Tires (Wings): (4) 11L x 15-12 Ply	Cast Single Lip Cat. IV Hitch		
Safety Chain Kit	Tires (Center Section): (4) 12.5L x 15, (GY-FI) Load F	Brillion Elite Mini Monitor (See Page 53)		
LED Warning Lights & SMV Emblem	Wheels (Wings): 6 Bolt Hubs with 2" Spindles	Seed Box Divider Kit		
Powder Coat Paint Wheels (Center Section): 8 Bolt Hubs with 2 %" Slip In Spindles				

Horsepower Requirements: Minimum of 200 HP

Approximate Set-Up Time: 6 Hours

	Pricing Information						
Model 4630-36	Description	Seed Box Capacity	Seeding Width	Approximate Weight	Suggested List Price		
SSBP-36	36' Agricultural Seeder with Front and Rear Seed Boxes	15.75 Bu. + 15.75 Bu.	36′	18,440 lbs.	\$ 139,641.00		
SSP-136	36' Mid-Size Capacity Agricultural Seeder	27.0 Bu.	36′	18,100 lbs.	132,245.00		
SSP-2361	36' High Capacity Agricultural Seeder	69.0 Bu.	36′	20,366 lbs.	164,986.00		

Accessories & Optional Equipment						
Part Number	Description	Approximate Weight	Suggested List Price			
	Options for SSBP-36 (Order a Total of Three - One for Each 12' Seeder)					
6K958	Blade Agitator Kit for 12' Seeder (For Rear Brome Box) [Kit is For Field Installation Only, Standard Equipment on New Units Shipped from Factory]	11.0 lbs.	\$ 614.00			
3J060	5-Strip Brush Agitator Kit for 12' Seeder (For Rear Brome Box)	47.0 lbs.	1,253.00			
184682	Cage Agitator Kit for 12' Seeder (For Rear Brome Box)	12.0 lbs.	595.00			
2K629	Divider Kit for 12' Seeder (Separates Every Two Meters in Front Seed Box) [Field Installation]	11.0 lbs.	789.00			
5K281	Rear Roller Assembly with Turfmaker Sprockets for 12' Seeder (Order in Lieu of 2K460)	ADD 108.0 lbs.	ADD 2,520.00			
OTHER OPTIONAL EQUIPMENT						
171633	Folding Row Marker Kit	978.0 lbs.	9,258.00			
244063	Scraper Kit for (1) 12' Seeder (Front Roller Only)	150.0 lbs.	1,108.00			



4620-24 Folding Seeder

Seed Rate Charts

SS-24 Single Seed Box, 15 Bu., with Micro-Meters

	POUNDS PER ACRE							
INDICATOR SETTINGS	1A	2A	3A	4A	5A	6A	7A	8A
Alfalfa (Uncoated)	3	7	13	19	23	29	34	39
Bahia	1	6	10	14	19	23	27	30
Bermuda (Hulled)	3	7	13	20	24	30	34	40
Birdsfoot Trefoil (Broadleaf)	3	9	14	20	30	36	44	51
Blue Grass (Kentucky)	1	3	4	7	9	11	13	14
Blue Grass (Park Kentucky)	1	4	7	11	14	19	21	24
Blue Grass (Sherman Big)	0	1	4	6	7	9	10	11
Canola*	1	7	11	17	21	26	30	36
Centipede	3	7	9	13	17	20	23	26
Clover (Alsike, Ladino, Sweet, Red)	3	9	13	19	24	30	34	40
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	7	11	17	24	28	34	43
Crested Wheat	0	1	3	4	6	7	9	10
Crown Vetch	3	10	16	21	29	34	41	49
Flax	3	7	11	14	19	23	27	30
Harding Grass	1	6	9	13	16	20	23	26
Klein Grass	3	7	14	19	26	33	40	44
Lespedeza (Korean Unhulled)	1	6	10	14	20	24	30	34
Lespedeza (Korean Hulled)	3	7	13	19	23	30	36	40
Lespedeza (Sericea Unhulled)	1	4	7	11	16	19	21	24
Lespedeza (Sericea Hulled)	3	9	14	21	27	34	41	46
Love Grass (Weeping)	1	9	14	19	24	31	37	44
Love Grass (Sand)	3	7	11	16	21	27	33	39
Millet	3	9	14	20	26	31	37	44
Red Top	1	3	6	7	9	10	11	13
Reed Canary Grass	1	3	6	9	10	13	14	19
Switch Grass (Cleaned and Hulled)	0	3	6	7	10	13	16	19
Teff - Tiffany Coated	4	9	14	20	27	31	38	44
Tillage Radish*	3	9	13	19	24	30	35	41
Timothy	3	6	10	16	20	26	31	36

^{*} Some Cracked Seeds Were Observed at Settings 1 & 2



4620-24

24' Folding Seeder

The 4620-24 Folding Seeder was designed with versatility in mind and helps fill a gap in the Brillion Seeder line-up. The 24' working width is geared towards producers with mid-size row crop tractors who are looking for more seeding capacity than that of the Brillion 12' Seeder but yet do not have the horsepower to pull the large 4630-36 Folding Seeder. The 15-bushel capacity seed box on each seeder section on the 4620-24 model features the

proven Micro-Meter seed metering system.

The seeder is ground driven and is equipped with an electric clutch on each seeder section. The ability to plant a variety of seeds and precisely place the seeds at the correct depth ensure optimal germination.

The larger seed box capacity allows the operator to spend more time seeding and less time stopping to fill the seed boxes. This versatility and efficiency along with the floating seeder wing design makes the 4620-24 Folding Seeder an ideal fit for agricultural and turf applications.



Model 4620-24 Shown with Optional Coil Tine Track Remover Kit

STANDARD MACHINE SPECIFICATIONS				
(2) 12' Seeder Sections	Micro-Meter Seed Box with 6" Meter Spacing	(4) 12.5L x 15 FI Transport Tires		
Transport Width Under 14' (Seeders Fold Forward)	Seed Box Capacity of 15 Bushels per Wing	Brillion Elite Mini Monitor (See Page 53)		
15 ¾" Cast Iron Front and Rear Pulverizer Rollers	Ground Driven with Electric Clutch on Each Wing	LED Warning Lights and SMV Emblem		
1 ¾" Bearings on Pulverizer Rollers	Pivot Points Utilize Maintenance Free Polymer Bearings	Powder Coat Paint		
Seeder Wings Float 5 Degrees Left to Right and 5 Degrees Front to Rear on Torsion Springs	Semi-Mounted Two-Point Hitch - Cat. II & III Free Link and Cat. II, IIIN, III Quick Coupler			

Horsepower Requirements: Minimum of 150 HP AND Three-Point Hitch Lift Capacity: 7,500 lbs.

Approximate Set-Up Time: 8 to 10 Hours

Pricing Information						
Model 4620-24	Description	Seed Box Capacity	Seeding Width	Approximate Weight	Suggested List Price	
SS-24	24' Agricultural Seeder, Single Seed Box with Micro-Meters	15 Bu. (Each Wing)	24′	15,789 lbs.	\$ 133,409.00	

	Accessories & Optional Equipment					
Part Number	Description	Approximate Weight	Suggested List Price			
229381	Coil Tine Track Remover Kit	389.0 lbs.	\$ 3,749.00			
244095	Speed Up Kit (2 Required)	2.0 lbs.	230.00			



Prices Effective as of 1-24

Double Seeder Hitch



Model BDH-512 Shown with Standard Equipment (Seeders Not Included)

The unique design of the Double Seeder Hitch allows for pulling any combination of 8', 10' or 12' pull-type seeders in tandem to expand the seeding width to a maximum of 24 feet. The over-the-top design maintains a transport width only as wide as the widest seeder. The center flex pivot and wide range of adjustments lets each seeder follow the soil's natural contours for consistent seeder operation.

STANDARD MACHINE SPECIFICATIONS				
Transport Width (Less Seeders) 8'5"	Drawbar Jack	Tire Size Front: 27 x 9.50 15 10 Ply NHS		
Transport Height 7'9"	Safety Chain Kit	Tire Size Rear Caster: 20.5 x 8		
Overall Length (Less Seeders) 28'7"	Hydraulics: 3 Remote Circuits	Powder Coat Paint		

Horsepower Requirements: Adequate to Safely Support Implements (100 HP Minimum)

Approximate Set-Up Time: 5 Hours

	Pricing Information		
Model Number	Description	Approximate Weight	Suggested List Price
BDH-512	Double Seeder Hitch	2,050 lbs.	\$ 17,273.00

	Accessories & Optional Equipment					
Part Number	Description	Approximate Weight	Suggested List Price			
185305	S-Tine Wheel Track Remover Kit for Double Seeder Hitch (This Kit Accommodates 2 Seeders)	323.0 lbs.	\$ 2,137.00			

If seeders are equipped with electric clutches, order (3) 5K268 Cable Assemblies.

