

3-Point Lift Drawbars

90 Series for 5-Bar Harrow



90 Series Features

- 3" heavy wall structural tube.
- High-strength 1.66" diameter lift tubes.
- Double-braced lift tube brackets.
- 24" transport clearance.
- Fits most models of 5-bar harrows.

90 Series Specifications

Model	Approx. Width	Approx. Wt.
9006	6'	150 lbs.
9007	7'	161 lbs.
9010	10'	205 lbs.
9011	11'	211 lbs.
9012	12'	218 lbs.
9013	13'	225 lbs.
9014	14'	232 lbs.

^{*}Does not include harrow sections.

40 Series with 8-Bar Harrow



40 Series Features

- Strong 6" heavy wall structural tube.
- Includes 8-bar spike tooth harrow for superior leveling.
- 24" transport clearance.
- · Folding models include hydraulic cylinders.
- Includes gauge wheels.

40 Series Specifications

Model	Approx. Width	Approx. Wt.		
4015(S)	15' 1"	1751 lbs.		
4020(S)	21' 1"	1977 lbs.		
4020(F)	21' 1"	2102 lbs.		
4024(F)	24' 2"	2240 lbs.		
4027(F)	27' 2"	2378 lbs.		
4030(F)	30' 2"	2699 lbs.		
(0) 0(!	(O) Otasis Ist/Nieus Caldius at Talai Dem			

(S) Straight/Non-folding Tool Bar



3-POINT LIFT HARROWS



3-Point Lift Drawbars ONLY for 5-Bar Sections

MODEL	Size	Weight	List Price
9006	6'	150 lbs.	\$1,011
9007	7'	161 lbs.	\$1,051
9010	10'	205 lbs.	\$1,422
9012	12'	218 lbs.	\$1,481
9014	14'	232 lbs.	\$1,525

- 3" heavy structural tube and double braced lift tube brackets.
- Features heavy-duty 1.66" diameter steel tube.
- 24" transport clearances.
- Category I hitch pins.

3-Point Lift Drawbars ONLY for Chain Link Harrow Sections*

MODEL	Size	Weight	List Price
8008-U	8' Cat. 1	275	\$1,689
8010-U	10' Cat. 1	295	\$1,753
8012-U	12' Cat. 1	357	\$2,149
8014-U	14' Cat.1	418	\$2,452

- 3" heavy wall toolbar.
- · Category I hitch.
- 18' transport clearance.
- High-strength pull tube for even pull.

Prices do not include sections.



(S) Straight/Non-Folding (F) Folding Folding units include cylinders and hoses to the center of the unit.

40 SERIES FLEXIBLE SPIKE TOOTH HARROWS

3-Point Lift drawbars with 8-Bar Flexible Harrow Sections

MODEL	Size	Weight	List Price
40155	15'-11"	1751	\$7,540
40205	21'-1"	1977	\$7,964
4020F	21'-1"	2102	\$11,663
4024F	24'-2"	2240	\$12,219
4027F	27'-2"	2378	\$12,769
4030F	30'-2"	2699	\$13,397

- Category II/III combination hitch.
- 6" square heavy-wall structural tube toolbar.
- 24" transport clearance.
- Gauge wheels included.
- Parking stands for convenient tractor hookup.



3-POINT B CONDITIONER



Units include shank with foot piece, 5-blade spiral reels mounted to 7x7 vertical fold toolbar, and double rolling basket. Gauge wheels are included on all models.

MODEL	Size	List Price
SPR 6R38R-BC	6 row 36" rigid toolbar	\$28,821
SPR 6R38F-BC	6 row 38"	\$34,022
SPR 8R38F-BC	8 row 38"	\$38,251
SPR 12R30F-BC	12 row 30"	\$36,071
SPR 12R36F-BC	12 row 36"	\$47,028
SPR 12R38F-BC	12 row 38"	\$42,969
SPR 12R40F-BC	12 row 40"	\$50,553
SPR 16R30F-BC	16 row 30"	\$70,520

Bed Conditioner Components Only

MODEL	Size	List Price
SPR-BC 12R30	12 row 30"	\$27,916
SPR-BC 12R36	12 row 36"	\$28,525
SPR-BC 12R38	12 row 38"	\$30,344
SPR-BC 12R40	12 row 40"	\$30,344
SPR-BC 16R30	16 row 30"	\$31,357

Packages include shank with foot piece, 5-blade spiral reels, and double rolling basket to fit stack-fold toolbar.

Bed Conditioner Shank

\$389

Includes shank, mount, and foot piece (one row).



