



Skid Steer Grader Blade

The patented SSGB-8A Grader is designed to be used by asphalt, landscaping, and concrete flatwork contractors. The unit has a 8-foot, six-way hydraulically controlled moldboard operated by an in-cab remote. With an optional laser system, the grader will maintain grade to tight tolerances. To help prevent damage, the moldboard is shear pin protected. Unit comes complete with 1/2" "connect under pressure" flat-faced hydraulic couplers and a reversible beveled cutting edge for long life. Optional End Plate Kit (Pair, #811980) and Laser Pole Kit (Pair, #812110) available.



Close-up of optional end plate - sold in pairs.



Optional laser pole kit - sold in pairs.

Grader Blades Specifications

	SSGB-8A
Overall Height (in/mm)	46-1/2 / 1181
Overall Length (in/mm)	98 / 2489
Overall Width (in/mm)	95-1/2 / 2426
Weight (lbs/kg)	1195 / 542
Mount Type	Universal Skid Steer
Hydraulic Blade Adjustments	Tilt / Angle / Height
Moldboard Width (in/mm)	95-1/2 / 2426
Moldboard Height (in/mm)	15 / 381 w/Cutting Edge
Moldboard Width, Fully Angled (in/mm)	85 / 2159
Moldboard Rotation Left & Right	25 Degrees
Moldboard Tilt Up or Down	25 Degrees
Reversible Moldboard Cutting Edge (in/mm)	1/2 x 6 / 13 x 152 Double Bevel
Moldboard Shear Pin Protection (in/mm)	5/16 / 8 Diameter Shear Pin (Soft)
3 -Hydraulic Cylinders (in/cm) PSI/bar	2 / 5 Bore x 12 / 30 Stroke 3500 / 241
Flat-Faced Couplers Included (in/cm)	1/2 / 13 Body - Connect Under Pressure
Grader Control Valve	Electric Solenoid Operated
In-Cab Remote Control	Standard
Recommended Min. Skid Steer HP	45 HP (34 kw)
Wheel Bearings	Greaseable Tapered Roller
Tire Size (in/mm)	18-1/2 x 8-1/2 x 8 / 470 x 216 x 203
Product No.	811901

Choose **Worksaver** For All Your Land Management

Skid Steer Grader Blade

Designed for Use on Skid Steer Loaders

This products is manufactured to interface with the “Universal “ skid steer quick attach mount. Unit can be used with a Laser system. Worksaver offers an Opt. Junction box (2507020) to interface with Leica components (ordered from Leica) shown on page 57.

Product	Model	Item #	Description	Lbs.	List
	SSGB-8B	811940	The patented Grader, designed to be used by asphalt, landscaping and concrete flatwork contractors. Unit features 8-ft., six-way hydraulically controlled (proportional current valve) moldboard operated by an in-cab remote. (Requires opt. Junction Box 2507020 to interface with Leica Laser system.)	1195	15,435.00
		2507020	Optional Laser Interface Junction Box Kit. This allows the SSGB-8B to interface with a Leica laser system which is purchased from Leica (see page 57)	3	979.00
End Plates		811980	Optional end plates for SSGB-8B sold in pairs.	60	434.00
Formed End Plates		811875	Optional end plate with formed outer edge sold in pairs	42	434.00
Laser Poles		812110	Optional Laser Poles for SSGB-8B sold in pairs	30	235.00



Leica Laser Components for use with Worksaver SSGB-8B Skid Steer Grader Blade.

The following Leica items will need to be purchased through a Leica distributor / dealer to allow the SSGB-8B when equipped with (2507020) Laser Junction Box to be controlled by a laser.

Leica Part No.	Description	Quantity Required
823545	MLS 720 Laser Receiver	2
832543	MTC 704 Carrying Case for MLS 720 Receiver	2
761085	MCC 700 Coiled Cable MIL 4P, 3.0M	2
6007520	Kit – 2D Panel, iCON grad	1
764910	MMB1300 Cradle for 2D/3D Panel	1
767437	MJB1300 Junction Box, 2 sensor ports	1
764866	Cable for cradle 5Pin M12 / open, 5M	1
777657	Snap Hook, stainless steel, 8mm x 80mm (5/16")	2
761509	MMB1330 RAM Bracket, Size C (1.5")	1
798790-1.0.0en	Leica iCONgrade iCP32 user manual	1
819460-1.1.0en	Leica iCON grade iGDx Installation Manual	1
8241565	Decal – Powered by Leica	2