Snow Pushers 20-Series

Performance matched to fit Sub-Compact tractors, the 20-Series Snow Pushers are sized to the tractor for maximum performance. Models are available with the "universal" skid steer attach method, which is used on most sub-compact loaders today. Also available are models to fit John Deere 200/300/D120/H120/H130 with hook & pin quick attach.

- Models designed for Sub-Compact tractors up to 32 HP.
- End plates with gentle slope design.
- Adjustable skid shoes of AR-400 material.
- Available in widths of 4' or 5' with either an ultra-rubber edge or alloy steel cutting edge.
- CNC formed 11-gauge moldboard with formed 10-gauge back brace for strength and durability.
- Optional Pull-Back kit available for all models.



	SPS-2048R	SPS-2048M	SPS-2060R	SPS-2060M
Overall Width (in/cm)	52 / 132	52 / 132	64 / 163	64 / 163
Overall Height (in/cm)	21.5 / 55	21.5 / 55	21.5 / 55	21.5 / 55
Overall Depth (in/cm)	21 / 53	21 / 53	21 / 53	21 / 53
Moldboard Thickness	11-gauge	11-gauge	11-gauge	11-gauge
End Plate Thickness	7-gauge	7-gauge	7-gauge	7-gauge
Inside Angle Bracing	Yes	Yes	Yes	Yes
Rubber Cutting Edge	Yes (1" x 4")	No	Yes (1" x 4")	No
Alloy Steel Cutting Edge	No	Yes (3/8" x 4")	No	Yes (3/8" x 4")
Skid Shoes of AR-400	Yes	Yes	Yes	Yes
Horsepower Rating	Up to 32 HP	Up to 32 HP	Up to 32 HP	Up to 32 HP
Weight (lbs/kg)	146 / 66	163 / 74	159 / 72	180 / 82
Product No.	358160	358165	358170	358175
Optional Rubber Edged Pull-Back Kit	358200	358200	358205	358205
Optional Metal Edged Pull-Back Kit	358230	358230	358235	358235
Optional Poly Skid Shoes	358240	358240	358240	358240

20-Series Specifications for Sub-Compact Tractors up to 32 HP, Max. Operating Weight 1,800 lbs. – John Deere hook & pin quick attach for 200/300, D120, H120, H130

	SPJD-2048R	SPJD-2048M	SPJD-2060R	SPJD-2060M
Overall Width (in/cm)	52 / 132	52 / 132	64 / 163	64 / 163
Overall Height (in/cm)	21.5 / 55	21.5 / 55	21.5 / 55	21.5 / 55
Overall Depth (in/cm)	21 / 53	21 / 53	21 / 53	21 / 53
Moldboard Thickness	11-gauge	11-gauge	11-gauge	11-gauge
End Plate Thickness	7-gauge	7-gauge	7-gauge	7-gauge
Inside Angle Bracing	Yes	Yes	Yes	Yes
Rubber Cutting Edge	Yes (1" x 4")	No	Yes (1" x 4")	No
Alloy Steel Cutting Edge	No	Yes (3/8" x 4")	No	Yes (3/8" x 4")
Skid Shoes of AR-400	Yes	Yes	Yes	Yes
Horsepower Rating	Up to 32 HP	Up to 32 HP	Up to 32 HP	Up to 32 HP
Weight (lbs/kg)	131 / 59	148 / 67	145 / 66	166 / 75
Product No.	358180	358185	358190	358195
Optional Rubber Edged Pull-Back Kit	358200	358200	358205	358205
Optional Metal Edged Pull-Back Kit	358230	358230	358235	358235
Optional Poly Skid Shoes	358240	358240	358240	358240



WARNING: Read and understand the operator's manual before operation. Be sure tractor/skid steer are properly counterbalanced. Damage to equipment or personal injury could occur.





Snow Pushers 24-Series

Engineered to fit compact tractors equipped with a loader. The 24-Series Snow Pusher is job matched to the tractor for maximum performance.

- Replaceable 1" x 6" reversible Ultra-Rubber cutting edge is standard on "R" models
- Replaceable 3/8" x 6" reversible steel cutting edge is standard on "M" models
- Models to fit loaders with "Universal" skid steer attaching system.
- Models to fit John Deere 200/300/400 series loaders with guick attach system.
- All models feature adjustable & reversible skid shoes of AR-400 steel.



24-Series Specifications for Tractors up to 50 HP, Max. Operating Weight 3,500 lbs. – "Universal" Skid Steer Attach

	SPS-2460R	SPS-2460M	SPS-2472R	SPS-2472M	SPS-2484R	SPS-2484M
Overall Width (in/cm)	66.5 / 169	66.5 / 169	78.5 / 199.4	78.5 / 199.4	90.5 / 230	90.5 / 230
Overall Height (in/cm)	25.6 / 65	25.6 / 65	25.6 / 65	25.6 / 65	25.6 / 65	25.6 / 65
Overall Depth (in/cm)	26 / 66	26 / 66	26 / 66	26 / 66	26 / 66	26 / 66
Moldboard Thickness	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge
End Plate Thickness (in/cm)	1/4 / 0.635	1/4 / 0.635	1/4 / 0.635	1/4 / 0.635	1/4 / 0.635	1/4 / 0.635
Reinforced Endplates	Yes	Yes	Yes	Yes	Yes	Yes
Rubber Cutting Edge	Yes	No	Yes	No	Yes	No
Steel Cutting Edge	No	Yes	No	Yes	No	Yes
Adjustable/Reversible Skid Shoes	Std.	Std.	Std.	Std.	Std.	Std.
Horsepower Rating	20-30 HP	20-30 HP	25-40 HP	25-40 HP	30-50 HP	30-50 HP
Weight (lbs/kg)	390 / 177	410 / 186	430 / 195	450 / 204	465 / 211	485 / 220
Product No.	358000	358005	358010	358015	358020	358025
Optional Pull-Back Kit	358095	358095	358105	358105	358115	358115

24-Series Specifications for Tractors using John Deere 200/300/400 attaching system on tractors up to 50 HP, Max. Operating weight 3,500 lbs.

	SPJD-2460R	SPJD-2460M	SPJD-2472R	SPJD-2472M	SPJD-2484R	SPJD-2484M
Overall Width (in/cm)	66.5 / 169	66.5 / 169	78.5 / 199.4	78.5 / 199.4	90.5 / 230	90.5 / 230
Overall Height (in/cm)	25.6 / 65	25.6 / 65	25.6 / 65	25.6 / 65	25.6 / 65	25.6 / 65
Overall Depth (in/cm)	26 / 66	26 / 66	26 / 66	26 / 66	26 / 66	26 / 66
Moldboard Thickness	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge
End Plate Thickness (in/cm)	1/4 / 0.635	1/4 / 0.635	1/4 / 0.635	1/4 / 0.635	1/4 / 0.635	1/4 / 0.635
Reinforced Endplates	Yes	Yes	Yes	Yes	Yes	Yes
Rubber Cutting Edge	Yes	No	Yes	No	Yes	No
Steel Cutting Edge	No	Yes	No	Yes	No	Yes
Adjustable/Reversible Skid Shoes	Std.	Std.	Std.	Std.	Std.	Std.
Horsepower Rating	20-30 HP	20-30 HP	25-40 HP	25-40 HP	30-50 HP	30-50 HP
Weight (lbs/kg)	379 / 172	399 / 181	415 / 188	435 / 197	450 / 204	470 / 213
Product No.	358030	358035	358040	358045	358050	358055
Optional Pull-Back Kit	358095	358095	358105	358105	358115	358115



WARNING: Read and understand the operator's manual before operation. Be sure tractor/skid steer are properly counterbalanced. Damage to equipment or personal injury could occur.





DEFRE

36-Series Snow Pusher

36-Series Snow Pusher w/Optional Pull-Back Kit



See the 36-Series Snow Pusher in action on YouTube! (https://www.youtube.com/watch?v=oFZSJV9Ojl4)

Snow Pushers 36-Series

Engineered for Skid Steer loaders and Utility tractors from 50-90 hp. (depending on model) these 36-Series Snow Pushers consistently deliver the high performance today's operators demand. All models feature an adjustable & reversible 1.5" x 8" Ultra-Rubber cutting edge, 4-inch wide reversible skid shoes of AR-400 steel and 7-gauge moldboard.

- Two (2) 4-inch industrial "C" channels provide solid support.
- Pusher side plates are 36" high (without skid shoe) and 36" deep.
- Ultra-Rubber cutting edge of SBR (Styrene Butadiene Rubber) with a durometer of 65 and a 2500# tensile strength provides high performance and durability.
- · Models for Skid Steer Loaders.
- Models for John Deere 400/500 (JD hook & pin) quick change attachment carrier.
- Models for Global / Euro tool carrier.
- Blank Back models to accept weld-on mounting brackets.
- · Clamp-on bucket mount models.



Clamp-on Bucket Mount 36-Series Snow Pusher w/Optional Pull-Back Kit



36-Series Specifications for Skid Steers and Utility Tractors from 50-90 HP (depending on model)

	SPS-3696R	SPJD-3696R	SPG-3696R	SPS-36120R	SPJD-36120R	SPG-36120R
Overall Width (in/cm)	104.5 / 265	104.5 / 265	104.5 / 265	128.5 / 326	128.5 / 326	128.5 / 326
Overall Height (in/cm)	37.37 / 95	37.37 / 95	37.37 / 95	37.37 / 95	37.37 / 95	37.37 / 95
Overall Depth (in/cm)	37.75 / 96	37.75 / 96	37.75 / 96	37.75 / 96	37.75 / 96	37.75 / 96
Moldboard Thickness	7-gauge	7-gauge	7-gauge	7-gauge	7-gauge	7-gauge
Endplate Thickness (in/cm)	5/16 / 0.795	5/16 / 0.795	5/16 / 0.795	5/16 / 0.795	5/16 / 0.795	5/16 / 0.795
Reinforced Endplates	Yes	Yes	Yes	Yes	Yes	Yes
Rubber Cutting Edge	Yes	Yes	Yes	Yes	Yes	Yes
Adjustable/ Reversible Skid Shoes	Std.	Std.	Std.	Std.	Std.	Std.
Horsepower Rating	50-90 HP	50-90 HP	50-90 HP	50-125 HP	50-125 HP	50-125 HP
Weight (lbs./kg)	815 / 370	780 / 354	810 / 367	905 / 408	870 / 395	900 / 408
Mounting	Skid Steer	JD 400/500	Euro/Global	Skid Steer	JD 400/500	Euro/Global
Product No.	358060	358070	358080	358090	358100	358110
Optional Pull-Back Kit	358120	358120	358120	358125	358125	358125

36-Series Specifications for Skid Steers and Utility Tractors from 50-90 HP (depending on model)

	SPC-3696R	SPC-36120R	SPB-3696R	SPB-36120R
Overall Width (in/cm)	104.5 / 265	128.5 / 326	104.5 / 265	128.5 / 326
Overall Height (in/cm)	37.37 / 95	37.37 / 95	37.37 / 95	37.37 / 95
Overall Depth (in/cm)	37.75 / 96	37.75 / 96	37.75 / 96	37.75 / 96
Moldboard Thickness	7-gauge	7-gauge	7-gauge	7-gauge
Endplate Thickness (in/cm)	5/16 / 0.795	5/16 / 0.795	5/16 / 0.795	5/16 / 0.795
Reinforced Endplates	Yes	Yes	Yes	Yes
Rubber Cutting Edge	Yes	Yes	Yes	Yes
Adjustable/ Reversible Skid Shoes	Std.	Std.	Std.	Std.
Horsepower Rating	50-90 HP	50-125 HP	50-90 HP	50-125 HP
Weight (lbs./kg.)	845 / 383	935 / 424	775 / 351	865 / 392
Mounting	Bucket / Chain-on	Bucket / Chain-on	Mgt. Brt. Available*	Mgt. Brt. Available*
Product No.	358110	358150	358130	358135
Optional Pull-Back Kit	358120	358125	358120	358125

^{*}Optional weld-on Quick Attach brackets available for most popular loaders.





Land Management Attachments

20-Series Snow Pushers for Sub-Compact Tractors

Designed to fit Sub-Compact tractors with loaders that utilize either the "universal" skid steer attaching system or John Deere loaders using the 200/300, D120, H120, H130, hook and pin attaching system. **20-Series** Snow Pusher is 20" deep and 20" tall. Replaceable 1" x 4" rubber cutting edge (reversible) is standard on the "R" models and 3/8" x 4" (reversible) harden steel cutting edge is standard on the "M" models.

270	` /		ill-Back Kits are available.						
Product	Model	Item #	Description	Lbs.	List				
20-Series	Designed for use	e on loade	rs using the universal skid steer attachin	ıg syste	em				
	Recommended up to 30 HP, Maximum Operating Weight 1,800 lbs.								
	SPS-2048R	358160	4-ft Snow Pusher with Rubber Cutting Edge	146	1,259.00				
	SPS-2048M	358165	4-ft Snow Pusher with Metal Cutting Edge	163	1,225.00				
	SPS-2060R	358170	5-ft Snow Pusher with Rubber Cutting Edge	159	1,316.00				
	SPS-2060M	358175	5-ft Snow Pusher with Metal Cutting Edge	180	1,274.00				
	20-Series Des	signed for	use on John Deere Loaders with the	1 1					
			ck-change attachment carrier (hook & p						
R			, Maximum Operating Weight 1,800 lbs						
	SPJD-2048R	358180		131	1,259.00				
	SPJD-2048M	358185	4-ft JD Snow Pusher w/ Metal Edge	148	1,225.00				
0000	SPJD-2060R	358190	5-ft JD Snow Pusher w/ Rubber Edge	145	1,316.00				
	SPJD-2060M	358195	5-ft JD Snow Pusher w/ Metal Edge	166	1,274.00				
Pull-Back Kits			ers, ideal for pulling snow away from ov	erhead	doors				
			Replaceable Rubber Cutting Edge						
	4-ft Pull-Back	358200	4-ft Pull-Back Kit w/rubber edge		427.00				
	5-ft Pull-Back	358205	5-ft Pull-Back Kit w/rubber edge		532.00				
	40.75.1		ck Metal Cutting Edge		155.00				
	4-ft Metal	358230	4-ft Metal Pull-Back Kit for 20-Series		175.00				
	Pull-Back 5-ft Metal	358235	5-ft Metal Pull-Back Kit for 20-Series		189.00				
	Pull-Back	338233	3-it Metal Full-Back Kit 101 20-Selles		189.00				
	Rubber Cu	tting Edg	e Kits for 20-Series Snow Pushers.	•					
	Includes	Rubber e	dge, Retaining Bar & Hardware						
	Edge Kit (R)	358210	Rubber cutting edge kit for 4-ft Pusher		259.00				
	Edge Kit (R)	358220	Rubber cutting edge kit for 5-ft Pusher		306.00				
	Metal Cu	tting Edge	Kits for 20-Series Snow Pushers						
	· · · · · · · · · · · · · · · · · · ·	Includes N	Metal edge & Hardware						
	Edge Kit (M)	358215	Metal cutting edge kit for 4-ft Pusher		147.00				
	Edge Kit (M)	358225	Metal cutting edge kit for 5-ft Pusher		170.00				
	Poly Sl	kid Shoe F	Kit for 20-Series Snow Pushers						
	Poly Skid	358240	Pair of Poly Skid Shoes for 20-Series	27	329.00				
	Shoes Kit		pushers. Includes mounts & hardware						





Land Management Attachments

24-Series Snow Pushers

Designed to fit Compact tractors with loaders that utilize the "universal" skid steer attaching system. Models are also available for John Deere loaders using the 200/300/400 attaching system. **24-Series** Snow Pusher is 24" deep and 24" tall. Replaceable 1" x 6" rubber cutting edge (reversible) is standard on the "R" models and 3/8" x 6" (reversible) harden steel cutting edge is standard on the "M" models. Optional Pull-Back Kits are available.

cutting edge is standard on the "M" models. Optional Pull-Back Kits are available.							
Product	Model	Item #		Lbs.	List		
	_		ers using the universal skid steer attachin		em		
Recommended up to 40 HP, Maximum Operating Weight 3,500 lbs.							
	SPS-2460R	358000	5-ft Snow Pusher with Rubber Cutting Edge	390	1,757.00		
	SPS-2460M	358005	5-ft Snow Pusher with Metal Cutting Edge	410	1,722.00		
	SPS-2472R	358010	6-ft Snow Pusher with Rubber Cutting Edge	430	1,897.00		
	SPS-2472M	358015	6-ft Snow Pusher with Metal Cutting Edge	450	1,848.00		
	SPS-2484R	358020	7-ft Snow Pusher with Rubber Cutting Edge	465	2,058.00		
	SPS-2484M	358025	7-ft Snow Pusher with Metal Cutting Edge	485	2,002.00		
			use on John Deere Loaders with the				
			60/H165/D170/H180 quick-change attach		carrier		
R			P, Maximum Operating Weight 3,500 lbs				
	SPJD-2460R	358030	5-ft JD Snow Pusher w/ Rubber Edge	379	1,757.00		
	SPJD-2460M	358035	5-ft JD Snow Pusher w/ Metal Edge	399	1,722.00		
	SPJD-2472R	358040	6-ft JD Snow Pusher w/ Rubber Edge	415	1,897.00		
	SPJD-2472M	358045	6-ft JD Snow Pusher w/ Metal Edge	435	1,848.00		
	SPJD-2484R	358050	7-ft JD Snow Pusher w/ Rubber Edge	450	2,058.00		
	SPJD-2484M	358055	7-ft JD Snow Pusher w/ Metal Edge	470	2,002.00		
Pull-Back Kits			ers, ideal for pulling snow away from ov				
	5-ft Pull-Back	358095	5-ft Pull-Back Kit w/rubber edge	79	679.00		
	6-ft Pull-Back	358105	6-ft Pull-Back Kit w/rubber edge	95	759.00		
	7-ft Pull-Back	358115	7-ft Pull-Back Kit w/rubber edge	108	833.00		
			e Kits for 24-Series Snow Pushers.				
			dge, Retaining Bar & Hardware	• •	22600		
	Edge Kit (R)	358054	Rubber cutting edge kit for 5-ft Pusher	38	336.00		
	Edge Kit (R)	358056	Rubber cutting edge kit for 6-ft Pusher	45	378.00		
	Edge Kit (R)	358057	Rubber cutting edge kit for 7-ft Pusher	53	420.00		
		0 0	e Kits for 24-Series Snow Pushers				
			Metal edge & Hardware	40	Φ106 00		
	Edge Kit (M)	358137	Metal cutting edge kit for 5-ft Pusher	40	\$196.00		
	Edge Kit (M)	358138	Metal cutting edge kit for 6-ft Pusher	49	\$217.00		
	Edge Kit (M)	358139	Metal cutting edge kit for 7-ft Pusher	59	\$238.00		
	D I CIAI	250245	D' CD I GI'IGI C CACC'	2.4	271.00		
	Poly Skid	358245	Pair of Poly Skid Shoes for 24-Series	34	371.00		
	Shoe Kit		pushers Includes mounts & hardware				





Land Management Attachments

36-Series Snow Pushers

Designed to fit Skid Steer and Tractors with loaders that utilize the "universal" skid steer attaching system. Models are also available for John Deere loaders using the 400/500 series attaching system, and loaders that use the Euro/Global tool carrier. **36-Series** Snow Pusher is 36" deep and 36" tall.

Replaceable 1.5" x 8" rubber cutting edge (reversible) is standard on the "R" models.

Optional Pull-Back Kits are available for all sizes to clear snow from tight areas.

Product	Model	Item #	Description	Lbs.	List			
36-Series	Designed for use	on loade	rs using the universal skid steer attachin	g syste	em.			
	Recommended HP 50-90 HP							
	SPS-3696R	358060	8-ft Snow Pusher with Rubber Cutting Edge	815	4,172.00			
	SPS-36120R	358090	10-ft Snow Pusher w/ Rubber Cutting Edge	905	4,466.00			
36-Series Desi	36-Series Designed for use on JD 400/500/H160/H165/D170/H180/H240/H260 Series Loaders							
			nended HP 50-90 HP					
	SPJD-3696R	358070	8-ft Snow Pusher with Rubber Cutting Edge	780	4,214.00			
	SPJD-36120R	358100	10-ft Snow Pusher w/ Rubber Cutting Edge	870	4,508.00			
36	-Series Designed		n Loaders with Euro/Global Tool Carrid	er				
			nended HP 50-90 HP					
	SPG-3696R	358080	8-ft Snow Pusher with Rubber Cutting Edge	810	4,172.00			
	SPG-36120R	358110	10-ft Snow Pusher w/ Rubber Cutting Edge	900	4,508.00			
Universal Blan			g interfacing Quick Attach Brackets to b	e weld	ded-on.			
			rackets listed on pages 57-71					
	SPB-3696R	358130	8-ft Snow Pusher w/ Rubber Cutting Edge,		4,060.00			
			Blank back to allowing brackets	762				
	CDD 2/120D	250125	to be welded-on		4 25 4 00			
	SPB-36120R	358135	10-ft Snow Pusher w/ Rubber Cutting Edge, Blank back to allowing brackets	0.65	4,354.00			
			to be welded-on	865				
36-Series Qui	ck Connection 1	Bucket Mo	ount Snow Pushers. Mounts over bucket	cuttin	g edge			
~ · · · · · · · · · · · · · · · · · · ·			y chains and turnbuckles.		8 8 -			
	SPC-3696R	358140	8-ft Bucket Mount (chain on) Snow Pusher	845	4,494.00			
	w/rubber Cutting Edge.							
	SPC-36120R	358150	10-ft Bucket Mount (chain on) Snow Pusher	935	4,788.00			
			w/rubber Cutting Edge					
Pull-Back Kits			ers, ideal for pulling snow away from ov					
	8-ft Pull-Back	358120	8-ft Pull-Back Kit with rubber edge	190	1,218.00			
	10-ft Pull-Back	358125	10-ft Pull-Back Kit with rubber edge	230	1,435.00			





