

Ag Seeders - (4', 5' & 6')

Seed Rate Charts

SSBP-4 & SSBP-5 Front Box

INDICATOR SETTINGS	POUNDS PER ACRE							
	1	2	3	4	5	6	7	8
Alfalfa (Uncoated)	3	6	12	17	21	26	30	35
Bahia	1	5	9	13	17	21	24	27
Bermuda (Hulled)	3	6	12	18	21	27	30	36
Birdsfoot Trefoil (Broadleaf)	3	8	13	18	27	32	39	46
Blue Grass (Kentucky)	1	3	4	6	8	10	12	13
Blue Grass (Park Kentucky)	1	4	6	10	13	17	19	21
Blue Grass (Sherman Big)	0	1	4	5	6	8	9	10
Canola*	1	6	10	15	19	23	27	32
Centipede	3	6	8	12	15	18	21	23
Clover (Alsike, Ladino, Sweet, Red)	3	8	12	17	21	27	30	36
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	6	10	15	21	25	30	38
Crested Wheat	0	1	3	4	5	6	8	9
Crown Vetch	3	9	14	19	26	30	37	44
Flax	3	6	10	13	17	21	24	27
Harding Grass	1	5	8	12	14	18	21	23
Klein Grass	3	6	13	17	23	30	36	39
Lespedeza (Korean Unhulled)	1	5	9	13	18	21	27	30
Lespedeza (Korean Hulled)	3	6	12	17	21	27	32	36
Lespedeza (Sericea Unhulled)	1	4	6	10	14	17	19	21
Lespedeza (Sericea Hulled)	3	8	13	19	24	30	37	41
Love Grass (Weeping)	1	8	13	17	21	28	33	39
Love Grass (Sand)	3	6	10	14	19	24	30	35
Millet	3	8	13	18	23	28	33	39
Red Top	1	3	5	6	8	9	10	12
Reed Canary Grass	1	3	5	8	9	12	13	17
Switch Grass (Cleaned and Hulled)	0	3	5	6	9	12	14	17
Tillage Radish*	3	8	12	16	21	26	30	35
Timothy	3	5	9	14	18	23	28	32

* Some Cracked Seeds Were Observed at Settings 1 & 2

SSBP-6/SSBS-6 Front Box

INDICATOR SETTINGS	POUNDS PER ACRE							
	1	2	3	4	5	6	7	8
Alfalfa (Uncoated)	4	8	15	23	27	35	41	46
Bahia	1	7	12	17	23	27	32	36
Bermuda (Hulled)	4	8	15	24	29	36	41	48
Birdsfoot Trefoil (Broadleaf)	4	11	17	24	36	43	52	61
Blue Grass (Kentucky)	1	4	5	8	11	13	15	17
Blue Grass (Park Kentucky)	1	5	8	13	17	23	25	29
Blue Grass (Sherman Big)	0	1	5	7	8	11	12	13
Canola*	1	8	13	20	25	31	36	43
Centipede	4	8	11	15	20	24	27	31
Clover (Alsike, Ladino, Sweet, Red)	4	11	15	23	29	36	41	48
Clover (Alyce, Calif. Bur., Crimson, Hubam)	4	8	13	20	29	33	41	51
Crested Wheat	0	1	4	5	7	8	11	12
Crown Vetch	4	12	19	25	35	41	49	58
Flax	4	8	13	17	23	27	32	36
Harding Grass	1	7	11	15	19	24	27	31
Klein Grass	4	8	17	23	31	39	48	52
Lespedeza (Korean Unhulled)	1	7	12	17	24	29	36	41
Lespedeza (Korean Hulled)	4	8	15	23	27	36	43	48
Lespedeza (Sericea Unhulled)	1	5	8	13	19	23	25	29
Lespedeza (Sericea Hulled)	4	11	17	25	32	41	49	55
Love Grass (Weeping)	1	11	17	23	29	37	44	52
Love Grass (Sand)	4	8	13	19	25	32	39	46
Millet	4	11	17	24	31	37	44	52
Red Top	1	4	7	8	11	12	13	15
Reed Canary Grass	1	4	7	11	12	15	17	23
Switch Grass (Cleaned and Hulled)	0	4	7	8	12	15	19	23
Tillage Radish*	4	10	16	23	29	36	42	49
Timothy	4	7	12	19	24	31	37	43

* Some Cracked Seeds Were Observed at Settings 1 & 2

SSBP-4, SSBP-5 & SSBP-6/SSBS-6 Rear Box

INDICATOR SETTINGS	AGITATOR	POUNDS PER ACRE						INDICATOR SETTINGS	AGITATOR	POUNDS PER ACRE					
		1	2	3	4	5	6			1	2	3	4	5	6
Bent Grass (L-93 Creeping)	Blade	19	61	120	179	245	332	Buffel Grass	Blade	0	0.4	1	2	3	5
	Cage	Not Recommended							Cage	0	0.5	1	1.5	2.5	4
	Brush	27	66	117	169	220	259		Brush	0	0.5	1.5	2.5	5	6
Blue Grass (Sherman Big)	Blade	3	16	41	66	106	143	Fescue (Creeping Red)	Blade	2	7	18	36	70	107
	Cage	Not Recommended							Cage	Not Recommended					
	Brush	6	21	48	76	111	124		Brush	4	11	25	46	74	116
Blue Grass (Kentucky - Odyssey)	Blade	10	43	82	124	186	262	Fescue (Tall)	Blade	6	29	62	116	168	230
	Cage	Not Recommended							Cage	2	7	23	69	119	-
	Brush	17	49	90	132	177	203		Brush	10	37	75	146	210	230
Bluestem (W/Beads) (Pawnee Big)	Blade	0.5	2	3.5	6	8	13	Festolium	Blade	8	24	56	81	152	206
	Cage	Not Recommended							Cage	Not Recommended					
	Brush	1.5	3	6	11	22	31		Brush	13	35	65	120	207	238
Bluestem (W/O Beards) (WW B. Dahl)	Blade	1	4	9	19	32	50	Gramma (Side Oats)	Blade	1	2.5	5	9	14	21
	Cage	Not Recommended							Cage	0.5	2	4	8	12	19
	Brush	2.5	7	16	30	48	60		Brush	1	3.5	5	14	22	30
Bluestem (W/O Beards) (Itasca Little)	Blade	0	0.5	1.5	3	5	8	Indian Grass	Blade	1	2	3.5	6	7	10
	Cage	Not Recommended							Cage	1	2	4	6	10	19
	Brush	0.5	1.5	3.5	8	10	12		Brush	1.5	3.5	8	13	22	32
Brome (Meadow)	Blade	1	3.5	6	9	16	26	Orchard Grass (Unhulled)	Blade	2.5	9	21	41	72	114
	Cage	1	3.5	5	10	16	24		Cage	1	5	15	36	-	-
	Brush	2	5	9	16	28	45		Brush	4	14	31	57	108	124
Brome (Smooth)	Blade	1.5	4.5	9	16	28	46	Rye Grass	Blade	3	16	38	65	106	146
	Cage	1.5	3.5	8	14	24	39		Cage	0	2	3	8	13	18
	Brush	3	7	15	26	43	71		Brush	8	23	50	92	156	176
Buffalo Grass	Blade	3	12	36	60	89	120	Wheatgrass (Intermediate)	Blade	2	7	17	28	49	73
	Cage	2	16	42	107	-	-		Cage	Not Recommended					
	Brush	4	16	43	75	100	112		Brush	3.5	12	24	44	85	112

Brilliance assumes no liability pertaining to seeding rates achieved with this seeder. Rates listed are general in nature and should be used as starting points only. Seed varieties and blends listed represent those calibrated through in-house test meters. Variations in actual rates may be realized due to differences in seed lots. For accurate rates with seeds being used, follow the calibration instructions listed on the seed chart inside the box cover or refer to the Operator's Manual. The information listed in the above seed charts is subject to change without notice.

Agricultural Seeders

Small Ag Series (4', 5' & 6')



Model SSBP-6 Shown with Standard Equipment

The SS Series of Agricultural Seeders is the industry standard when it comes to planting alfalfa, canola, and grasses. The Sure Stand concept provides precision seed metering and accurate seed depth placement. This combination offers optimum germination. These 4', 5' and 6' three-point hitch models feature a front micro-metered seed box and a rear seed box with the blade agitator metering system.

STANDARD MACHINE SPECIFICATIONS

Base Unit Height 4'5"	9 1/2" Cast Iron Rear Pulverizer Roller	Both Seed Boxes are Standard Equipment
Base Unit Length 2'6"	8 5/8" Front Pulverizer Axle	Front Seed Box - Micro-Meter
Three-Point Hitch - Cat. I, II Free Link	1 3/4" Rear Pulverizer Axle	Rear Seed Box - Blade Agitator
Three-Point Hitch - Cat. I Quick Coupler Hitch	Greaseable Axle Bearings	Coil Tine Wheel Track Remover
All Welded Structural Steel Frame Construction	Positive Ground Driven Seed Metering	Powder Coat Paint
11 1/2" Cast Iron Front Pulverizer Roller	Broadcast Seed Delivery with Wind Deflector	SMV Emblem

Horsepower Requirements: 35 HP and Up

Approximate Set-Up Time: Factory Assembled (1 Hour of Prep Time)

PRICING INFORMATION

Model Number	Description	Seed Box Capacity	Meter/Opening Spacing (Front/Rear)	Seeding Width	Overall Width	Approximate Weight	Suggested List Price
SSBP-4	4' Three-Point Hitch Seeder with Front and Rear Seed Boxes	1.75 Bu. + 1.75 Bu.	8"/4"	4'	5'	888 lbs.	\$ 10,503.00
SSBP-5	5' Three-Point Hitch Seeder with Front and Rear Seed Boxes	2.187 Bu. + 2.187 Bu.	8 1/2"/4 1/4"	5'	6'	1,061 lbs.	11,339.00
SSBP-6	6' Three-Point Hitch Seeder with Front and Rear Seed Boxes	2.625 Bu. + 2.625 Bu.	6"/4"	6'	7'	1,205 lbs.	11,901.00
SSBS-6	6' Skid Steer (or Three-Point Hitch) Seeder with Front and Rear Seed Boxes	2.625 Bu. + 2.625 Bu.	6"/4"	6'	7'	1,401 lbs.	13,001.00

Shipping Notice: If seeders are to be shipped via commercial carrier, crating is required. Crating charge is \$300.00. Please add part number 7K383 to order for the crating charge for models SSBP-4, SSBP-5 & SSBP-6 and add part number 7K384 for model SSBS-6. Crate weights are as follows: 7K383 - 155 lbs. and 7K384 - 181 lbs.

Ag Seeders - (4', 5' & 6')

Accessories and Optional Equipment

Part Number	Description	Approximate Weight	Suggested List Price
6K081	Lift Sling Kit for SSBP-4	61.0 lbs.	\$ 879.00
8K636	Lift Sling Kit for SSBP-5	76.0 lbs.	896.00
6K060	Lift Sling Kit for SSBP-6	79.0 lbs.	912.00
6K085	Rear Roller Assembly with Turfmaker Sprockets for SSBP-4 (In Lieu of 6K070) (19 Sprockets - 18 Wheels)	ADD 77.0 lbs.	ADD 1,110.00
8K639	Rear Roller Assembly with Turfmaker Sprockets for SSBP-5 (In Lieu of 8K491) (24 Sprockets - 23 Wheels)	ADD 80.0 lbs.	ADD 1,325.00
6K067	Rear Roller Assembly with Turfmaker Sprockets for SSBP-6/SSBS-6 (In Lieu of 6K015) (28 Sprockets - 27 Wheels)	ADD 86.0 lbs.	ADD 1,540.00
6K066	Turfmaker Sprocket (Field Installation)	5.0 lbs.	52.00
219216	Heavy Rear Roller Assembly (8 5/8") with Turfmaker Sprockets for SSBP-6/SSBS-6 (In Lieu of 6K015) (27 Sprockets - 26 Wheels) (Field Installation)	675.0 lbs.	3,725.00
	If Ordered from Factory in Lieu of Standard Rear Roller (6K015), Add:	ADD 333.0 lbs.	ADD 2,240.00
247777	Front Spike Roller Assembly for SSBP-6/SSBS-6 (In Lieu of 6K012) (Field Installation)	341.0 lbs.	2,315.00
	If Ordered from Factory in Lieu of Standard Front Roller (6K012), Add:	ADD 27.0 lbs.	ADD 905.00
6K036	Electronic Acre Meter Kit	2.0 lbs.	715.00
9J495	Speed Up Kit (Doubles Output)	3.0 lbs.	80.00
210928	Cat. II Quick Coupler Hitch Adaptor Kit (Fits Units Built After April 2016)	27.0 lbs.	339.00
FIELD INSTALLED AGITATOR KITS			
256671	Blade Agitator Kit for SSBP-4 (For Brome Box)	6.0 lbs.	165.00
256672	Blade Agitator Kit for SSBP-5 (For Brome Box)	7.0 lbs.	195.00
256673	Blade Agitator Kit for SSBP-6/SSBS-6 (For Brome Box)	9.0 lbs.	235.00
9K445	5-Strip Brush Agitator Kit for SSBP-4 (For Brome Box)	16.0 lbs.	503.00
5C883	5-Strip Brush Agitator Kit for SSBP-5 (For Brome Box)	20.0 lbs.	539.00
8K991	5-Strip Brush Agitator Kit for SSBP-6/SSBS-6 (For Brome Box)	24.0 lbs.	572.00
236903	8-Row Brush Agitator Kit for SSBP-4 (For Brome Box)	6.0 lbs.	1,095.00
236904	8-Row Brush Agitator Kit for SSBP-5 (For Brome Box)	6.0 lbs.	2,065.00
236905	8-Row Brush Agitator Kit for SSBP-6/SSBS-6 (For Brome Box)	8.0 lbs.	1,315.00

Ag Seeders - Standard Series

Seed Rate Charts

SS-8 & SS-10 Front Box

INDICATOR SETTINGS	POUNDS PER ACRE							
	1A	2A	3A	4A	5A	6A	7A	8A
Alfalfa (Uncoated)	2	5	9	13	16	20	24	27
Bahia	1	4	7	10	13	16	19	21
Bermuda (Hulled)	2	5	9	14	17	21	24	28
Birdsfoot Trefoil (Broadleaf)	2	6	10	14	21	25	31	36
Blue Grass (Kentucky)	1	2	3	5	6	8	9	10
Blue Grass (Park Kentucky)	1	3	5	8	10	13	15	17
Blue Grass (Sherman Big)	0	1	3	4	5	6	7	8
Canola*	1	5	8	12	15	18	21	25
Centipede	2	5	6	9	12	14	16	18
Clover (Alsike, Ladino, Sweet, Red)	2	6	9	13	17	21	24	28
Clover (Alyce, Calif. Bur., Crimson, Hubam)	2	5	8	12	17	20	24	30
Crested Wheat	0	1	2	3	4	5	6	7
Crown Vetch	2	7	11	15	20	24	29	34
Flax	2	5	8	10	13	16	19	21
Harding Grass	1	4	6	9	11	14	16	18
Klein Grass	2	5	10	13	18	23	28	31
Lespedeza (Korean Unhulled)	1	4	7	10	14	17	21	24
Lespedeza (Korean Hulled)	2	5	9	13	16	21	25	28
Lespedeza (Sericea Unhulled)	1	3	5	8	11	13	15	17
Lespedeza (Sericea Hulled)	2	6	10	15	19	24	29	32
Love Grass (Weeping)	1	6	10	13	17	22	26	31
Love Grass (Sand)	2	5	8	11	15	19	23	27
Millet	2	6	10	14	18	22	26	31
Red Top	1	2	4	5	6	7	8	9
Reed Canary Grass	1	2	4	6	7	9	10	13
Switch Grass (Cleaned and Hulled)	0	2	4	5	7	9	11	13
Teff - Tiffany Coated	3	7	10	15	20	22	28	32
Tillage Radish*	2	6	10	14	18	22	26	30
Timothy	2	4	7	11	14	18	22	25

*Some Cracked Seeds Were Observed at Settings 1 & 2

SS-12 Front Box

INDICATOR SETTINGS	POUNDS PER ACRE							
	1A	2A	3A	4A	5A	6A	7A	8A
Alfalfa (Uncoated)	3	7	13	19	23	29	34	39
Bahia	1	6	10	14	19	23	27	30
Bermuda (Hulled)	3	7	13	20	24	30	34	40
Birdsfoot Trefoil (Broadleaf)	3	9	14	20	30	36	44	51
Blue Grass (Kentucky)	1	3	4	7	9	11	13	14
Blue Grass (Park Kentucky)	1	4	7	11	14	19	21	24
Blue Grass (Sherman Big)	0	1	4	6	7	9	10	11
Canola*	1	7	11	17	21	26	30	36
Centipede	3	7	9	13	17	20	23	26
Clover (Alsike, Ladino, Sweet, Red)	3	9	13	19	24	30	34	40
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	7	11	17	24	28	34	43
Crested Wheat	0	1	3	4	6	7	9	10
Crown Vetch	3	10	16	21	29	34	41	49
Flax	3	7	11	14	19	23	27	30
Harding Grass	1	6	9	13	16	20	23	26
Klein Grass	3	7	14	19	26	33	40	44
Lespedeza (Korean Unhulled)	1	6	10	14	20	24	30	34
Lespedeza (Korean Hulled)	3	7	13	19	23	30	36	40
Lespedeza (Sericea Unhulled)	1	4	7	11	16	19	21	24
Lespedeza (Sericea Hulled)	3	9	14	21	27	34	41	46
Love Grass (Weeping)	1	9	14	19	24	31	37	44
Love Grass (Sand)	3	7	11	16	21	27	33	39
Millet	3	9	14	20	26	31	37	44
Red Top	1	3	6	7	9	10	11	13
Reed Canary Grass	1	3	6	9	10	13	14	19
Switch Grass (Cleaned and Hulled)	0	3	6	7	10	13	16	19
Teff - Tiffany Coated	4	9	14	20	27	31	38	44
Tillage Radish*	3	9	13	19	24	30	35	41
Timothy	3	6	10	16	20	26	31	36

*Some Cracked Seeds Were Observed at Settings 1 & 2

SS-8, SS-10 & SS-12 Rear Box

INDICATOR SETTINGS	AGITATOR	POUNDS PER ACRE						INDICATOR SETTINGS	AGITATOR	POUNDS PER ACRE					
		1	2	3	4	5	6			1	2	3	4	5	6
Bent Grass (L-93 Creeping)	Blade	23	72	143	213	291	396	Buffel Grass	Blade	0	0.5	1	2	3	5
	Cage	Not Recommended							Cage	0	0.5	1	2	3	5
	Brush	32	78	140	201	262	309		Brush	0	0.7	2	3	6	7
Blue Grass (Sherman Big)	Blade	4	19	49	79	126	170	Fescue (Creeping Red)	Blade	2	9	22	43	83	127
	Cage	2	13	38	-	-	-		Cage	Not Recommended					
	Brush	7	25	57	90	132	147		Brush	5	14	31	55	100	139
Blue Grass (Kentucky - Odyssey)	Blade	12	51	97	150	221	312	Fescue (Tall)	Blade	8	34	74	138	200	274
	Cage	Not Recommended							Cage	2	8	27	82	142	-
	Brush	20	58	107	157	210	242		Brush	12	43	89	174	249	274
Bluestem (W/Beards) (Pawnee Big)	Blade	0.6	2	4	7	10	15	Festolium	Blade	10	28	66	97	181	245
	Cage	Not Recommended							Cage	Not Recommended					
	Brush	2	3	7	13	27	37		Brush	15	42	78	143	247	283
Bluestem (W/O Beards) (WW B. Dahl)	Blade	1	5	11	22	38	59	Grama (Side Oats)	Blade	1	3	7	12	22	30
	Cage	Not Recommended							Cage	0.5	2	5	9	15	23
	Brush	3	8	19	35	56	71		Brush	1	4	10	18	31	41
Bluestem (W/O Beards) (Itasca Little)	Blade	0	0.6	2	3	6	10	Indian Grass	Blade	1	2	4	7	9	12
	Cage	Not Recommended							Cage	1	2	5	8	12	23
	Brush	0.6	2	4	9	12	15		Brush	2	4	10	16	26	38
Brome (Meadow)	Blade	1	4	7	11	19	31	Orchard Grass (Unhulled)	Blade	3	10	24	49	85	136
	Cage	1	4	6	12	19	29		Cage	1	6	18	43	-	-
	Brush	2	6	10	19	33	54		Brush	5	16	36	68	129	147
Brome (Smooth)	Blade	2	5	11	19	33	54	Rye Grass	Blade	3	20	45	77	126	174
	Cage	2	4	10	17	28	46		Cage	1	8	28	69	-	-
	Brush	3	9	18	30	51	84		Brush	10	28	59	110	186	209
Buffalo Grass	Blade	3	14	42	72	106	143	Wheatgrass (Intermediate)	Blade	2	8	20	33	57	87
	Cage	2	19	50	128	-	-		Cage	Not Recommended					
	Brush	5	19	52	89	119	133		Brush	4	15	29	52	102	133

Brillion assumes no liability pertaining to seeding rates achieved with this seeder. Rates listed are general in nature and should be used as starting points only. Seed varieties and blends listed represent those calibrated through in-house test meters. Variations in actual rates may be realized due to differences in seed lots. For accurate rates with seeds being used, follow the calibration instructions listed on the seed chart inside the box cover or refer to the Operator's Manual. The information listed in the above seed charts is subject to change without notice.

Agricultural Seeders

Standard Series



Model SSB-12 Shown with Optional Acre Meter Kit

The SS Series of Agricultural Seeders has been the industry standard when it comes to planting alfalfa, canola and grasses. The Sure Stand concept provides precision seed metering and accurate seed depth placement. This combination offers optimum germination. The Standard Series is offered in both three-point hitch and pull-type models. Pull-type models include all hydraulic equipment including new implement tires.

STANDARD MACHINE SPECIFICATIONS

Pull-Type Models - 5'2" Transport Height	11 1/2" Cast Iron Rear Pulverizer Roller	Front Seed Box - Micro-Meter
Pull-Type Models - 10" Road Clearance	12 3/4" Front Pulverizer Axle	Rear Seed Box - Blade Agitator
Three-Point Hitch - Cat. II Free Link	8 5/8" Rear Pulverizer Axle	Seed Box Divider Kit for Front Seed Box
Three-Point Hitch - Cat. II, IIIN Quick Coupler Hitch	Greaseable Axle Bearings	Pull-Type Models - Safety Chain Kit
All Welded Structural Steel Frame Construction	Positive Ground Driven Seed Metering	9.5L x 15-8 Ply Tires on Pull-Type Models
15 3/4" Cast Iron Front Pulverizer Roller	Powder Coat Paint	LED Warning Lights & SMV Emblem

Horsepower Requirements: 6 to 8 HP per Foot

Approximate Set-Up Time: Factory Assembled (2 Hours of Prep Time)

If Shipped on Commercial Carrier, Set-Up Time: 4 Hours

PRICING INFORMATION

Model Number	Description	Seed Box Capacity	Meter/Opening Spacing (Front/Rear)	Seeding Width	Overall Width	Approximate Weight	Suggested List Price
SSB-8	8' Pull-Type Seeder with Front and Rear Seed Boxes	3.5 Bu. + 3.5 Bu.	8" / 4"	8'	11'1"	2,220 lbs.	\$ 22,615.00
SSBP-8	8' Three-Point Hitch Seeder with Front and Rear Seed Boxes	3.5 Bu. + 3.5 Bu.	8" / 4"	8'	9'6"	1,914 lbs.	18,588.00
SSB-10	10' Pull-Type Seeder with Front and Rear Seed Boxes	4.375 Bu. + 4.375 Bu.	8 1/2" / 4 1/4"	10'	12'11"	2,527 lbs.	24,296.00
SSBP-10	10' Three-Point Hitch Seeder with Front and Rear Seed Boxes	4.375 Bu. + 4.375 Bu.	8 1/2" / 4 1/4"	10'	11'4"	2,207 lbs.	20,320.00
SSB-12	12' Pull-Type Seeder with Front and Rear Seed Boxes	5.25 Bu. + 5.25 Bu.	6" / 4"	12'	15'0"	2,786 lbs.	26,887.00
SSBP-12	12' Three-Point Hitch Seeder with Front and Rear Seed Boxes	5.25 Bu. + 5.25 Bu.	6" / 4"	12'	13'3"	2,602 lbs.	22,831.00

Shipping Notice: Seeders are factory assembled (except for drawbar, lights and tires) for shipment on factory and dealer trucks. If seeders are to be shipped via commercial carrier, they are shipped knocked down and crating is required. Crating charge is \$750.00. Crate weights are as follows: 8' - 160 lbs., 10' - 188 lbs., 12' - 216 lbs. Please add part number 205551 to order for crating charge for 8' seeders, 205552 for 10' seeders, or 205553 for 12' seeders.



Ag Seeders - Standard Series

Accessories and Optional Equipment

Part Number	Description	Approximate Weight	Suggested List Price
FIELD INSTALLED SEED BOX KITS AND ACCESSORIES			
1K103	Brome Box Attachment with Blade Agitator for 8' Seeder	148.0 lbs.	\$ 3,007.00
9J439	Brome Box Attachment with Blade Agitator for 10' Seeder	175.0 lbs.	3,392.00
2K525	Brome Box Attachment with Blade Agitator for 12' Seeder	206.0 lbs.	3,776.00
184786	5-Strip Brush Agitator Kit for 8' Seeder (For Rear Brome Box)	31.0 lbs.	838.00
184787	5-Strip Brush Agitator Kit for 10' Seeder (For Rear Brome Box)	38.0 lbs.	1,104.00
3J060	5-Strip Brush Agitator Kit for 12' Seeder (For Rear Brome Box)	47.0 lbs.	1,253.00
6K956	Blade Agitator Kit for 8' Seeder (For Rear Brome Box)	7.0 lbs.	330.00
6K957	Blade Agitator Kit for 10' Seeder (For Rear Brome Box)	9.0 lbs.	471.00
6K958	Blade Agitator Kit for 12' Seeder (For Rear Brome Box)	11.0 lbs.	614.00
184680	Cage Agitator Kit for 8' Seeder (For Rear Brome Box)	7.0 lbs.	333.00
184681	Cage Agitator Kit for 10' Seeder (For Rear Brome Box)	8.0 lbs.	362.00
184682	Cage Agitator Kit for 12' Seeder (For Rear Brome Box)	12.0 lbs.	595.00
1K140	Divider Kit for 8' Seeder (Separates Each Meter in Front Seed Box)	5.0 lbs.	865.00
9J496	Divider Kit for 10' Seeder (Separates Each Meter in Front Seed Box)	6.0 lbs.	905.00
2K629	Divider Kit for 12' Seeder (Separates Every Two Meters in Front Seed Box)	11.0 lbs.	1,057.00
219138	Divider Kit for 8' Rear Brome Box (6 Dividers)	8.0 lbs.	228.00
219139	Divider Kit for 10' & 12' Rear Brome Box (10 Dividers)	13.0 lbs.	418.00
OTHER OPTIONAL EQUIPMENT			
9J931	S-Tine Track Remover (6 S-Tines) for 8' Seeder	148.0 lbs.	897.00
9J438	S-Tine Track Remover (6 S-Tines) for 10' Seeder	154.0 lbs.	922.00
2K496	S-Tine Track Remover (6 S-Tines) for 12' Seeder	159.0 lbs.	965.00
253322	S-Tine Track Remover (12 S-Tines) for 12' Seeder	209.0 lbs.	1,365.00
9J932	Coil Tine Track Remover (Cannot be used with Scraper Kits)	105.0 lbs.	1,144.00
244061	Scraper Kit for 8' Seeder (Front Roller Only)	99.0 lbs.	760.00
244062	Scraper Kit for 10' Seeder (Front Roller Only)	135.0 lbs.	992.00
244063	Scraper Kit for 12' Seeder (Front Roller Only)	150.0 lbs.	1,108.00
5K745	Electronic Acre Meter Kit for Standard Series Ag Seeders	2.0 lbs.	701.00
236947	Brillion Elite Mini Monitor Kit for Standard Series Ag Seeders (Use with Electric Clutch Option Listed Below)	22.0 lbs.	2,986.00
9J495	Speed Up Kit (Doubles Output)	3.0 lbs.	80.00
1P152	Electric Clutch Kit for 8' and 10' Models - Factory Installed Only (In Lieu of Regular Transmission)	81.0 lbs.	ADD 2,321.00
171378	Electric Clutch Kit for 12' Models - Factory Installed Only (In Lieu of Regular Transmission)	81.0 lbs.	ADD 2,321.00

Seeders




Service Tip

Ag Seeder Models with Brome Box

Problem – Brome box shaft working out to the right hand end of the seeder and wearing out the roll pin and retainer plate.

To correct:

- Check that the transmission shaft that drives the brome box is square in the transmission (sprocket must be parallel with the outer case plate) and aligned with the brome box shaft. Loosen bearings and adjust if necessary.
- Check that seed boxes are level and straight from end to end. Loosen and adjust seed boxes from the center and right hand end brackets if necessary. It may also be necessary to make an adjustment of the left hand seed box on the transmission.
- When properly aligned, the square brome box shaft will slide into the drive coupling without binding. Coat the inside of the drive coupling with Never-Seize.
- Any or a combination of the above misalignment conditions can cause the problem



Brillion Seeder FAQ

Can the Brillion SS Series plant cereal grains such as wheat, oats, rye, barley, etc.?

Yes, it can. However, the SS Series has to be equipped with a Brome Box option. Producers need to keep in mind that Brillion does not recommend use of the SS Series for seeding cereal grains as a harvestable crop because the seed will only be placed in the top ¼" to ½" of soil. This is normally too shallow for a harvestable crop.

Ag Seeders - Mid-Size Series

Seed Rate Charts

SS108, SS110 & SS112 Mid-Size Seeder

INDICATOR SETTINGS	POUNDS PER ACRE								POUNDS PER 1000 SQ FT							
	1A	2A	3A	4A	5A	6A	7A	8A	1A	2A	3A	4A	5A	6A	7A	8A
Alfalfa (Uncoated)	5	11	17	26	32	38	46	54	0.11	0.26	0.40	0.59	0.73	0.88	1.06	1.25
Bahia	3	8	14	19	26	32	38	43	0.08	0.18	0.33	0.44	0.59	0.73	0.88	0.99
Bermuda (Hulled)	3	10	17	27	35	42	48	56	0.08	0.22	0.40	0.63	0.81	0.95	1.10	1.28
Birdsfoot Trefoil (Broadleaf)	5	13	19	27	42	51	61	72	0.11	0.30	0.44	0.63	0.95	1.17	1.39	1.65
Blue Grass (Kentucky)	2	6	11	16	21	26	30	35	0.04	0.14	0.26	0.37	0.48	0.59	0.70	0.81
Blue Grass (Park Kentucky)	2	5	10	14	19	22	26	29	0.04	0.11	0.22	0.33	0.44	0.52	0.59	0.66
Blue Grass (Sherman Big)	2	3	5	8	10	11	13	16	0.04	0.08	0.11	0.18	0.22	0.26	0.30	0.37
Canola*	3	10	16	21	27	33	40	46	0.07	0.22	0.37	0.48	0.63	0.77	0.92	1.06
Centipede	5	10	13	17	24	27	32	35	0.11	0.22	0.30	0.40	0.55	0.63	0.73	0.81
Chickory (Forage)	2	5	8	12	15	18	22	26	0.04	0.11	0.18	0.27	0.34	0.42	0.50	0.59
Clover (Alsike, Ladino, Sweet, Red)	5	11	19	26	33	42	48	54	0.11	0.26	0.44	0.59	0.77	0.95	1.10	1.25
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	10	16	24	33	40	48	61	0.08	0.22	0.37	0.55	0.77	0.92	1.10	1.39
Crested Wheat	2	3	5	6	8	10	11	13	0.04	0.08	0.11	0.14	0.18	0.22	0.26	0.30
Crown Vetch	5	13	21	30	40	50	59	67	0.11	0.30	0.48	0.70	0.92	1.14	1.36	1.54
Flax	3	10	16	21	27	32	37	43	0.08	0.22	0.37	0.48	0.63	0.73	0.84	0.99
Harding Grass	3	8	13	17	22	27	32	37	0.08	0.18	0.30	0.40	0.52	0.63	0.73	0.84
Highland Bent	3	6	9	12	15	17	20	23	0.07	0.14	0.21	0.27	0.33	0.40	0.46	0.52
Klein Grass	3	11	19	27	35	45	54	62	0.08	0.26	0.44	0.63	0.81	1.03	1.25	1.43
Lespedeza (Korean Unhulled)	3	8	14	21	27	33	42	48	0.08	0.18	0.33	0.48	0.63	0.77	0.95	1.10
Lespedeza (Korean Hulled)	5	11	19	27	33	42	50	56	0.11	0.26	0.44	0.63	0.77	0.95	1.14	1.28
Lespedeza (Sericea Unhulled)	2	6	11	16	21	26	30	33	0.04	0.14	0.26	0.37	0.48	0.59	0.70	0.77
Lespedeza (Sericea Hulled)	5	13	21	30	38	48	58	66	0.11	0.30	0.48	0.70	0.88	1.10	1.32	1.50
Love Grass (Weeping)	3	11	19	27	35	43	53	62	0.08	0.26	0.44	0.63	0.81	0.99	1.21	1.43
Love Grass (Sand)	3	10	16	22	30	38	45	54	0.08	0.22	0.37	0.52	0.70	0.88	1.03	1.25
Millet	3	11	19	27	35	43	53	61	0.08	0.26	0.44	0.63	0.81	0.99	1.21	1.39
Northrup King Mixture	2	4	5	7	8	10	12	14	0.04	0.08	0.12	0.16	0.19	0.23	0.27	0.31
Red Top	2	5	8	11	13	14	16	19	0.04	0.11	0.18	0.26	0.30	0.33	0.37	0.44
Reed Canary Grass	2	5	8	11	14	17	21	26	0.04	0.11	0.18	0.26	0.33	0.40	0.48	0.59
Scott's Family Grass	1	3	4	6	7	8	10	11	0.03	0.06	0.10	0.13	0.16	0.19	0.22	0.25
Switch Grass (Cleaned and Hulled)	0	5	8	11	14	19	22	27	0.00	0.11	0.18	0.26	0.33	0.44	0.52	0.63
Tillage Radish*	5	12	19	27	34	42	49	57	0.11	0.28	0.43	0.61	0.78	0.96	1.13	1.31
Timothy	3	8	14	22	29	35	43	51	0.08	0.18	0.33	0.52	0.66	0.81	0.99	1.17
Turnip (Purple Top)	3	9	15	22	28	35	41	48	0.07	0.22	0.35	0.51	0.65	0.81	0.95	1.09

* Some Cracked Seeds Were Observed at Setting 2

Brillion assumes no liability pertaining to seeding rates achieved with this seeder. Rates listed are general in nature and should be used as starting points only. Seed varieties and blends listed represent those calibrated through in-house test meters. Variations in actual rates may be realized due to differences in seed lots. For accurate rates with seeds being used, follow the calibration instructions listed on the seed chart inside the box cover or refer to the Operator's Manual. The information listed in the above seed charts is subject to change without notice.

Agricultural Seeders

Mid-Size Series



Model SS-108 Shown with Standard Equipment

The SS Series Mid-Size Seeder offers alfalfa producers the proven Sure Stand concept with larger capacity seed boxes and closer spaced seed meters for an even better distribution of seed, less time spent filling seed boxes and more time seeding. These models are available in both three-point hitch and pull-type models. Pull-type models include all hydraulic equipment including new implement tires. Brome boxes are not an option on these Mid-Size Seeders.

STANDARD MACHINE SPECIFICATIONS

Pull-Type Models - 5'2" Transport Height	11 1/2" Cast Iron Rear Pulverizer Roller	Seed Box - Micro-Meter
Pull-Type Models - 10" Road Clearance	12 3/4" Front Pulverizer Axle	Seed Box Meter Spacing - 4 1/4"
Three-Point Hitch - Cat. II Free Link	8 5/8" Rear Pulverizer Axle	Seed Box Divider Kit
Three-Point Hitch - Cat. II, IIIN Quick Coupler Hitch	Greaseable Axle Bearings	9.5L x 15-8 Ply Tires on Pull-Type Models
All Welded Structural Steel Frame Construction	Positive Ground Driven Seed Metering	LED Warning Lights & SMV Emblem
15 3/4" Cast Iron Front Pulverizer Roller	Pull-Type Models - Safety Chain Kit	Powder Coat Paint

Horsepower Requirements: 6 to 8 HP per Foot

Approximate Set-Up Time: Factory Assembled (2 Hours of Prep Time)

If Shipped on Commercial Carrier, Set-Up Time: 4 Hours

PRICING INFORMATION

Model Number	Description	Seed Box Capacity	Seeding Width	Overall Width	Approximate Weight	Suggested List Price
SSP-108	8' Three-Point Hitch Seeder	6 Bu.	8'	9'6"	1,734 lbs.	\$ 17,277.00
SS-108	8' Pull-Type Seeder	6 Bu.	8'	11'1"	2,054 lbs.	21,013.00
SSP-110	10' Three-Point Hitch Seeder	7.5 Bu.	10'	11'4"	2,074 lbs.	19,358.00
SS-110	10' Pull-Type Seeder	7.5 Bu.	10'	12'11"	2,394 lbs.	23,711.00
SSP-112	12' Three-Point Hitch Seeder	9 Bu.	12'	13'3"	2,488 lbs.	21,439.00
SS-112	12' Pull-Type Seeder	9 Bu.	12'	15'0"	2,842 lbs.	25,930.00

Shipping Notice: Seeders are factory assembled (except for drawbar, lights and tires) for shipment on factory and dealer trucks. If seeders are to be shipped via commercial carrier, they are shipped knocked down and crating is required. Crating charge is \$750.00. Crate weights are as follows: 8' - 160 lbs., 10' - 188 lbs., 12' - 216 lbs. Please add part number 205551 to order for crating charge for 8' seeders, 205552 for 10' seeders, or 205553 for 12' seeders.

ACCESSORIES & OPTIONAL EQUIPMENT

Part Number	Description	Approximate Weight	Suggested List Price
9J931	S-Tine Track Remover (6 S-Tines) for 8' Seeder	148.0 lbs.	\$ 897.00
9J438	S-Tine Track Remover (6 S-Tines) for 10' Seeder	154.0 lbs.	922.00
2K496	S-Tine Track Remover (6 S-Tines) for 12' Seeder	159.0 lbs.	965.00
253322	S-Tine Track Remover (12 S-Tines) for 12' Seeder	209.0 lbs.	1,365.00
9J932	Coil Tine Track Remover (Cannot be used with Scraper Kits)	105.0 lbs.	1,144.00
244061	Scraper Kit for 8' Seeder (Front Roller Only)	99.0 lbs.	760.00
244062	Scraper Kit for 10' Seeder (Front Roller Only)	135.0 lbs.	992.00
244063	Scraper Kit for 12' Seeder (Front Roller Only)	150.0 lbs.	1,108.00
5K745	Electronic Acre Meter Kit for Mid-Size Seeders	2.0 lbs.	701.00
236948	Brilliance Elite Mini Monitor Kit for Mid-Size Seeders (Use with Electric Clutch Option Listed Below)	19.0 lbs.	2,986.00
9J495	Speed Up Kit (Doubles Output)	3.0 lbs.	80.00
9K439	Electric Clutch - Factory Installed Only (In Lieu of Regular Transmission)	81.0 lbs.	ADD 2,321.00



**GENERAL
IMPLEMENT**
DISTRIBUTORS

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

Ag Seeders - High Capacity Series

Seed Rate Charts

SS2081 High Capacity Seeder

INDICATOR SETTINGS	POUNDS PER ACRE							
	1A	2A	3A	4A	5A	6A	7A	8A
Alfalfa (Uncoated)	3	8	14	20	25	31	37	42
Bahia	2	6	11	15	20	25	29	32
Bermuda (Hulled)	3	8	14	22	26	32	37	42
Birdsfoot Trefoil (Broadleaf)	3	9	15	22	32	39	48	56
Blue Grass (Kentucky)	2	3	5	8	9	12	14	15
Blue Grass (Park Kentucky)	2	3	5	8	12	15	20	26
Blue Grass (Sherman Big)	1	2	5	6	8	9	11	12
Canola*	2	8	12	19	23	28	32	39
Centipede	3	8	9	14	19	22	25	28
Clover (Alsike, Ladino, Sweet, Red)	3	9	14	20	26	32	37	43
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	8	12	19	26	31	37	46
Crested Wheat	1	2	3	5	6	8	9	11
Crown Vetch	3	11	17	23	31	37	45	53
Flax	3	8	12	15	20	25	29	32
Harding Grass	2	6	9	14	17	22	25	28
Klein Grass	3	8	15	20	28	36	43	48
Lespedeza (Korean Unhulled)	2	6	11	15	22	26	32	37
Lespedeza (Korean Hulled)	3	8	14	20	25	32	39	43
Lespedeza (Sericea Unhulled)	2	5	8	12	17	20	23	26
Lespedeza (Sericea Hulled)	3	9	15	23	29	37	45	50
Love Grass (Weeping)	2	9	15	20	26	34	40	48
Love Grass (Sand)	3	8	12	17	23	29	36	42
Millet	3	9	15	22	28	34	40	48
Red Top	2	3	6	8	9	11	12	14
Reed Canary Grass	2	3	6	9	11	14	15	20
Switch Grass (Cleaned and Hulled)	1	3	6	8	11	14	17	20
Tillage Radish*	3	10	16	22	28	35	41	48
Timothy	3	6	11	17	22	28	34	39

* Some Cracked Seeds Were Observed at Settings 1 & 2

SS2101 High Capacity Seeder

INDICATOR SETTINGS	POUNDS PER ACRE							
	1A	2A	3A	4A	5A	6A	7A	8A
Alfalfa (Uncoated)	3	8	15	22	27	34	41	46
Bahia	2	7	12	17	22	27	32	35
Bermuda (Hulled)	3	8	15	24	29	35	41	47
Birdsfoot Trefoil (Broadleaf)	3	10	17	24	35	42	52	61
Blue Grass (Kentucky)	2	3	5	8	10	14	15	17
Blue Grass (Park Kentucky)	2	5	8	14	17	22	25	29
Blue Grass (Sherman Big)	1	2	5	7	8	10	12	14
Canola*	2	8	14	20	25	30	35	42
Centipede	3	8	10	15	20	24	27	30
Clover (Alsike, Ladino, Sweet, Red)	3	10	15	22	19	35	41	47
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	8	14	20	29	34	41	51
Crested Wheat	1	2	3	5	7	8	10	12
Crown Vetch	3	12	17	25	34	41	49	57
Flax	3	8	14	17	22	27	32	35
Harding Grass	2	7	10	15	19	24	27	30
Klein Grass	3	8	17	22	30	39	47	52
Lespedeza (Korean Unhulled)	2	7	12	17	24	29	35	41
Lespedeza (Korean Hulled)	3	8	15	22	27	35	42	47
Lespedeza (Sericea Unhulled)	2	5	8	14	19	22	25	29
Lespedeza (Sericea Hulled)	3	10	17	25	32	40	49	54
Love Grass (Weeping)	2	10	17	22	29	37	44	52
Love Grass (Sand)	3	8	14	19	25	32	39	46
Millet	3	10	17	24	30	37	44	52
Red Top	2	3	7	8	10	12	14	15
Reed Canary Grass	2	3	7	10	12	15	17	22
Switch Grass (Cleaned and Hulled)	1	3	7	8	12	15	19	22
Tillage Radish*	3	10	16	22	29	35	42	49
Timothy	3	7	12	19	24	30	37	42

* Some Cracked Seeds Were Observed at Settings 1 & 2

SS2121 High Capacity Seeder

INDICATOR SETTINGS	POUNDS PER ACRE							
	1A	2A	3A	4A	5A	6A	7A	8A
Alfalfa (Uncoated)	4	8	16	23	28	35	41	47
Bahia	1	7	12	17	23	28	32	36
Bermuda (Hulled)	4	8	16	24	29	36	41	48
Birdsfoot Trefoil (Broadleaf)	4	11	17	24	36	43	53	61
Blue Grass (Kentucky)	1	4	5	8	11	13	16	17
Blue Grass (Park Kentucky)	1	5	8	13	17	23	25	29
Blue Grass (Sherman Big)	1	1	5	7	8	11	12	13
Canola*	1	8	13	20	25	31	36	43
Centipede	4	8	11	16	20	24	28	31
Clover (Alsike, Ladino, Sweet, Red)	4	11	16	23	29	36	41	48
Clover (Alyce, Calif. Bur., Crimson, Hubam)	4	8	13	20	29	33	41	51
Crested Wheat	1	1	4	5	7	8	11	12
Crown Vetch	4	12	19	25	35	41	49	59
Flax	4	8	13	17	23	28	32	36
Harding Grass	1	7	11	16	19	24	28	31
Klein Grass	4	8	17	23	31	39	48	53
Lespedeza (Korean Unhulled)	1	7	12	17	24	29	36	41
Lespedeza (Korean Hulled)	4	8	16	23	28	36	43	48
Lespedeza (Sericea Unhulled)	1	5	8	13	19	23	25	29
Lespedeza (Sericea Hulled)	4	11	17	25	32	41	49	55
Love Grass (Weeping)	1	11	17	23	29	37	44	53
Love Grass (Sand)	4	8	13	19	25	32	39	47
Millet	4	11	17	24	31	37	44	53
Red Top	1	4	7	8	11	12	13	16
Reed Canary Grass	1	4	7	11	12	16	17	23
Switch Grass (Cleaned and Hulled)	1	4	7	8	12	16	19	23
Tillage Radish*	3	10	16	23	29	36	42	49
Timothy	4	7	12	19	24	31	37	43

* Some Cracked Seeds Were Observed at Settings 1 & 2

Brilliance assumes no liability pertaining to seeding rates achieved with this seeder. Rates listed are general in nature and should be used as starting points only. Seed varieties and blends listed represent those calibrated through in-house test meters. Variations in actual rates may be realized due to differences in seed lots. For accurate rates with seeds being used, follow the calibration instructions listed on the seed chart inside the box cover or refer to the Operator's Manual. *The information listed in the above seed charts is subject to change without notice.*

Agricultural Seeders

High Capacity Series



Model SS-2121 Shown with Optional Coil Tine Track Remover

The SS Series High Capacity Seeders are built with many of the same features as the Standard Series and the Mid-Size Series Ag Seeders. A larger seed box capacity with narrow meter spacing provides the ultimate in high efficiency seeding. These units offer the proven Sure Stand concept in both three-point hitch and pull-type models. Pull-type models include all hydraulic equipment including new implement tires. Additional seed boxes are not an option on these High Capacity Series models.

STANDARD MACHINE SPECIFICATIONS		
Pull-Type Models - 6'6" Transport Height	12 3/4" Front Pulverizer Axle	Seed Box - Micro-Meter
Pull-Type Models - 1'3" Road Clearance	8 5/8" Rear Pulverizer Axle	Seed Box Meter Spacing - 4 1/4"
Three-Point Hitch - Cat. II Free Link	Greaseable Axle Bearings	9.5L x 15-8 Ply Tires on 8' Pull-Type Models
Three-Point Hitch - Cat. II, IIIN Quick Coupler Hitch	Positive Ground Driven Seed Metering	11L x 15-12 Ply Tires on 10' & 12' Pull-Type Models
All Welded Structural Steel Frame Construction	Seed Box Sight Windows	LED Warning Lights & SMV Emblem
15 3/4" Cast Iron Front Pulverizer Roller	Seed Box Divider Kit	Pull-Type Models - Safety Chain Kit
11 1/2" Cast Iron Rear Pulverizer Roller	Electric Clutch Kit	Powder Coat Paint

Horsepower Requirements: 6 to 8 HP per Foot

Approximate Set-Up Time: Factory Assembled (2 Hours of Prep Time)

If Shipped on Commercial Carrier, Set-Up Time: 4 Hours

PRICING INFORMATION						
Model Number	Description	Seed Box Capacity	Seeding Width	Overall Width	Approximate Weight	Suggested List Price
SS-2081	8' Pull-Type Seeder	15 Bu.	8'	11'5"	2,438 lbs.	\$ 29,508.00
SSP-2081	8' Three-Point Hitch Seeder	15 Bu.	8'	9'6"	2,101 lbs.	25,453.00
SS-2101	10' Pull-Type Seeder	19 Bu.	10'	13'5"	2,830 lbs.	31,437.00
SSP-2101	10' Three-Point Hitch Seeder	19 Bu.	10'	11'4"	2,481 lbs.	27,363.00
SS-2121	12' Pull-Type Seeder	23 Bu.	12'	15'6"	3,503 lbs.	36,696.00
SSP-2121	12' Three-Point Hitch Seeder	23 Bu.	12'	13'3"	2,906 lbs.	32,601.00

Shipping Notice: Seeders are factory assembled (except for drawbar, lights and tires) for shipment on factory and dealer trucks. If seeders are to be shipped via commercial carrier, they are shipped knocked down and crating is required. Crating charge is \$750.00. Crate weights are as follows: 8' - 202 lbs., 10' - 237 lbs., 12' - 272 lbs. Please add part number 7K376 to order for crating charge for 8' seeders, 7K377 for 10' seeders or 7K378 for 12' seeders.

ACCESSORIES & OPTIONAL EQUIPMENT			
Part Number	Description	Approximate Weight	Suggested List Price
9J931	S-Tine Track Remover (6 S-Tines) for 8' Seeder	148.0 lbs.	\$ 897.00
9J438	S-Tine Track Remover (6 S-Tines) for 10' Seeder	154.0 lbs.	922.00
2K496	S-Tine Track Remover (6 S-Tines) for 12' Seeder	159.0 lbs.	965.00
253322	S-Tine Track Remover (12 S-Tines) for 12' Seeder	209.0 lbs.	1,365.00
9J932	Coil Tine Track Remover (Cannot be used with Scraper Kits)	105.0 lbs.	1,144.00
244061	Scraper Kit for 8' Seeder (Front Roller Only)	99.0 lbs.	760.00
244062	Scraper Kit for 10' Seeder (Front Roller Only)	135.0 lbs.	992.00
244063	Scraper Kit for 12' Seeder (Front Roller Only)	150.0 lbs.	1,108.00
5K275	Electronic Acre Meter Kit for High Capacity Seeders	2.0 lbs.	701.00
236949	Brillion Elite Mini Monitor Kit for High Capacity Seeders	19.0 lbs.	2,986.00



4610-16 Agricultural Seeder

Seed Rate Charts

SS-16 Front Seed Box, 20 Bu., with Micro-Meters

INDICATOR SETTINGS	POUNDS PER ACRE							
	1A	2A	3A	4A	5A	6A	7A	8A
Alfalfa (Uncoated)	3	7	13	19	23	29	34	39
Bahia	1	6	10	14	19	23	27	30
Bermuda (Hulled)	3	7	13	20	24	30	34	40
Birdsfoot Trefoil (Broadleaf)	3	9	14	20	30	36	44	51
Blue Grass (Kentucky)	1	3	4	7	9	11	13	14
Blue Grass (Park Kentucky)	1	4	7	11	14	19	21	24
Blue Grass (Sherman Big)	0	1	4	6	7	9	10	11
Canola*	1	7	11	17	21	26	30	36
Centipede	3	7	9	13	17	20	23	26
Clover (Alsike, Ladino, Sweet, Red)	3	9	13	19	24	30	34	40
Clover (Alyce, Calif. Bur., Crimson, Hubam)	3	7	11	17	24	28	34	43
Crested Wheat	0	1	3	4	6	7	9	10
Crown Vetch	3	10	16	21	29	34	41	49
Flax	3	7	11	14	19	23	27	30
Harding Grass	1	6	9	13	16	20	23	26
Klein Grass	3	7	14	19	26	33	40	44
Lespedeza (Korean Unhulled)	1	6	10	14	20	24	30	34
Lespedeza (Korean Hulled)	3	7	13	19	23	30	36	40
Lespedeza (Sericea Unhulled)	1	4	7	11	16	19	21	24
Lespedeza (Sericea Hulled)	3	9	14	21	27	34	41	46
Love Grass (Weeping)	1	9	14	19	24	31	37	44
Love Grass (Sand)	3	7	11	16	21	27	33	39
Millet	3	9	14	20	26	31	37	44
Red Top	1	3	6	7	9	10	11	13
Reed Canary Grass	1	3	6	9	10	13	14	19
Switch Grass (Cleaned and Hulled)	0	3	6	7	10	13	16	19
Teff - Tiffany Coated	4	9	14	20	27	31	38	44
Tillage Radish*	3	9	13	19	24	30	35	41
Timothy	3	6	10	16	20	26	31	36

* Some Cracked Seeds Were Observed at Settings 1 & 2

SSB-16 Rear Seed Box, 10 Bu., with Blade Agitator

INDICATOR SETTINGS	AGITATOR	POUNDS PER ACRE					
		1	2	3	4	5	6
Bent Grass (L-93 Creeping)	Blade	20	62	123	183	251	341
Blue Grass (Sherman Big)	Blade	3	16	42	68	108	147
Blue Grass (Kentucky - Odyssey)	Blade	11	44	84	128	190	269
Bluestem (Pawnee Big) (W/Beards)	Blade	0.5	2	4	6	9	13
Bluestem (WW B. Dahl) (W/O Beards)	Blade	1	4	10	19	33	51
Bluestem (Itasca Little)(W/O Beards)	Blade	0	0.5	2	3	5	9
Brome (Meadow)	Blade	1	4	6	10	16	26
Brome (Smooth)	Blade	2	5	10	16	28	47
Buffalo Grass	Blade	3	12	36	62	92	123
Buffel Grass	Blade	0	0.4	1	2	3	4
Fescue (Creeping Red)	Blade	2	8	19	37	72	109
Fescue (Tall)	Blade	7	29	64	119	172	236
Festolium	Blade	9	24	57	83	156	211
Grama (Side Oats)	Blade	1	3	5	9	14	21
Indian Grass	Blade	1	2	4	6	8	10
Orchard Grass (Unhulled)	Blade	3	9	21	42	73	117
Rye Grass	Blade	3	17	39	66	108	150
Wheatgrass (Intermediate)	Blade	2	7	17	29	50	75

Not Recommended: Bluestems Other Than Those Shown, Zorro Fescue

Brillion assumes no liability pertaining to seeding rates achieved with this seeder. Rates listed are general in nature and should be used as starting points only. Seed varieties and blends listed represent those calibrated through in-house test meters. Variations in actual rates may be realized due to differences in seed lots. For accurate rates with seeds being used, follow the calibration instructions listed on the seed chart inside the box cover or refer to the Operator's Manual. *The information listed in the*

Seeders - SS-16 Agricultural

4610-16 Agricultural Seeder



Model SSB-16 Shown with Standard Equipment

The 4610-16 Agricultural Seeder takes the popular Sure Stand Ag Seeder to the next level. The 16' seeding width and 20-bushel capacity front seed box allows the operator to spend more time seeding and less time stopping to fill the seed boxes, maximizing efficiency. The seeder is equipped with the proven Micro-Meter seed metering system and is able to seed a variety of seeds at the correct depth for optimal germination. The 4610-16 features pneumatic down pressure on the rear roller for better seed coverage while squeezing out air pockets in the seedbed. The heavy-duty frame supports the larger seed boxes delivering more weight per foot on the rollers. Soil clods are easily crushed, further fine-tuning the seedbed for excellent germination rates. The 16' Seeder is available in a pull-type or three-point hitch configuration and is available with a single Micro-Meter seed box or with an additional rear brome box.

STANDARD MACHINE SPECIFICATIONS

Pull-Type Models - 7'6" Transport Height	15 3/4" Cast Iron Front Pulverizer Roller	Rear Seed Box Agitator Opening Spacing - 4"
Pull-Type Models - 17'7" Transport Length	11 1/2" Cast Iron Rear Pulverizer Roller	Electric Clutch
Pull-Type Models - 16" Road Clearance	12 3/4" Front Pulverizer Axle	Scale Ready
Pull-Type Models - Cat. II or III Hitch*	8 5/8" Rear Pulverizer Axle	(4) 11L x 15-12 Ply Tires on Pull-Type Models
Transport Width - 18'	1 3/4" Flange Bearings, Sealed	Pull-Type Models - Safety Chain Kit
Three-Point Hitch - Cat. II, III Free Link	Positive Ground Driven Seed Metering	LED Warning Lights & SMV Emblem
Three-Point Hitch - Cat. II, IIIN, III Quick Coupler Hitch	Front Seed Box - Micro-Meter	Convenience Features - Hand Rail, Step, Walkboard
All Welded Structural Steel Frame Construction	Front Seed Box Meter Spacing - 8"	Powder Coat Paint
Rear Roller Pneumatic Down Pressure	Rear Seed Box (SSB Models) - Blade Agitator	

PRICING INFORMATION

Model 4610-16	Description	Seed Box Capacity	Seeding Width	Overall Width	Approximate Weight	Suggested List Price
SS-16	16' Pull-Type Seeder with Front Seed Box Only	20 Bu.	16'	18'	7,450 lbs.	\$ 63,634.00
SSP-16	16' Three-Point Hitch Seeder with Front Seed Box Only	20 Bu.	16'	18'	6,125 lbs.	53,515.00
SSB-16	16' Pull-Type Seeder with Front and Rear Seed Boxes	20 Bu. + 10 Bu.	16'	18'	8,030 lbs.	76,223.00
SSBP-16	16' Three-Point Hitch Seeder with Front and Rear Seed Boxes	20 Bu. + 10 Bu.	16'	18'	6,610 lbs.	66,060.00

ACCESSORIES & OPTIONAL EQUIPMENT

Part Number	Description	Approximate Weight	Suggested List Price
242477	Coil Tine Track Remover for 16' Seeder	328.0 lbs.	\$ 2,999.00
242478	S-Tine Track Remover (12 S-Tines) for 16' Seeder	344.0 lbs.	2,083.00
242479	Hydraulic S-Tine Track Remover (12 S-Tines) for 16' Seeder	378.0 lbs.	3,633.00
253319	S-Tine Track Remover (24 S-Tines) for 16' Seeder	380.0 lbs.	2,860.00
253320	Hydraulic S-Tine Track Remover (24 S-Tines) for 16' Seeder	472.0 lbs.	4,473.00
242480	Electronic Acre Meter Kit for 16' Seeder (Basic Clutch Only)	14.0 lbs.	715.00
242481	Brillion Elite Mini Monitor Kit for SS-16 and SSP-16 - See Page 53 for More Information	20.0 lbs.	2,986.00
242482	Brillion Elite Mini Monitor Kit for SSB-16 and SSBP-16 - See Page 53 for More Information	29.0 lbs.	3,414.00
242483	Cage Agitator Kit for SSB-16 and SSBP-16 Rear Seed Box	14.0 lbs.	795.00
242484	5-Strip Brush Agitator Kit for SSB-16 and SSBP-16 Rear Seed Box	57.0 lbs.	1,670.00
242485	8-Row Brush Agitator Kit for SSB-16 and SSBP-16 Rear Seed Box	17.0 lbs.	3,061.00
234480	Scale Kit for 16' Seeder	37.0 lbs.	4,670.00
244095	Speed Up Kit for Front Seed Box (1 Required)	2.0 lbs.	258.00

* When ordering the pull-type model (SS-16 or SSB-16), please specify which hitch (Cat. II or Cat. III) is needed. The price of the hitch is included in the base price of the machine.

Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.


Brillion Elite Mini Monitor

The Brillion Elite Mini Monitor is a full featured display and touch screen interface installed in the operator's tractor. This system is designed to provide accurate informati Ground Speed, Acres Planted, Seeder Unit Clutch Control, Seed Shaft Rotation, and Low Bin Level. This kit is optio on 8, 10, 12, and 16 foot Seeders. The Elite Mini Monitor is standard equipment on both the 4620-24 Folding Seeders.

Note: Do not order the optional electronic acre meter kit when ordering the Elite Mini Monitor. Seeder must be equipped with an electric clutch when adding the Elite Mini Monitor.

Elite Mini Monitor Features:

- Ground Speed (Implement Mounted Ground Speed Sensor, Radar, GPS Speed or Simulated Speed)
- Field Acres and Total Acre
- Up to 6 Seed Shaft Rotation Sensors
- Up to 6 Low Bin Level Sensors
- Clutch Control (Master or Section)



Main Screen Display (4610-16)

Brillion Agitator Options

	AGITATOR	DIRECTION OF TRAVEL	APPLICATION
Blade Agitator			<ul style="list-style-type: none"> • Most Universal Agitator • Provides Positive Shut-off • Will Damage Some Large Seeds
5-Strip Brush Agitator			<ul style="list-style-type: none"> • Native or Fluffy Seeds, Such as Little Bluestem • Do Not Use in Mixtures with Small Seeded Varieties
Cage Agitator			<ul style="list-style-type: none"> • Seed Varieties that Tend to Bridge, Such as Smooth Brome • Will Not Provide a Positive Shut-off
8-Row Brush Agitator			<ul style="list-style-type: none"> • Large Seed Varieties and Mixtures, Such as Food Plots • Do Not Use for Grasses