



# TILL 'N SEEDER

DfjWg'9ZYWj Y'Ug'cZ1-21

## Till 'N Seed® 6' Model



Model BPSB-6 Shown with Optional Acre Meter Kit

Designed from customer input on interseeding and overseeding, the Brillion Till 'N Seed will seed into existing turf and pasture seedings. The front drive rotor engages the soil and drives the tillage rotor nearly two times faster, mixing the seed into the soil. A floating firming roller covers and closes the seeding process. The seed depth will vary with the density of the soil and/or number of seeding passes. The unique ground drive system and self-cleaning rotor design separate the Till 'N Seed from the rest of the competition.

### STANDARD MACHINE SPECIFICATIONS

Base Unit Length - 46"	Tillage Rotor Blade Thickness - 3/16"	Front Seed Box - Micro-Meter (2 3/8" Diameter)
Unit Height - 50"	Rotor Blade Diameter - 13"	Front Seed Box Meter Spacing - 6"
All Welded Structural Steel Frame	Front Rotor Drive - Ground	Rear Seed Box - Micro-Meter (1" Diameter)
1 3/4" Square Shaft Rotor Axles	Rear Rotor Drive - Roller Chain	Rear Seed Box Meter Spacing - 6"
1 1/2" Greaseable Disc Gang Bearings (Rotor)	Drive Ratio - 2:1	Additional Sprockets for Varying Seed Rate Ranges
Abrasion Resistant Steel Rotor Blades	Firming Roller with Cast Wheels	Three-Point Hitch - Cat. I, II Free Link
Rotor Blade Spacing - 2 1/4"	Air Shock Pressure Range - 20 to 150 psi	Three-Point Hitch - Cat. I, II Quick Coupler Hitch
Drive Rotor Blade Thickness - 5/16"	Convenience Features - Hand Rail, Step, Walkboard	Three-Point Hitch - iMatch Compatible
Powder Coat Paint	SMV Emblem	

Horsepower Requirements: 45 to 60 HP

Approximate Set-Up Time: Factory Assembled (1 Hour of Prep Time)

Required Three-Point Hitch Lift Capacity: 2,500 lbs. Minimum

### PRICING INFORMATION

Model Number	Description	Seed Box Capacity	Seeding Width	Overall Width	Approximate Weight	Suggested List Price
BPSB-6	6' Till 'N Seed with Front and Rear Seed Boxes	4.5 Bu. + 1.4 Bu.	6'	7'7"	2,120 lbs.	\$ 18,231.00

### ACCESSORIES & OPTIONAL EQUIPMENT

Part Number	Description	Approximate Weight	Suggested List Price
3P099	Electronic Acre Meter Kit for 6' Till 'N Seed	4.0 lbs.	\$ 569.00
231015	6' Rear Firming Roller Scraper Kit	38.0 lbs.	398.00

**Shipping Notice:** If seeders are to be shipped via commercial carrier, crating is required. Crating charge is \$500.00. Crate weight is 300 lbs. Please add part number 205558 to order for the crating charge.

### Seed Rate Chart: Rear Seed Box (Micro-Meter)

INDICATOR SETTINGS	POUNDS PER ACRE								POUNDS PER 1000 SQ FT							
	1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8
Alfalfa	1	3	5	7	10	12	15	17	0.02	0.07	0.12	0.17	0.22	0.27	0.34	0.39
Birdsfoot Trefoil	1	4	6	9	11	14	17	19	0.03	0.08	0.14	0.20	0.26	0.33	0.39	0.44
Brassica	1	3	5	8	10	12	15	17	0.03	0.07	0.12	0.18	0.23	0.28	0.34	0.39
Centipede	1	3	6	9	11	13	15	17	0.02	0.07	0.15	0.20	0.25	0.29	0.34	0.39
Chicory, Forage	1	1	2	4	5	6	7	8	0.01	0.03	0.06	0.08	0.11	0.13	0.15	0.18
Clover, Alsike	1	4	6	8	10	13	15	17	0.03	0.08	0.14	0.18	0.24	0.30	0.34	0.39
Clover, Red	2	4	6	9	12	14	17	19	0.04	0.10	0.15	0.21	0.27	0.33	0.39	0.44
Lettuce	1	2	4	5	6	7	8	10	0.02	0.06	0.08	0.12	0.14	0.16	0.19	0.22
Rape	1	3	5	8	10	12	15	17	0.03	0.07	0.12	0.18	0.23	0.28	0.34	0.39
Sorghum / Sudan Grass	2	4	7	10	12	14	17	20	0.04	0.10	0.16	0.22	0.28	0.33	0.40	0.46
Switchgrass	1	3	5	7	10	12	14	16	0.02	0.07	0.12	0.17	0.22	0.28	0.33	0.38
Tillage Radish	1	4	6	8	11	13	15	18	0.02	0.09	0.14	0.18	0.25	0.30	0.34	0.41
Turnips	1	3	5	7	9	11	13	15	0.02	0.07	0.12	0.16	0.21	0.26	0.30	0.35

DfjWg'UbX'GdYVjWjhcjga UmVY'gi V'YVfnc'W'Ub[Y'k]A'ci hibch[W]"DfjWg'Xc'bc[h]bWl XY'g\jdd[b]'cf'gYh d"

Seeders



