

DEL MORINO ROTARY TILLERS

Flash

Rotary tiller & stone burier

HP

12 - 25

kW

10 - 20

rpm

540



cm 16 - inch 6



Since it is very easy to use this machine can satisfy the expectations of semi-professional farmers to achieve a perfect tilling of small plots of land or in the field of horticulture.

STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1, SIDE SHIFT
- TWO COMER GEARBOXES, VERTICAL TRANSMISSION WITH SHEAR BOLT PROTECTION
- ROTOR WITH 4 HOES PER FLANGE
- ADJUSTABLE SKIDS
- UNIVERSAL PTO SHAFT FOR POSITION CATEGORY 1 - 700 MM

Model	hp								Pricing
		cm	in	cm	in		kg	lbs	
Flash 85	12 - 25	85	34"	100	39"	16	118	260	\$2,354.00
Flash 96	12 - 25	96	38"	110	43"	20	128	282	\$2,431.00
Flash 105	12 - 25	105	42"	120	47"	20	130	287	\$2,460.00
Flash 125	12 - 25	125	50"	140	55"	24	140	309	\$2,534.00

Model	OPTIONAL			
-------	----------	--	--	--



R

Reverse of the rotation direction

Model	Type	kg	Pricing
 KI	Flash 85	21	\$590.00
	Flash 96	22	\$644.00
	Flash 105	22	\$727.00
	Flash 125	24	\$735.00

Stone burier kit

Model	Type	kg	Pricing
 GA	Flash 85	33	\$838.00
	Flash 96	38	\$901.00
	Flash 105	38	\$938.00
	Flash 125	41	\$1,006.00


Cage roller

Model	Type	kg	Pricing
 GR	Flash 85	45	\$1,151.00
	Flash 96	53	\$1,200.00
	Flash 105	55	\$1,243.00
	Flash 125	57	\$1,305.00

Wire roller

DIMENSIONS

Type	A (cm)	B (cm)	C (cm)
Flash 65	120	80	90
Flash 85	120	80	90
Flash 96	120	80	90
Flash 105	140	80	90
Flash 125	160	80	90



PACKAGING Single metal crate



DEL MORINO ROTARY TILLERS

Thunder

Rotary tiller & Reverse

HP

12 - 40

kW

10 - 30

rpm

540



cm 15 - inch 6



Easy to use machine for small to medium plots. For deeper penetration of the ground the reverse configuration is recommended.

STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1
- CAST IRON GEARBOX 540 RPM
- CHAIN DRIVE ASA 80 IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE
- ADJUSTABLE SKIDS
- UNIVERSAL PTO SHAFT CATEGORY 4 - 700 MM
- "REVERSE" CONFIGURATION

Prices effective 10-26

Model	hp								Pricing
		cm	in	cm	in	n.	kg	lbs	
Thunder 85	12 - 40	85	34"	100	40"	16	154	340	\$2,539.00
Thunder 105	12 - 40	105	42"	120	48"	20	166	366	\$2,633.00
Thunder 125	12 - 40	125	50"	140	56"	24	180	397	\$2,759.00
Thunder 145	12 - 40	145	58"	160	64"	28	193	425	\$2,861.00


Model	OPTIONAL
	R Reverse of the rotation direction

Model	pricing
	F Slip clutch PTO shaft \$194.00

Model	Pricing
	B Shear bolt PTO shaft \$194.00

DIMENSIONS

Type	A (cm)	B (cm)	C (cm)
Thunder 85	120	80	95
Thunder 105	125	80	95
Thunder 125	145	80	95
Thunder 145	165	80	95



PACKAGING Single metal crate



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

DEL MORINO ROTARY TILLERS

Eagle

Fixed rotary tiller

HP

12 - 50

kW

10 - 40

rpm

540



cm 16 - inch 6



This rotary tiller combines style, functionality and power to break up the ground. It can optionally be supplied with 6 hoes per flange for even better results.



STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1
- ONE PIECE, 4 MM STEEL FRAME
- CAST IRON GEARBOX 540 RPM
- CHAIN DRIVE ASA 80 IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE
OPTIONAL 6 HOES PER FLANGE
- SIDE SHIFT THROUGH MOVEABLE 3 POINT HITCH COUPLINGS
- ADJUSTABLE SKIDS
- UNIVERSAL PTO SHAFT CATEGORY 4 - 700 MM

Prices effective 10-26

Model	hp							lbs	Pricing
		cm	in	cm	in				
Eagle 85	12 - 50	85	34"	100	40"	16	159	351	\$2,822.00
Eagle 105	12 - 50	105	42"	120	48"	20	178	392	\$2,993.00
Eagle 125	12 - 50	125	50"	140	56"	24	188	414	\$3,181.00
Eagle 145	12 - 50	145	58"	160	64"	28	206	454	\$3,354.00
Eagle 165	12 - 50	165	62"	180	72"	32	223	492	\$3,537.00


Model	OPTIONAL	Type	Pricing
	Z	N° 6 hoes per flange	Eagle 85
			Eagle 105
			Eagle 125
			Eagle 145
			Eagle 165
			\$154.00
			\$160.00
			\$174.00
			\$182.00
			\$197.00

Model		Pricing
	F	Slip clutch PTO shaft
		\$194.00

Model		Pricing
	B	Shear bolt PTO shaft
		\$194.00

DIMENSIONS

Type	A (cm)	B (cm)	C (cm)
Eagle 85	120	80	95
Eagle 105	125	80	95
Eagle 125	145	80	95
Eagle 145	165	80	95
Eagle 165	185	80	95



PACKAGING

Single metal crate



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

DEL MORINO ROTARY TILLERS

URT HF

Fixed rotary tiller

HP

30 - 70

kW

30 - 50

rpm

540



cm 19 - inch 8

This machine demonstrates Del Morino's experience in both the quality of construction and the final result in the field. It is suitable for the professional farmer working in open fields.



STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 2
- CAST IRON GEARBOX 540 RPM
- CHAIN DRIVE ASA 100 IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE
- OPTIONAL WITH 6 HOES PER FLANGE
- ADJUSTABLE SKIDS
- UNIVERSAL PTO SHAFT, CATEGORY 4 - 700 MM
- FRONT REINFORCEMENT BAR

Prices Effective as of 10-26

Model	hp								Pricing
		cm	in	cm	in				
URT HF 150	30 - 70	150	59"	160	63"	32	290	640	\$4,817.00
URT HF 168	30 - 70	168	67"	180	72"	36	320	705	\$4,968.00
URT HF 186	30 - 70	186	71"	200	80"	40	330	728	\$5,198.00
URT HF 204	30 - 70	204	81"	220	88"	44	362	798	\$5,837.00
URT HF 222	30 - 70	222	96"	240	96"	48	381	840	\$6,039.00


Model	OPTIONAL	Type	Pricing
	Z	N° 6 hoes per flange	Urt Hf 150 \$237.00
			Urt Hf 168 \$254.00
			Urt Hf 186 \$265.00
			Urt Hf 204 \$294.00
			Urt Hf 222 \$325.00

Model		Pricing
	F	Slip clutch PTO shaft \$194.00

Model		Pricing
	B	Shear bolt PTO shaft \$194.00

DIMENSIONS

Type	A (cm)	B (cm)	C (cm)
URT HF 168	180	80	95
URT HF 186	200	80	95
URT HF 204	220	80	95
URT HF 222	240	80	95



PACKAGING

Single metal crate



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

DEL MORINO ROTARY TILLERS

HRA

Fixed rotary tiller

HP

50 - 95

kW

40 - 70

rpm

540



cm 23 - inch 9



This rotary tiller is suitable for heavy tilling thanks to the strength and elasticity of the components used in its construction.



STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 2
- CAST IRON GEARBOX 540 RPM, SINGLE SPEED
- CHAIN DRIVE ASA 100 IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 6 HOES PER FLANGE
- ADJUSTABLE SKIDS
- ADJUSTABLE LOWER ARM ATTACHMENT POINTS
- UNIVERSAL PTO SHAFT, CATEGORY 5, WITH SLIP CLUTCH - 1200 MM
- REINFORCED THREE POINT HITCH FRAME

Prices Effective as of 10-26

Model	hp								Pricing
		cm	in	cm	in		kg	lbs	
HRA 160	50 - 95	160	63"	185	74"	42	531	1171	\$8,832.00
HRA 180	50 - 95	180	72"	210	84"	48	566	1248	\$9,208.00
HRA 200	50 - 95	200	81"	230	92"	54	604	1132	\$9,867.00
HRA 225	50 - 95	225	90"	250	100"	60	642	1415	\$10,457.00
HRA 250	50 - 95	250	100"	275	110"	66	690	1521	\$11,206.00

Model	OPTIONAL	Pricing
-------	----------	---------




I

Gear side transmission

\$815.00

DIMENSIONS

Type	A (cm)	B (cm)	C (cm)
HRA 160	190	90	110
HRA 180	210	90	110
HRA 200	230	90	110
HRA 225	255	90	110
HRA 250	280	90	110



PACKAGING

Single metal crate



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

DEL MORINO ROTARY TILLERS

Holiday R

Side shift rotary tillers

HP

15 - 40

kW

12 - 30

rpm

540



cm 15 - inch 6



This machine is suitable for tilling in orchards or tree farms. The side shift permits tilling close to the tree trunks. It is suitable for small to medium HP tractors.



STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1 AND 2
- CAST-IRON GEARBOX 540 RPM
- SIDE CHAIN ASA 80 RUNNING IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE
- ADJUSTABLE SKIDS
- MANUAL SIDE SHIFT
- UNIVERSAL PTO SHAFT CATEGORY 4 - 700 MM

Prices Effective as of 10-26

Model	hp								Pricing
		cm	in	cm	in		kg	lbs	
Holiday R 85	15 - 40	85	34"	105	42"	16	139	306	\$2,804.00
Holiday R 105	15 - 40	105	42"	125	50"	20	152	335	\$2,964.00
Holiday R 125	15 - 40	125	50"	145	58"	24	167	368	\$3,138.00
Holiday R 145	15 - 40	145	58"	165	66"	28	188	414	\$3,300.00


Model	OPTIONAL	Pricing
	V Side shift by screw	\$134.00

Model		Pricing
	F Slip clutch PTO shaft	\$194.00

Model		Pricing
	B Shear bolt PTO shaft	\$194.00

DIMENSIONS

Type	A (cm)	B (cm)	C (cm)
Holiday R 85	120	80	90
Holiday R 105	125	80	90
Holiday R 125	145	80	90
Holiday R 145	165	80	90



PACKAGING

Single metal crate



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

DEL MORINO ROTARY TILLERS

Holiday RS

Side shift rotary tiller

HP

15 - 50

kW

12 - 40

rpm

540



cm 16 - inch 7

This machine is suitable for tilling in orchards or tree farms. The side shift allows to till close to tree trunks. It is suitable for medium HP tractors.

STANDARD FEATURES

- 3 POINT HITCH, SIDE-SHIFT, CATEGORY 1 AND 2
- CAST IRON GEARBOX 540 RPM
- SIDE CHAIN ASA 80 RUNNING IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE
- OPTION KIT 6 HOES PER FLANGE
- ADJUSTABLE SKIDS
- MANUAL SIDE SHIFT
- UNIVERSAL PTO SHAFT CATEGORY 4 - 700 MM



Prices Effective as of 10-26

Model	hp								Pricing
		cm	in	cm	in		kg	lbs	
Holiday RS 85	15 - 50	85	34"	105	42"	16	169	373	\$3,052.00
Holiday RS 105	15 - 50	105	42"	125	50"	20	175	386	\$3,243.00
Holiday RS 125	15 - 50	125	50"	145	58"	24	188	414	\$3,431.00
Holiday RS 145	15 - 50	145	58"	165	66"	28	202	445	\$3,611.00

Model	OPTIONAL	Pricing
-------	----------	---------



V

Side shift by screw

\$134.00

Model	Type	Pricing
-------	------	---------



Z

N° 6 hoes per flange

Holiday RS 85 \$154.00

Holiday RS 105 \$160.00

Holiday RS 125 \$174.00

Holiday RS 145 \$182.00

Model	Pricing
-------	---------



F

Slip clutch PTO shaft

\$194.00

Model	Pricing
-------	---------




B

Shear bolt PTO shaft

\$194.00

DIMENSIONS

Type	A (cm)	B (cm)	C (cm)
Holiday RS 85	120	80	100
Holiday RS 105	125	80	100
Holiday RS 125	145	80	100
Holiday RS 145	165	80	100



PACKAGING Single metal crate



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

DEL MORINO ROTARY TILLERS

URT ED

Side shift rotary tiller

HP

20 - 50

kW

15 - 40

rpm

540



cm 18 - inch 7



STANDARD FEATURES

- 3 POINT HITCH, CATEGORY 1 AND 2, SIDE-SHIFT WITH SPINDLE
- CAST IRON GEARBOX 540 RPM
- CHAIN DRIVE ASA 80 IN OIL BATH WITH AUTOMATIC TENSIONER
- ROTOR WITH 4 HOES PER FLANGE
- OPTIONAL WITH 6 HOES PER FLANGE
- ADJUSTABLE SKIDS
- UNIVERSAL PTO SHAFT, CATEGORY 4 - 700 MM

This rotary tiller is suitable for heavy tilling in orchards and tree farms. The side-shift allows the tiller to till close to the trees. It is suitable for medium HP tractors.



Prices Effective as of 10-26

									
Model	hp	cm	in	cm	in	n.	kg	lbs	Pricing
URT ED 96	20 - 50	96	38"	110	44"	20	206	454	\$3,682.00
URT ED 114	20 - 50	114	46"	130	52"	24	218	481	\$3,836.00
URT ED 132	20 - 50	132	52"	145	58"	28	230	507	\$3,942.00
URT ED 150	20 - 50	150	60"	165	66"	32	248	547	\$4,076.00
URT ED 168	20 - 50	168	67"	185	74"	36	266	586	\$4,235.00


	Model	OPTIONAL	Type	Pricing
	Z	N° 6 hoes per flange	URT ED 96	\$188.00
			URT ED 114	\$197.00
			URT ED 132	\$200.00
			URT ED 150	\$208.00
			URT ED 168	\$214.00

	Model		Pricing
	F	Slip clutch PTO shaft	\$194.00

	Model		Pricing
	B	Shear bolt PTO shaft	\$194.00

DIMENSIONS

Type	A (cm)	B (cm)	C (cm)
URT ED 96	120	80	100
URT ED 114	130	80	100
URT ED 132	150	80	100
URT ED 150	170	80	100
URT ED 168	180	80	100



PACKAGING Single metal crate



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.