

GRYB

AG & LIGHT INDUSTRIAL

# AG & LIGHT INDUSTRIAL IMPLEMENTS

GRYB SHEAREX



**GENERAL  
IMPLEMENT  
DISTRIBUTORS**

# GRYB'S AG & LIGHT INDUSTRIAL

GRYB Ag & Light Industrial offers versatile and durable solutions for agricultural and light industrial needs.

Our specialized tools, like buckets, disk harrows, and snowblowers, help compact machinery operators perform tasks with precision and ease.

## COMPACT TRACTOR

6	<b>3-pt Standard Duty Snowblower</b>	GRYB
6	<b>Two Stage 3-pt Inverted Snowblower</b>	GRYB
6	<b>3-pt Commercial Snowblower</b>	GRYB
7	<b>Large Commercial 3-pt Snowblower</b>	GRYB
7	<b>Commercial Inverted Snowblower</b>	GRYB
7	<b>Standard Front Snowblower</b>	GRYB
8	<b>Front Loader Snowblower</b>	GRYB
8	<b>Rotary Broom</b>	GRYB
8	<b>Commercial Rotary Broom</b>	GRYB
9	<b>Small Debris Blower</b>	GRYB
9	<b>Large Debris Blower</b>	GRYB
9	<b>3-pt Disk Harrow</b>	GRYB
10	<b>HD Front Blade</b>	GRYB
10	<b>Hydraulic Post Hole Digger</b>	GRYB

### 34 Compact Tractor Product Options

# COMPACT EXCAVATOR

14	<b>Wedge Quick Coupler</b>	GRYB
14	<b>AHJ Wedge Quick Coupler</b>	GRYB
14	<b>Pin Grabber</b>	GRYB
14	<b>Female Blank Lugs</b>	GRYB
15	<b>GTR Tiltrotator</b>	GRYB
15	<b>Ditching Bucket</b>	GRYB
15	<b>Heavy Duty Bucket</b>	GRYB
16	<b>Trapezoidal Bucket</b>	GRYB
16	<b>Hydraulic Tilt Ditching Bucket</b>	GRYB
16	<b>Skeleton Bucket</b>	GRYB
17	<b>4-in-1 Bucket</b>	GRYB
17	<b>Hydraulic Thumb on Stick Axle</b>	GRYB
17	<b>Universal Hydraulic Thumb</b>	GRYB
18	<b>Root Rake</b>	GRYB
18	<b>Ripper</b>	GRYB
18	<b>AHJ Reversible Bucket</b>	GRYB
19	<b>Excavator Mulcher</b> VM Series	SHEAREX
19	<b>Stump Grinder</b>	SHEAREX
19	<b>Wood Cone Splitter</b>	SHEAREX

---

38    **Compact Excavator Product Options**

---

# WHEEL LOADER

22	<b>Hydraulic Quick Coupler</b>	GRYB
22	<b>Light Material Bucket</b>	GRYB
22	<b>Woodchip Bucket</b>	GRYB
23	<b>General Purpose Bucket</b>	GRYB
23	<b>Side Dump Bucket</b>	GRYB
23	<b>High Dump Bucket</b>	GRYB
24	<b>4-in-1 Bucket</b>	GRYB
24	<b>Skeleton Bucket</b>	GRYB
24	<b>Grapple Bucket</b>	GRYB
25	<b>Extreme Duty Rock Bucket</b>	GRYB
25	<b>Jib Boom</b>	GRYB
25	<b>Fork</b>	GRYB
26	<b>Directional Blade</b>	GRYB
26	<b>Reversible Snow Pusher</b>	GRYB
26	<b>Blue Gryb Rotating Icebreaker</b>	GRYB
27	<b>Spreader Bucket</b>	GRYB
27	<b>Scale for Wheel Loader</b>	E-TRAK

---

37    **Wheel Loader Product Options**

---

# CTL/SSL

30	<b>Hydraulic Post Hole Digger</b>	GRYB
30	<b>Bite Limiter Mulcher</b>	SHEAREX
30	<b>Dum Mulcher</b>	SHEAREX
31	<b>Brush Grapple</b>	SHEAREX
31	<b>Stump Grinder</b>	SHEAREX
31	<b>Wood Cone Splitter</b>	SHEAREX

---

38    **CTL/SSL Product Options**

---



# COMPACT TRACTOR IMPLEMENTS





## 3-PT STANDARD DUTY SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	48, 54, 64, 74, 84 or 94 inches
<b>Auger</b>	Single
<b>Compatibility</b>	Standard 3-pt hitch and ASABE quick hitch

A 2-part manual chute, allowing precise control of snow projection.

Adjustable deflector.

Adjustable skid shoes.



## TWO STAGE 3-PT INVERTED SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	64 or 74 inches
<b>Auger</b>	Single
<b>Compatibility</b>	Standard 3-pt hitch and ASABE quick hitch

Manual or hydraulic chute rotation.

A 2-part manual chute, allowing precise control of snow projection.

Adjustable deflector.

Adjustable skid shoes.



## 3-PT COMMERCIAL SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	74 or 80 inches
<b>Auger</b>	Single
<b>Compatibility</b>	Standart 3-pt hitch cat. 1 and 2 Also compatible with ASABE Quick hitch cat. 1 and 2

3-part chute.

Includes tool-free adjustable skid shoes that can be tailored to different ground types.

Hydraulic motor chute rotation.

Replaceable cutting edge.



**GENERAL  
IMPLEMENT  
DISTRIBUTORS**



## LARGE COMMERCIAL 3-PT SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	88, 92, 98 or 102 inches
<b>Auger</b>	Single
<b>Chute rotation</b>	Standard 3-pt hitch category 1 and 2 Also compatible with ASABE Quick hitch category 1 and 2

2-part or 3-part chute available.

Rotating drum-equipped models available.

Includes tool-free adjustable skid shoes  
that can be tailored to different ground types.

Replaceable cutting edge.



## COMMERCIAL INVERTED SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	54 inches
<b>Auger</b>	Single
<b>Compatibility</b>	Standard 3-pt hitch category 1 and 2 Also compatible with ASABE Quick hitch category 1 and 2

Series 60 driveline.

4 blade fan.

Single auger.

Hydraulic chute rotation and deflector.

Reversible cutting edge.

Rear scraper with chains and scraper blade hoses and quick couplers.



## STANDARD FRONT SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	54 inches
<b>Auger</b>	LH and RH single auger with shearbolt
<b>Compatibility</b>	Front mount 4-pt hitch

2-part chute.

Includes female hitch.

Hydraulic chute rotation and electric chute deflector.

Half driveline.

Series 1 & 2.



## FRONT LOADER SNOWBLOWER

<b>Manufacturer</b>	GRYB
<b>Width</b>	64 or 76 inches
<b>Auger</b>	Single

Two part chute with hydraulic motor rotation.

Integrated oil cooler.

24" diameter 4-blade fan.

26" cutting height.

Reversible cutting edge.

Adjustable skid shoes in up to 6 positions, and replaceable.

Manual Deflector.



## ROTARY BROOM

<b>Manufacturer</b>	GRYB
<b>Width</b>	60 inches
<b>Wafer brush diameter</b>	24 inches

Included female hitch, broom half of driveline.



## COMMERCIAL ROTARY BROOM

<b>Manufacturer</b>	GRYB
<b>Width</b>	60 to 84 inches
<b>Wafer brush diameter</b>	32 inches

Hydraulic angling degree range.

Included female hitch, broom half of driveline.

Includes one 375 cc/rev hydraulic motor.

Spring suspension.

Parking stands.

Hydraulic angling with one cylinder and electric selector valve.

Complete with hardware, wiring harness.



## SMALL DEBRIS BLOWER

<b>Manufacturer</b>	GRYB
<b>Air flow</b>	3,500 ft <sup>3</sup> per minute
<b>Fan</b>	20 inches diameter - 12 blades
<b>Compatibility</b>	4-pt hitch

Female hitch, half of driveline.

Hydraulic discharge rotation.

12" diameter pneumatic gauge wheels.

Equipped with three pneumatic wheels.



## LARGE DEBRIS BLOWER

<b>Manufacturer</b>	GRYB
<b>Air flow</b>	6,000 ft <sup>3</sup> per minute
<b>Fan</b>	29.5 inches diameter - 12 blades
<b>Compatibility</b>	Standard 3-pt hitch category 1 and 2 Also compatible with ASABE Quick hitch category 1 and 2

25 hp min.

Bi-directionnal discharge (left or right with manual deflector).

12" diameter pneumatic gauge wheels.

Parking stands.

Complete with hardware.

Driveline series 40.



## 3-PT DISK HARROW

<b>Manufacturer</b>	GRYB
<b>Width</b>	75 to 95 inches
<b>Disks</b>	Notched or smooth
<b>Disks quantity</b>	16 or 20
<b>Compatibility</b>	Compatible with Category 1 3-point hitches and the ASABE Quick Hitch system

Disk blades for a variety of conditions.

Tool free gang angle adjustment.

Scraper kit to remove soil buildup.

Furrow filler kit.



## HD FRONT BLADE

<b>Manufacturer</b>	GRYB
<b>Width</b>	60 inches
<b>Compatibility</b>	Front mount 4-pt hitch

Includes female hitch.

Hydraulic angling.

Trip spring lockout.

Cross-over relief valve.

HD double bevel cutting edge and  
HD replaceable skid shoes.

Hoses, quick couplers.



## HYDRAULIC POST HOLE DIGGER

<b>Manufacturer</b>	GRYB
<b>Weight</b>	250 lbs
<b>Auger drive</b>	Hydraulic, encapsulated inside gearbox

250cc hydraulic motor.

8 feet of 3/8" hoses.

Hydraulic, encapsulated inside gearbox auger  
drive with oil.

1/2" ISO5675 Male/Female Quick Coupler.

Base hitch.

Optional hex head double augers  
(6x36, 9x36, 12x36 inches).



**GENERAL  
IMPLEMENT  
DISTRIBUTORS**



# COMPACT EXCAVATOR IMPLEMENTS





## WEDGE QUICK COUPLER

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Type</b>	Mechanical or hydraulic

Design that offers the best digging force of all types of quick couplers.

Keeps the original rotations of the excavator.

Simplified hydraulics.

Double action cylinder with safety valve.

Easily transferable from manual to hydraulic.

Simplified hydraulic system that plugs directly into the cylinder to avoid several unnecessary components.



## AHJ WEDGE QUICK COUPLER

<b>Manufacturer</b>	GRYB
<b>Machine model</b>	17G to 60G machine model.
<b>Type</b>	Mechanical or hydraulic

Patented lugs on our buckets for John Deere compact excavators.



## PIN GRABBER

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	3.5 to 10 tons
<b>Type</b>	Mechanical or hydraulic

Dual safety system.

Compatible with multiple types of attachments.

Maximizes the efficiency of your attachments.



## FEMALE BLANK LUGS

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Available for</b>	Buckets, rippers, bucket relug, hammer/compactor

Compatible with all types of wedge or pin-on attachments.

With or without excess under the quick coupler.

Available in standard or reversible configurations to fit your needs.



**GENERAL  
IMPLEMENT  
DISTRIBUTORS**



## GTR TILTROTATOR

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Weight</b>	216 to 518 lbs
<b>Capacity</b>	0.08 to 0.75 yd <sup>3</sup>

Get up to 15% savings on fuel.

Improve your productivity by up to 40%.

Greased-filled gear housing for improved performance and decreased maintenance.

Multiple attachments available.

Optional grip module.



## DITCHING BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Width</b>	12 to 96 inches
<b>Capacity</b>	0.08 to 0.75 yd <sup>3</sup>

Filling and dumping at an optimized angle.

Maintenance time reduced.



## HEAVY DUTY BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Width</b>	12 to 36 inches
<b>Capacity</b>	0.04 to 0.54 yd <sup>3</sup>

Made to handle various small materials in the construction industry.

Optimized angle for filling and dumping.

Reversible attachment available.

Side cutter available bolted or welded.



## TRAPEZOIDAL BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	3.5 to 10 tons
<b>Width</b>	36 to 60 inches
<b>Capacity</b>	0.12 to 0.50 yd <sup>3</sup>

Filling and dumping at an optimized angle.

Maintenance time reduced.



## HYDRAULIC TILT DITCHING BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	3.5 to 10 tons
<b>Width</b>	36 to 60 inches
<b>Capacity</b>	0.18 to 0.70 yd <sup>3</sup>

Hydraulic cylinders with 45° tilt on each side.

Hardened chrome-plate axle with greaseable wearing rings.



## SKELETON BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	3.5 to 10 tons
<b>Width</b>	18 to 36 inches
<b>Capacity</b>	0.09 to 0.54 yd <sup>3</sup>

Ideal for recycling materials.

Two models available: general-purpose bucket and ditching bucket.

Spacing for the teeth opening from 1 to 24 inches.



## 4-IN-1 BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	3.5 to 30 tons
<b>Width</b>	24 to 30 inches
<b>Capacity</b>	0.20 to 0.38 yd <sup>3</sup>

Digs, levels, handles and sorts.

Combine use of a grapple, the strength of a standard thumb, and the functions of a digging and a ditching bucket.



## HYDRAULIC THUMB ON STICK AXLE

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Length</b>	20 to 36 inches
<b>Weight</b>	80 to 320 lbs

Choice of two profiled, two straight or four tines.

135° rotation.



## UNIVERSAL HYDRAULIC THUMB

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Length</b>	18 to 51 inches
<b>Weight</b>	55 to 240 lbs

130° rotation.

Cushion-shock absorbers are included.

Light and compact design.

Two possible length setups.



## ROOT RAKE

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Width</b>	36 or 48 inches
<b>Number of tines</b>	6

Choice of inter-fingers space.

Choose between multiple configurations.

Anti-trapping system included.



## RIPPER

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 10 tons
<b>Length</b>	20 to 30 inches
<b>Teeth</b>	J200, J225, J250

Offers superior digging force.

Interchangeable bolt-on teeth.

Minimal maintenance is required.



## AHJ REVERSIBLE BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	1.5 to 6 tons
<b>Position</b>	Reverse or normal
<b>Type</b>	Mechanical or hydraulic

Patented reversible lugs.



## EXCAVATOR MULCHER VM SERIES

<b>Manufacturer</b>	Shearex
<b>Available models</b>	VM25SK - VM-35SK - VM-40SL
<b>Cutting width</b>	28 or 42 inches
<b>Number of blades</b>	9 to 14
<b>Weight</b>	1,100 to 1,668 lbs

Choose between carbide teeth or blades.

CONVEX DX™ Protection System.

Zero vibration rotor - G2.0 balancing standard.

Blade angle optimized for a perfect cut.

Poly-Chain® Carbon transmission belt.

Bolt-on liner and skid shoes made of Hardox® 500 for ultimate wear resistance. Easy maintenance and replacement.

Robust rotor design.

High torque variable and adjustable motor.

Innovative oil cooling system: Cools the oil when running idle, resulting in a temperature reduction of 30 to 50°C.

Customer kit in a robust shell tough box included with each purchase.



## STUMP GRINDER

<b>Manufacturer</b>	Shearex
<b>Machine weight</b>	3 to 30 tons

Blade system interchangeable in less than 5 minutes.

Adapt your equipment to different applications and soft or hard wood.

Equipped with a high-performance, low-maintenance motor guaranteeing constant, reliable power every time.

Designed to minimize downtime and optimize your time in the field.

Our advanced technology and Hardox® 500 blades will ensure you meet the demands of the toughest jobs, while respecting the environment.

Rapid availability of wear and replacement parts.



## WOOD CONE SPLITTER

<b>Manufacturer</b>	Shearex
<b>Machine weight</b>	3 to 30 tons
<b>Torque</b>	10,500 lbs-ft

Impressive splitting power.

Easy to maintain.

Replacable tip.

Optimal stump grinder blade.

# WHEEL LOADER IMPLEMENTS



**GENERAL  
IMPLEMENT  
DISTRIBUTORS**



## HYDRAULIC QUICK COUPLER

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	14 tons loaders
<b>Also available</b>	Mechanical quick coupler, Skidsteer hydraulic quick coupler, Hydraulic side dump quick coupler, Fusion hydraulic quick coupler

Compatible with all female couplers and all loader models.

Designed for maximum visibility.

High-resistance hydraulic cylinders with all-around protection.

Product cut to size with outstanding precision.



## LIGHT MATERIAL BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	102 to 120 inches
<b>Capacity</b>	2.00 to 6.00 yd <sup>3</sup>

Increased loading capacity.

Protective lining for a quick hitch.

Interchangeable bolt-on blade included.

Bolt-on heels included.



## WOODCHIP BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	96 to 108 inches
<b>Capacity</b>	4.00 to 6.00 yd <sup>3</sup>

Oversized capacity for light materials like woodchip and mulch.

High-strength steel reinforcements under the bucket to reduce wear.



## GENERAL PURPOSE BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	82 to 102 inches
<b>Capacity</b>	1.00 to 3.00 yd <sup>3</sup>

Optimized opening angles.

High tensile steel wear parts.

Available in multiple widths and capacities.

Interchangeable bolt-on blades.



## SIDE DUMP BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	96 to 108 inches
<b>Capacity</b>	1.00 to 2.50 yd <sup>3</sup>

Dump angle up to 120°.

Bolt-on blade with recessed nut included.

High-capacity.

Shock absorber cushions.

HD hydraulic cylinder.

Left-hand or right-hand dump.



## HIGH DUMP BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	98 to 120 inches
<b>Capacity</b>	1.00 to 6.50 yd <sup>3</sup>

Damping pads.

Rubber pads on each sides acting as shock absorber.

Oversized rod for intensive work.

Optional bolted-on blade.

120° dumping angle.



## 4-IN-1 BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine weight</b>	All type of loaders
<b>Width</b>	24 to 48 inches
<b>Capacity</b>	0.50 to 1.40 yd <sup>3</sup>

Better precision and control.

Maximizes the efficiency of your attachment.

Improves safety on construction sites.

Increases machine productivity and versatility.



## SKELETON BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	For backhoes and wheel loaders
<b>Width</b>	98 or 102 inches
<b>Capacity</b>	1.75 to 2.50 yd <sup>3</sup>

Select the spacing for the openings of the teeth between 1 inch to 24 inches.

Ideal for sorting and recycling materials.

For backhoes and wheel loaders.

Size adjustable holes.

The distance between the plates can be adjusted as needed.



## GRAPPLE BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	108 or 120 inches
<b>Capacity</b>	2.00 to 3.00 yd <sup>3</sup>

Robust grapple design.

HD hydraulic cylinder.

Filling and dumping at an optimized angle.



## EXTREME DUTY ROCK BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	102 inches
<b>Capacity</b>	2.50 to 3.00 yd <sup>3</sup>

Spill guard protect the quick coupler.

Protection of the machine with rock kickers.

Multiple wear configurations available.

Vertical protectors prolong the life of the bucket.



## FIXED JIB BOOM

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Length</b>	4 to 8 feet
<b>Capacity</b>	2,000 to 25,000 lbs

Increases construction site security.

Cylinder protected 100%.

An optimized design offering visibility and safety compared with lift attachments.

Extendible stick for difficult-to-reach areas.

Growing demand for the products following new government approval standards (CSST, Unions, etc.).



## FORK

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	All type of loaders
<b>Width</b>	48 to 96 inches
<b>Capacity</b>	5,500 to 28,200 lbs

Available in mechanical and hydraulic configurations.

Custom made mast to fit your exact needs.

High visibility two stage mast.

Bearing supported or pin supported side shift.

16" side shift (8" per side).

Standard single acting lift cylinders - optional double acting.

Custom made back rest.

Mounted LED lights for optimal visibility.



## DIRECTIONAL BLADE

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	10 to 50
<b>Width</b>	8 to 16 feet
<b>Height</b>	36 or 44 inches



## REVERSIBLE SNOW PUSHER

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	10 to 50
<b>Width</b>	6 to 16 feet
<b>Height</b>	30 to 48 inches

Different choice of blades: Teflon, high-resistance steel or icebreaker.

Welded side panels (different lengths are available).

Bolted anti-wear plates.



## BLUE GRYB ROTATING ICEBREAKER

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	10+
<b>Roller width</b>	41 to 103 inches
<b>Number of rollers</b>	6 to 15

Crushes ice up to two inches thick.

Interchangeable bolt-on teeth by section.

With rubber shock absorbers.

Unique angled helix design, using a 7-tooth serrated roller installed every half inch

Three times faster than standard icebreaking operation, even at low temperatures.

Green solution with a reduction of abrasive and melting material use.



## SPREADER BUCKET

<b>Manufacturer</b>	GRYB
<b>Machine class</b>	10+
<b>Width</b>	102 inches
<b>Capacity</b>	3.5 yd <sup>3</sup>

Two independent augers.

Spreading control is done in the cab.



## SCALE FOR WHEEL LOADER

<b>Manufacturer</b>	e-Trak
<b>Compatibility</b>	All wheel loaders

Save up to 20% on loading time.

<1% margin of error.

New and improved rugged tablet.

Customer installation kit available.





# CTL/SSL IMPLEMENTS



**HYDRAULIC  
POST HOLE  
DIGGER**

30



**BITE LIMITER  
MULCHER**

HM SERIES  
30



**DRUM  
MULCHER**

HD SERIES  
30



**BRUSH  
GRAPPLE**

31



**STUMP  
GRINDER**

31



**WOOD CONE  
SPLITTER**

31



## HYDRAULIC POST HOLE DIGGER

**Manufacturer**

GRYB

**Weight**

250 lbs

**Auger drive**

Hydraulic, encapsulated inside gearbox

250cc hydraulic motor.

8 feet of 3/8" hoses.

Hydraulic, encapsulated inside gearbox auger drive with oil.

1/2" ISO5675 Male/Female Quick Coupler.

Base hitch.

Optional hex head double augers (6x36, 9x36, 12x36 inches).



## BITE LIMITER MULCHER HM SERIES

**Manufacturer**

Shearex

**Cutting width**

59 or 75 inches

**Number of blades**

21 to 27

**Compatibility**

Skid steer loaders and front mount carriers

Choose between carbide teeth or blade.

Customer kit in a robust Dewalt shell tough box included with every purchase.

Optional hydraulic push-bar.

Innovative oil cooling system: Cools the oil when running idle, resulting in a temperature reduction of 30 to 50°C.



## DRUM MULCHER HD SERIES

**Manufacturer**

Shearex

**Cutting width**

59 inches

**Number of hammers**

34

**Compatibility**

Front mount mulchers, skidsteer, wheel loader tractor, dedicated carrier, bulldozer

Poly-Chain® Carbon transmission belt.

Liner and skid shoes made of Hardox® for ultimate wear resistance.

Fastest Rotor Recovery with closer center of gravity for better handling.

Unique hose guard to avoid getting tangled in branches paired with heavy duty spirale hydraulic hose protectors.

Innovative oil cooling system: Cools the oil when running idle, resulting in a temperature reduction of 30 to 50°C.



## BRUSH GRAPPLE

<b>Manufacturer</b>	Shearex
<b>Width</b>	60 to 83 inches
<b>Number of tines</b>	6 to 9 tines
<b>Compatibility</b>	Skid steer only

Universal Skid Steer attachment.

Cylinder protector.

Double grapple, 3,000 psi cylinder.

Hydraulic hose guard.



## STUMP GRINDER

<b>Manufacturer</b>	Shearex
<b>Machine weight</b>	3 to 30 tons

Blade system interchangeable in less than 5 minutes.

Adapt your equipment to different applications and soft or hard wood.

Equipped with a high-performance, low-maintenance motor guaranteeing constant, reliable power every time.

Designed to minimize downtime and optimize your time in the field.

Our advanced technology and Hardox® 500 blades will ensure you meet the demands of the toughest jobs, while respecting the environment.

Rapid availability of wear and replacement parts.



## WOOD CONE SPLITTER

<b>Manufacturer</b>	Shearex
<b>Machine weight</b>	3 to 30 tons
<b>Torque</b>	10,500 lbs-ft

Impressive splitting power.

Replaceable tip.

Easy to maintain.

Optimal stump grinder blade.



# PRODUCT OPTIONS

# COMPACT TRACTOR PRODUCT OPTIONS

## 3-PT STANDARD DUTY SNOWBLOWER

### Manual chute rotation kit

**Hydraulic cylinder kit for chute rotation**  
2" x 8" cylinder, bracket assembly, hoses and tips.

### Hydraulic motor kit for chute rotation

High torque hydraulic motor, flow restrictors, hoses and tips.

### Hydraulic cylinder kit for chute deflector

2" x 8" cylinder, bracket assembly, hoses and tips.

### Hydraulic cylinder kit for chute deflector

2" x 5" cylinder, hoses and tips.

### Electric kit for chute deflector

Includes 5" or 8" actuator, hardware, switch and electric cable.

### Hard plastic skid shoes and cutting edge

Includes two Tivar skid shoes, one Tivar cutting edge and the mounting hardware. Boxed.

## TWO STAGE 3-PT INVERTED SNOWBLOWER

### Manual chute rotation kit

**Hydraulic cylinder kit for chute rotation**  
2" x 8" cylinder, bracket assembly, hoses and tips.

### Hydraulic motor kit for chute rotation

High torque hydraulic motor, flow restrictors, hoses and tips.

### Hydraulic cylinder kit for chute deflector

2" x 8" cylinder, bracket assembly, hoses and tips.

### Hydraulic cylinder kit for chute deflector

2" x 5" cylinder, hoses and tips.

### Electric kit for chute deflector

Includes 5" or 8" actuator, hardware, switch and electric cable.

### Hard plastic skid shoes and cutting edge

Includes two Tivar skid shoes, one Tivar cutting edge and the mounting hardware. Boxed.

## 3-PT COMMERCIAL SNOWBLOWER

### Three part chute

Includes 2" x 4" cylinder, hoses, and tips

### Cutting edge

CHT400 steel or stainless steel

### Skid shoes

CHT400 steel or stainless steel

### Transfer case

Reducer/inverter from 1000 to 555rpm.

### Driveline upgrade

60 series driveline.

### Drift cutters kit

Obtain 5" extra width. Complete with hardware and instructions sheet. Boxed.

## LARGE COMMERCIAL 3-PT SNOWBLOWER

### Cutting edge

CHT400 Steel, Tivar or Stainless Steel

### Second auger kit

14 diameter

### Serrated main auger

### Hydraulic cylinder kit for chute deflector

2" x 8" cylinder, flow restrictor, hoses and tips.

### Two part chute

Includes manual deflector

### Three part chute

Includes 2" x 8" cylinder, hoses and tips.

### Drift cutters

### 3- pts arm for quick hitch

### Reducer-inverter

1000/540

### Yoke

Quick disconnect Yoke series 08, 1-3/4", 20 splines

### Skid shoes

Stainless steel

### Driveline upgrade

80 or 90 series driveline

## COMMERCIAL INVERTED SNOWBLOWER

### Cutting edge

CHT400 Steel, Tivar or Stainless Steel

### Second auger kit

14 diameter

### Serrated main auger

### Hydraulic cylinder kit for chute deflector

2"x 8" cylinder, flow restrictor, hoses and tips.

### Two part chute

Includes manual deflector

### Three part chute

Includes 2"x 8" cylinder, hoses and tips.

### Drift cutters

### 3-pts arm for quick hitch

### Reducer-inverter

1000/540

### Yoke

Quick disconnect Yoke series 08, 1-3/4", 20 splines

### Skid shoes

Stainless steel

### Driveline upgrade

80 or 90 series driveline

## STANDARD FRONT SNOWBLOWER

### 4-pt front hitch

Includes hitch, lift cylinder, hoses and quick coupler.

Series 1 and 2

### Mid PTO drive kit

For 4 point front hitch with PTO driven attachments.

Includes driveline, mid drive shaft and tractor half of driveline.

Series 1 and 2

## FRONT LOADER SNOWBLOWER

### Electric selector valve

For hydraulic chute rotation. Complete with hydraulic selector valve, hardware and supports, hoses, electric wiring and switch. Instructions. Boxed.

### Electric selector valve

For hydraulic chute deflector. Complete with hydraulic selector valve, hardware and supports, hoses, electric wiring and switch. Instructions. Boxed. Requires 8155 or 8249.

### Hydraulic cylinder 2x6 or 2x8

### Universal skid steer mount

### Drift cutters kit

Obtain 5" extra width on SBG1064H and SBG1076H snowblower. Complete with hardware and instructions sheet. Boxed.

## COMMERCIAL ROTARY BROOM

### Steel / rubber dust deflector

60", 72" or 84". Including hardware (required with spraying kits).

### 8" lawn dethatching wheels

Includes two pairs 8" diameter by 3.5" wide solid wheels mounting brackets and hardware. Instructions. Boxed.

### Lawn dethatching wheels support

Required for lawn dethatching wheels. Include support components, hardware, and installation instruction. Boxed.

### 32" wafer brush replacement kit

Poly or 50/50 poly/wire for 60", 72" or 84" hydraulic broom

### Universal skid steer mount

## 3-PT DISK HARROW

### Disk scraper kit

Includes disk scrapers, supports for rigid bearing hangers and mounting hardware. Crated.

### Furrow filler kit

For 20" or 22" blades

### Rolling basket

Includes two rollers, spring loaded supports and mounting hardware. Crated.



**GENERAL  
IMPLEMENT  
DISTRIBUTORS**

## FRONT BLADE

**60" rubber cutting edge**  
Including hardware.

## HYDRAULIC POST HOLE DIGGER

**Global carrier bracket kit**  
Includes mounting hardware.

**Skid steer bracket kit**  
Includes mounting hardware.

**Quik-attach bracket kit**  
Include mounting hardware.

**Auger hex head double augers**  
6" x 36", 9" x 36" or 12" x 36"



# WHEEL LOADER PRODUCT OPTIONS

## HYDRAULIC QUICK COUPLER

### Also available

Mechanical quick coupler, Skidsteer hydraulic quick coupler, Hydraulic side dump quick coupler, Fusion hydraulic quick coupler

## FEMALE BLANK LUGS

In-house installation is available.

Pre-cut or with surplus.

## LIGHT MATERIAL BUCKET

Extendable kit is available.

## WOODCHIP BUCKET

Bolted and interchangeable blade.

## GENERAL PURPOSE BUCKET

Bolt-on blade.

Bolt-on heels.

Teeth.

Lifting hook.

## SIDE DUMP BUCKET

Optional bolt-on blade.

## HIGH DUMP BUCKET

Optional bolt-on and interchangeable blade.

## MULTI-PURPOSE BUCKET

Proposed combination with tilting quick-coupler.

Maximize the efficiency of your accessories by combining our 4-in-1 loader bucket and inclinable quick hitch together.

Gives you a 45-degree inclination on each side.

Available for all types of quick hitches.

## SKELETON BUCKET

These buckets are available with two optional grapple restraints.

Bolted and interchangeable blades are optional.

Interchangeable teeth are optional.

## GRAPPLE BUCKET

Bolt-on and interchangeable blade.

## EXTREME DUTY ROCK BUCKET

Optional heel shrouds.

Bolt-on on wear pads.

## FORK

Optional side tilt.

## DIRECTIONAL BLADE

Combine our snow scraper with an optional extension to maximize your snow-clearing operations.

## REVERSIBLE SNOW PUSHER

Optional top retraction.

Open or sealed pusher.

Trip system.

Different choice of blades: Teflon, high-resistance steel or icebreaker.

## BLUE GRYB ROTATING ICEBREAKER

Formats width available for sidewalks and parking lots.



**GENERAL  
IMPLEMENT  
DISTRIBUTORS**

# COMPACT EXCAVATOR PRODUCT OPTIONS

## DITCHING BUCKET

Bolted and interchangeable blades.

## HEAVY DUTY BUCKET

Standard or wide teeth available.

## TRAPEZOIDAL BUCKET

Interchangeable teeth.

## HYDRAULIC TILT DITCHING BUCKET

Bolted and interchangeable blades.

## SKELETON BUCKET

Bolted and interchangeable blades.

Interchangeable teeth.

## ROOT RAKE

Interchangeable teeth.

## AHJ REVERSIBLE BUCKET

OEM John Deere quick hitch.

## EXCAVATOR MULCHER

### Tilt system

The tilt system on our mulching heads for mini excavators allows for increased flexibility and superior visibility. Using the right technique, the tilt can also increase productivity by letting gravity do the majority of the work.

### Back grapple

Move and sort through smaller materials or pile them up for greater mulching control with Shearex's mini excavator mulcher head VM-35SK models.

### Different types of blade

Choose between our carbide tooth or blade, depending on your operations.

# CTL/SSL PRODUCT OPTIONS

## BITE LIMITER MULCHER

Mulcher carbide teeth.

Mulcher blades.

Hydraulic push-bar.

## DRUM MULCHER

Included pin-on mechanical pushbar.

Front door.

Bite limiter rotor.