




EXCAVATORS

10 TO 49 TONS



 **GENERAL
IMPLEMENT**
DISTRIBUTORS



GRYB wants to fundamentally transform the attachment and implements industry into a customer driven experience, fueled through the needs and challenges of the global market.

GRYB is at the core of a group of companies offering attachment solutions in the material handling, forestry & land clearing, steel production & distribution, construction, and ag & light industrial industries.

GRYB **BATEMAN** **WINKLE** **SHEAREX**

SERCO **e-Trak** **RADETECH** **DALKO**
LOADERS Technology Solutions INNOVATION TECH

**GENERAL
IMPLEMENT**
DISTRIBUTORS

GRYB CONSTRUCTION

GRYB's excavator products are part of the GRYB Construction division. Our products represent quality, meticulously crafted to surpass industry standards. Engineered with precision and durability in mind, they fortify infrastructure with unwavering reliability. Trust in our construction solutions for excellence that stands tall.

COUPLERS

6	AHS Wedge Attachment
7	Pin Grabber
8	Quick Hitch
8	GTR Tiltrotator

BUCKETS

14	HD Digging Bucket Welded Side Cutters
14	SHD Super Heavy Duty Bucket Welded Side Cutters
14	XHD Extreme Duty Bucket Welded Side Cutters
15	HD Digging Bucket Bolted Side Cutters
15	SHD Super Heavy Duty Bucket Bolted Side Cutters
17	Digging Bucket Options
18	Ditching Bucket
18	Tilt Ditching Bucket
18	Skeleton Bucket With Teeth
19	4 in 1 Bucket
19	Grapple Bucket
19	Trapezoidal Bucket
20	Recessed Bucket
20	Screening Bucket
21	Grading Bucket With Minimized Corners
21	Digging Bucket
21	Trench Bucket

THUMBS

24	Hydraulic Thumb on Axle
24	Progressive Hydraulic Thumb
24	Universal Hydraulic Thumb

SPECIALTY PRODUCTS

28	Female Lugs
28	Female Lugs With Top Plates
28	Reversible Female Lugs
29	Root Rake
29	Concrete Pulverizer
29	Ripper
30	FC Plate Adapter
30	Pallet Fork
30	Asphalt Cutter
31	Construction Grapple
31	Sorting Grapple

COUPLERS

AHS WEDGE ATTACHMENT

6



PIN GRABBER

7



QUICK HITCH

8



GTR TILTROTATOR

8





AHS WEDGE ATTACHMENT

Carrier weight

10 to 49 tons

Type

Mechanical or hydraulic

Weight

285 to 1,135 lbs



Scan for complete product specifications

The AHS Coupling System combines innovation and simplicity. Designed and created by GRYB, this coupling system takes the excavation game to a whole-new level.

The compact design of the AHS includes a hydraulic dual-action, double cylinder and a lock valve, reducing the risk of getting stuck.

The angles of the locking blocks eliminate jamming and facilitate hydraulic unlocking. Available in mechanical or hydraulic configurations, which can be easily converted.

THE AHS IS DESIGNED TO INCREASE PRODUCTIVITY WITH A QUICK RETURN ON YOUR INVESTMENT.

- 1** The capacity of putting your attachments in reverse position optimizes your time on site. Work faster near foundations.
- 2** Efficient installation so that you can focus on getting the job done.
- 3** Reduced risk of breakage or leakage.

THE OTHER WAY AROUND

The AHS Coupling System can be used in reverse position, which increases efficiency when working near home foundations. Save time on job sites and maximize output.



COUPLERS

BUCKETS

THUMBS

SPECIALTY PRODUCTS





PIN GRABBER

Carrier weight

10 to
49 tons

Locking

Hydraulic
sliding jaw

Weight

490 to
1,620 lbs



Scan for complete
product specifications

The GRYB hydraulic Pin Grabber Coupling System allows you to work with a wide range of attachments. Made of heavy-duty steel, the sliding jaw design allows it to fit into multiple pin centers, permitting the handling of various OEM attachments with ease.

Use this equipment in reverse position with all its compatible attachments.

MAXIMIZE UPTIME WITH THE PIN GRABBER. BE UP AND RUNNING IN NO TIME!

- 1 Take advantage of the versatility this tool can bring to your machine. Perform different tasks without the need for specialized equipment.
- 2 The ability to switch attachments rapidly significantly increases cost savings. Make your business more profitable by using the pin grabber coupling system.
- 3 Safety first. This system enhances safety and eliminates the risk of your operators and their colleagues getting hurt.



DOUBLE SAFETY FEATURE

The double safety feature offers two advantages. Firstly, it eliminates the likelihood of an attachment dropping on site. Secondly, it prevents incorrect grasping of the pin attached to the lugs. These benefits serve to safeguard you and your colleagues in the event of any hydraulic malfunctions.



QUICK HITCH

Carrier weight

10 to
14 tons

Type

Mechanical

Weight

425 lbs



Scan for complete product specifications

The Mechanical Quick Hitch Coupling System optimizes the power of your excavator and simplifies your workflow so that you can save on time. Increase your machine's breakout force and switch attachments with ease.

The strong design of this attachment brings incredible value to your workforce. Transfer attachments between your machines of similar carrier weight. The design of the Quick Hitch allows you to use your attachment to its fullest, enabling you to save time and increase profitability!

INCREASED COMPATIBILITY

Having a quick hitch coupler provides the benefit of increased compatibility, allowing for seamless attachment transfer between same-category excavators. It provides a universal connection point, enabling you to use a wide range of tools and implements with your machinery.



GTR TILTROTATOR

Carrier weight

2 to
30 tons

Rotation

Infinite
360°

Tilting

40° on
both sides



Scan for complete product specifications

Consider the GTR Tiltrotator as an extension to your machine's arm, providing the operator with the power to work with precision, agility, and efficiency. The GTR Tiltrotator excels on complicated jobs – it will transform your operations by delivering the highest productivity, accuracy, and versatility possible. Unlock endless possibilities with one of the most performant attachments on the market.

15%
SAVINGS
ON FUEL

30-40%
INCREASE IN
PRODUCTIVITY.

**GREASE-FILLED GEAR
HOUSING FOR IMPROVED
PERFORMANCE AND
LOW MAINTENANCE.**



GTR TILTROTATOR MODELS



GTR04

For 2 to 4 ton excavators



GTR06

For 3 to 6 ton excavators



GTR10

For 6 to 10 ton excavators



GTR15

For 10 to 16 ton excavators



GTR18

For 14 to 18 ton excavators



GTR22

For 16 to 22 ton excavators



GTR28

For 22 to 30 ton excavators

GTR TILTROTATOR KEY FEATURES

3D GRADE CONTROL GATEWAY

Optional machine control integration systems can bring the Tiltrotator's tilt and rotation sensors into your machines 2D/3D technology.

CENTRALIZED LUBRICATION SYSTEM

Reduces number of lubrication points. Can be connected to the excavators lubrication system (if available).

WHEEL/TRACK STEERING

Wheel-Track steering systems are also available for momentary control of these functions from the joysticks.

ADVANCED CONTROL SYSTEM

Control your attachment with unparalleled precision with dual joystick controllers, a graphic touchscreen, optional track and wheel steering as well as multiple user profiles.

OPTIONAL GRIP MODULE

The GRYB grip module takes up very little space under the Tiltrotator and can be easily removed and reattached when needed without affecting the use or connection of the attachment.

MOUNT TYPES

The GTR Tiltrotators can be mounted differently according to your needs. Either fitted directly to your excavator or using the sandwich method, using the Hardlock® Quick Coupler or the Fast Change Coupler.

HARDLOCK® QUICK COUPLER

Switch attachments in a flash with the Hardlock® Quick Coupler which offers an added level of safety with double-locking devices, standard rear locking, and eccentric locking system.



FAST CHANGE COUPLER

With the Fast Change Coupler, stay in your cab at all times. It will bring maximum time savings to your business. The quick-release system can be combined with an FC Tiltrotator, making it easy to connect and disconnect without having to manually attach hoses.



BUCKETS

HD DIGGING BUCKET

WELDED SIDE CUTTERS
14



SHD SUPER HEAVY DUTY BUCKET

WELDED SIDE CUTTERS
14



XHD EXTREME DUTY BUCKET

WELDED SIDE CUTTERS
14



HD DIGGING BUCKET

BOLTED SIDE CUTTERS
15



SHD SUPER HEAVY DUTY BUCKET

BOLTED SIDE CUTTERS
15



DIGGING BUCKET OPTIONS

17

DITCHING BUCKET

18



TILT DITCHING BUCKET

18



SKELETON BUCKET WITH TEETH

18



4 IN 1 BUCKET

19



GRAPPLE BUCKET

19



TRAPEZOIDAL BUCKET

19



RECESSED BUCKET

20



SCREENING BUCKET

20



GRADING BUCKET

WITH MINIMIZED CORNERS
21



DIGGING BUCKET

21



TRENCH BUCKET

21





HD DIGGING BUCKET

WELDED SIDE CUTTERS

Carrier weight

 10 to
49 tons

Width

 20 to
75 inches

Capacity

 0.35 to
3.90 yd³

 Scan for complete
product specifications

Made to handle various small materials in the construction industry.

Optimized angle filling and dumping.

Reversible attachment available.



SHD SUPER HEAVY DUTY BUCKET

WELDED SIDE CUTTERS

Carrier weight

 10 to
49 tons

Width

 20 to
75 inches

Capacity

 0.35 to
3.90 yd³

 Scan for complete
product specifications

Made to handle various small to medium sized materials in the construction industry, such as stones.

With all the features of the Digging Bucket and more:

- Made of high-resistance steel.
- Optional welded heels available.
- Optional edge protection available.



XHD EXTREME DUTY BUCKET

Carrier weight

 10 to
49 tons

Width

 20 to
75 inches

Capacity

 0.35 to
3.90 yd³

 Scan for complete
product specifications

Made to dig in extreme conditions and handle all kinds of heavy duty materials.

With all the features of the Super Heavy Duty Bucket and more:

- Thicker wear bars underneath the bucket.
- Made with heavy duty teeth.
- Optional outside and inside reinforcements.
- Optional inner bottom lining.



HD DIGGING BUCKET

BOLTED SIDE CUTTERS

Carrier weight

10 to
49 tons

Width

20 to
75 inches

Capacity

0.35 to
3.90 yd³



Scan for complete
product specifications

Made to handle various small materials in the construction industry.

Optimized angle filling and dumping.

Reversible attachment available.



SHD SUPER HEAVY DUTY BUCKET

BOLTED SIDE CUTTERS

Carrier weight

10 to
49 tons

Width

20 to
75 inches

Capacity

0.35 to
3.90 yd³



Scan for complete
product specifications

Made to handle various small to medium sized materials in the construction industry, such as stones.

With all the features of the Digging Bucket and more:

- Made of high-resistance steel.
- Optional welded heels available.
- Optional edge protection available.

AVAILABLE BUCKET OPTIONS



	DIGGING BUCKET HD	SUPER HEAVY DUTY BUCKET SHD	EXTREME DUTY BUCKET XHD
-	Under and side plates in High Resistance Steel		
1	Wear Bars		Thicker
2	Tooth size	Standard	Standard
3	Side Cutters	Welded/Bolt-on	Welded/Bolt-on
4	Welded Heels	N/A	Optional
5	Edge Protection *	N/A	Optional
6	Outside Reinforcements	N/A	N/A
7	Inside Reinforcements	N/A	N/A
8	Inner Bottom Lining	N/A	N/A
9	Hook		

* Half harrow + chocky bar.

COUPLERS

BUCKETS

THUMBS

SPECIALTY PRODUCTS



DITCHING BUCKET

Carrier weight

 10 to
49 tons

Width

 48 to
84 inches

Capacity

 0.80 to
4.00 yd³

 Scan for complete
product specifications

Filling and dumping at an optimized angle.

Maintenance time reduced.



TILT DITCHING BUCKET

Carrier weight

 10 to
39 tons

Width

 60 to
84 inches

Capacity

 0.70 to
2.50 yd³

 Scan for complete
product specifications

Hydraulic cylinders with total protection from debris.

45° tilt on each side.

Hardened chrome-plate axle with greaseable wearing rings.



SKELETON BUCKET WITH TEETH

Carrier weight

 10 to
49 tons

Width

 36 to
80 inches

Capacity

 0.85 to
3.20 yd³

 Scan for complete
product specifications

Ideal for recycling materials.

Two models available: general-purpose bucket and ditching bucket.

Variable bucket tooth spacing.



4 IN 1 BUCKET

Carrier weight

10 to
23 tons

Width

24 to
48 inches

Capacity

0.50 to
1.40 yd³



Scan for complete
product specifications

Digs, levels, handles and sorts.

Combine use of a grapple, the strength of a standard thumb, and the functions of a ditching bucket.



GRAPPLE BUCKET

Carrier weight

10 to
49 tons

Width

36 to
60 inches

Capacity

0.75 to
2.50 yd³



Scan for complete
product specifications

Increases precision and control.

Maximizes the performance of your attachments.

Increases the productivity and versatility of your machine.



TRAPEZOIDAL BUCKET

Carrier weight

10 to
39 tons

Width

66 to
94 inches

Capacity

0.75 to
2.25 yd³



Scan for complete
product specifications

Ideal for digging ditches.

Increase productivity with its 45° angles.



RECESSED BUCKET

Carrier weight

10 to 39 tons

Width

30 to 54 inches

Capacity

0.70 to 2.20 yd³



Scan for complete product specifications

Provides the same digging power as the original bucket.

Reduces the risk of the bucket possibly damaging the excavator.



SCREENING BUCKET

Carrier weight

10 to 39 tons

Width

52 to 74 inches

Capacity

1.00 to 2.75 yd³



Scan for complete product specifications

Ideal for recycling materials.

Sleeve opening from 1 to 6 inches are available.

Rotates on both sides.





GRADING BUCKET WITH MINIMIZED CORNERS

Carrier weight

10 to
29 tons

Width

48 to
96 inches

Capacity

0.80 to
2.00 yd³



Scan for complete
product specifications

GTR Coupling System Compatible

Minimized corners for a better clearance during the Tiltrotator's rotation.

Optimized material selection to lower weight without compromising durability.

Available with a bolt-on cutting edge.



DIGGING BUCKET

Carrier weight

10 to
29 tons

Width

32 to
57 inches

Capacity

0.70 to
2.00 yd³



Scan for complete
product specifications

GTR Coupling System Compatible

Optimized material selection to lower weight without compromising durability.

Pre-drilled holes ready for bolt-on side cutters.

Back wear plates made of abrasion-resistant AR500 steel.

Available in multiple tooth configurations.



TRENCH BUCKET

Carrier weight

10 to
29 tons

Width

16 to
26 inches

Capacity

0.40 to
0.90 yd³



Scan for complete
product specifications

GTR Coupling System Compatible

Dig deep trenches without the Tiltrotator having to go below the surface level.

Optimized material selection to lower weight without compromising durability.

Back wear plates made of abrasion-resistant AR500 steel.

THUMBS

**HYDRAULIC
THUMB
ON STICK
AXLE**

24



**PROGRESSIVE
HYDRAULIC
THUMB**

24



**UNIVERSAL
HYDRAULIC
THUMB**

24





HYDRAULIC THUMB ON STICK AXLE

Carrier weight

10 to 49 tons

Weight

550 to 3,125 lbs

Tines

2 or 4



Scan for complete product specifications

Choice of two or four profiled tines.

135° rotation.

XHD cylinders included from 10 to 40 tons.



PROGRESSIVE HYDRAULIC THUMB

Carrier weight

10 to 39 tons

Tines

2 or 4

Rotation

More than 180°



Scan for complete product specifications

XHD cylinders included from 10 to 40 tons.



UNIVERSAL HYDRAULIC THUMB

Length

52 to 85 inches

Weight

465 to 2,105 lbs

Rotation

130°



Scan for complete product specifications

130° rotation.

Cushion-shock absorbers are included.

Light and compact design.

Two possible length setups.



SPECIALTY PRODUCTS

FEMALE LUGS

28



FEMALE LUGS WITH TOP PLATES

28



REVERSIBLE FEMALE LUGS

28



ROOT RAKE

29



CONCRETE PULVERIZER

29



RIPPER

29



FC PLATE ADAPTER

30



PALLET FORK

30



ASPHALT CUTTER

30



CONSTRUCTION GRAPPLE

31



SORTING GRAPPLE

31





FEMALE LUGS

Carrier weight

10 to
49 tons



Scan for complete
product specifications

Compatible with all types of wedge or pin-on attachments.

With or without excess under the quick coupler.

Available in standard or reversible configurations to fit your needs.



FEMALE LUGS WITH TOP PLATE

Carrier weight

10 to
49 tons

Compatible with all types of wedge or pin-on attachments.

Custom-made to fit your needs.



REVERSIBLE FEMALE LUGS

Carrier weight

10 to
49 tons



Scan for complete
product specifications

Compatible with all wedge couplers.

With or without excess under the wedge coupler.





ROOT RAKE

Carrier weight

10 to
49 tons

Width

60 to
96 inches

Tines

6 to 9



Scan for complete
product specifications

Multiple configuration available for the spacing between tines.

COUPLERS

BUCKETS

THUMBS

SPECIALTY PRODUCTS



CONCRETE PULVERIZER

Carrier weight

10 to
49 tons

Width

26 to
48 inches

Weight

2,000 to
12,500 lbs



Scan for complete
product specifications

Strongest jaw on the market.

Mounted on a bolt-on interchangeable top plate.

Fastest execution system and the biggest strength ratio on the market.



RIPPER

Carrier weight

10 to
49 tons

Length

36 to
48 inches



Scan for complete
product specifications

Offers superior digging force.

Interchangeable bolt-on tooth.

Minimal maintenance is required.



FC PLATE ADAPTER

Carrier weight

 10 to
40 tons

GTR Coupling System Compatible

Flexible and robust.

Mount different tools and attachments.

Designed for the nordic market.



PALLET FORK

Carrier weight

 10 to
29 tons

Width

60 inches

Capacity

 12,600 to
21,100 lbs


Scan for complete
product specifications

GTR Coupling System Compatible

Multiple mechanical configuration available.



ASPHALT CUTTER

Carrier weight

 10 to
19 tons

Weight

410 lbs



Scan for complete
product specifications

GTR Coupling System Compatible

Designed to last.



CONSTRUCTION GRAPPLE

Carrier weight	Weight	Capacity	
10 to 49 tons	364 to 1,830 lbs	6,614 to 22,046 lbs	

GTR Coupling System Compatible

Perfect tool to widen the range of operation available with the tiltrotator.

Application areas include heavy lifting, stone laying, sorting, loading of cut-to-length timber, waste wood handling, light demolition etc.

High clamping force.



SORTING GRAPPLE

Carrier weight	Weight	Capacity	
10 to 49 tons	441 to 2,425 lbs	3,000 to 10,000 lbs	

GTR Coupling System Compatible

Suited for use in building and construction sites and recycling.

Load retention valve and piston accumulator integrated with the hydraulic system.

Very stable.

Close tip to tip.