

HEAVY DUTY RAKES

7100 SERIES HD RAKES

INTRODUCING NEW H&S HC7116 WHEEL RAKE

AVAILABLE IN
16 & 18 WHEEL MODELS

• Adjustable
Clevvis
Height
Hitch

• Hydraulic
Hoses with
Tips

• Hydraulic Raise/Lower
Independent Rake Wheel
Torsion Style Suspension

• Single Point Rake
Wheel Down-Pressure
Adjustment on each
Rake Beam

**60" Rake Wheels w/18 Sets
of Rubber Mounted Teeth (HDII style)
for handling tougher crops such as
corn stalks, or high tonnage forage.**



**6"x 6"
Frame**

Rear Limited Oscillating Offset Tandem Axle

MODEL	HC7116
NUMBER OF WHEELS	16
WHEEL DIAMETER	60"
TEETH PER WHEEL	18 sets of 2 = 36
RAKING WHEEL HUBS	TAPERED BEARINGS
RAKE WHEEL SUSPENSION	Independent Rake Wheel Suspension w/Buffered Compression Spring System
NUMBER OF RAKING POSITIONS	7
GROUND PRESSURE RAKE WHEEL ADJUSTMENT	Nut/Threaded Rod for fine tuning
WINDROW WIDTH ADJUSTMENT	RATCHET JACK
RAKE WHEEL WIND PANELS	STANDARD
HITCH JACK	STANDARD
HYDRAULIC REQUIREMENTS	1 Double Acting Cylinder for Folding 1 Double Acting Cylinder for Rake Wheel Lift.
FRONT GAUGE WHEELS	2 - IF240/80R15IMP
TANDEM REAR TRANSPORT WHEELS	4 - IF240/80R15IMP
(2) FRONT WHEEL ADD-ON KIT	OPTIONAL
SET OF (2) FRONT CASTER WHEELS	OPTIONAL
CENTER KICKER WHEEL	OPTIONAL
HYDRAULIC REAR WINDOW ADJUSTMENT	OPTIONAL - 3rd Hyd. Remote Needed
HIGHWAY & WORK LIGHTING	OPTIONAL
2- POINT HITCH	OPTIONAL

An **Optional**
3-wheel
Center Kicker
is available.




**Auto Latch
Transport Locks**



• **Disc Style Brakes**
on each Caster Wheel



A **Ratchet Jack** is Standard for making
Windrow Width Adjustments. The optional
Hydraulic Cylinder w/Hoses requires a 3rd
Hydraulic Tractor Remote.



**2-Point Hitch
Option**

Effective 9-26



HC7116 Series *Hi-Capacity* Wheel Rakes

BASE UNIT	❖ Hydraulic Open/Close High-Capacity V-Style Rake w/6" x 6" Frame
	❖ High & Wide Overhead Rear Frame for Flow-Through of Crop
	❖ Hyd. Rear Opening Windrow Width Adjustment
	❖ Rear Limited Oscillating Offset Tandem Axle
	❖ Rake Wheels are Positioned Ahead of 6" x 6" Rake Beams & Transport Wheels
	❖ Disc-Style Caster Brakes
	❖ 61" Rake Wheels w/18 Sets of Rubber-Mounted Teeth are Positioned Ahead of Rake Beams
	❖ Rake Wheel Wind Panels
	❖ Independent Rake Wheel Suspension w/Patented Compression Spring System
	❖ Hydraulic Raise/Lower Independent Rake Wheels
	❖ Single Point Rake Wheel Down Pressure Adjustment On Each Rake Beam
	❖ (6) IF240/80R15 Tires/Rims
	❖ Transport Locks
	❖ Hydraulic Hoses w/Tips
	❖ Adjustable Clevis Height Hitch
	❖ Jack
	❖ 27' Raking Width — 16-Wheel Model
	❖ 29' 6" Raking Width w/2-Wheel Extension
	❖ 10,100# Safety Chain

Item #	Description	List Price
HC7116	16-Wheel Rake	\$56,586
OPTIONS (<u>NOT</u> Required)		
HCHO2WHL	2-Wheel Front Add-on Kit (<i>Dealer Install</i>)	\$4,311
HCHO2CW	(2) Additional Front Rake Beam Caster Wheels (<i>Dealer Install</i>)	\$3,628
FFOCKW	3-Wheel Center Kicker Assembly (<i>Dealer Install</i>)	\$6,362
HCO2PTH	2-Point Hitch w/Transport Hook	\$3,813
FFOLIGHT	Highway & Work Lighting Kit (<i>Dealer Install</i>)	\$986
HCO8000	Interrupter 800 Corn Stalk Breaker (Dealer Installed)	\$2,040



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

Effective 9-26



SAFETY CHAIN OPTIONS		
SC10100	10,100# Safety Chain	\$94
SC16100	16,100# Safety Chain	\$194
SC30000	30,000# Safety Chain	\$221
SC40500	40,000# Safety Chain	\$318
SC60000	60,000# Safety Chain	\$719



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.