



9215 “HI-DUMP” Box

“High Capacity” and “Gentle Handling”



FEATURES:

- Combination 10 and 12 gauge steel tub construction.
- Heavy gusseted and reinforced box style frame.
- With a GVWR rating of approximately 45,000 lbs., and an empty box weight of around 15,000 lbs., the 9215 is capable of lifting and dumping approximately 30,000 lbs of product to meet the GVWR capacity.
- The variable dumping height gives you more versatility at harvest time.
- ENTIRE dumping cycle should take approximately two minutes depending on hydraulic supply output.
- The master/slave hydraulic system automatically rephases at the end of each cylinder stroke and has the flexibility to top off a truckload with a partial dump – not restricted to a full dump cycle.
- Right hand dump has a 47 degree dumping angle.
- (2) 27” x 16” Sight windows and (2) tub access panels.
- Standard highway lighting.
- Adjustable height single clevis swivel hitch.
- Telescoping/adjustable length hitch pole.
- Rear Tow Bar

OPTIONS:

- 18” Dumping Lip Extension
- Dual Weight Box Package
- Safety Chain

Models & Specifications are subject to change without prior notice.

HDB9215 Specifications



Cubic Ft. Capacity Struck Level w/o Ext.	863
Cubic Ft. Capacity Struck Level w/ Ext.	1,129
Inside Length of Box	180" (15')
Inside Width of Box - Bottom/Top	65"/136" (5' 5"/11' 4")
Depth of Box	89" (7' 5")
Overall Length Min./Max w/ Pole Adjustment	304"/328" (25' 4"/27' 4")
Overall Width	158" (13' 2")
Shipping Width (top slide to hub cap)	143" (11' 11")
Loading Height	130" (10' 10")
Shipping Height	117" (9' 9")
Front Lift Cylinder (size/length)	5.5" x 72"
Rear Lift Cylinder (size/length)	4.75" x 72"
Dump Cylinders (size/length)	5" x 71.25"
Maximum Dump Lip Clearance	31" (2' 7")
Minimum Dump Height	116" (9' 8")
Maximum Dump Height	184" (15' 4")
Maximum Ground Clearance	15" (1' 3")
Tread Width	121" (10' 1")
Spindle Size	4.5"
Tire	30.5 x 32 R1 16 Ply Radial Tires
Jack	12,000 lbs.
Shipping Weight w/ Tires	15,243 lbs.

HDB9215 LOADMASTER X HI-DUMP Box		
BASE UNIT	❖	Combination 10 & 12-Gauge Steel Box Construction
	❖	Heavy Gusseted & Reinforced Box-Style Frame
	❖	45,000 lbs. GVWR
	❖	25,400 lbs. Hub
	❖	4-½" Spindle Diameter
	❖	Approximate Empty Box Weight 15,000 lbs. (Depending on options)
	❖	30,000 lbs. Lifting & Dumping Capacity
	❖	Variable Dumping Height
	❖	Right-Hand Dump has a 47-Degree Dumping Angle with a Dump Height of Over 15'
	❖	ENTIRE Dumping Cycle is Approximately 2 Minutes or Less Depending on Hydraulic Supply Output
	❖	27" x 16" Sight Window
	❖	Box Access Panel
	❖	LED Highway Lighting with Beacon and Work Lights
	❖	Adjustable Height Single Clevis Swivel Hitch
	❖	Telescoping & Adjustable Length Hitch Pole
	❖	Rear Tow Hooks
	❖	15' Inside Box Length
	❖	863 Cubic Ft. Capacity Struck Level without Ext.
	❖	1,129 Cubic Ft. Capacity Struck Level with Ext.
	❖	Standard 60,000# Safety Chain
Item #	Description	List Price
HDB9215	15' Box Single HI-DUMP Cart	\$99,223

TIRE/RIM CHOICES (Required)		
TWP3032R	27" x 32" 10-Bolt Wheels w/30.5 x 32 R1 16 Ply Tires	\$15,721

HDB9215 LOADMASTER X HI-DUMP Box		
Item #	Description	List Price
OPTIONS (NOT Required)		
HDBO18DLE	18" Dumping Lip Extension w/18" Front & Rear Flares (Not Installed)	\$4,204
HDBO18DLEIC	Installation Charge for 18" Dumping Lip Extension	\$1,503
HDBO2WB	(2) Weight Boxes w/Brackets Each Weight Box is approximately 16" x 24" x 16" Tall (Not Installed)	\$2,420
HDBOWBW	(1) Weight Bracket for Suitcase Weights w/ Hardware (Up to 2 Per Box)(Not Installed)	\$609
HDBO2WBIC	Installation Charge for (2) Weight Boxes or (2) Weight Brackets	\$209
HDBO10W	(10) Suitcase Weights to Fit HDBOWBW Weight Bracket (1000# per Kit / up to 2 per Box w/HDBOWBW)	\$2,895

WEIGHT BALLAST NOTE:
Loading the left tire with some type of solution ballast
adds approximately 2000-2500 lbs. of weight
depending on what type os solution is purchased.





LOADMASTER 9230 2X HI-DUMP BOX



Specifications

HDB9230

Cubic Ft. Capacity Struck Level w/o Ext.	(2) @ 863cu. ft. each
Cubic Ft. Capacity Struck Level w/ Ext.	(2) @ 1,129cu. ft. each
Inside Length of each Box	180" (15')
Inside Width of each Box – Bottom/Top	65"/136" (5' 5"/11' 4")
Depth of each Box	89" (7' 5")
Overall Length	568" (47' 4")



Overall Width	163" (13' 7")
Overall Height	158" (13' 2")
Loading Height	134" (11' 2")
Shipping Height	134" (11' 2")
Front Lift Cylinder (size/length on each box)	5.5" x 72"
Rear Lift Cylinder (size/length on each box)	4.75" x 72"
Dump Cylinders (size/length on each box)	5" x 71.25"
Maximum Dump Lip Clearance	31" (2' 7")
Minimum Dump Height	116" (9' 8")
Maximum Dump Height	184" (15' 4")
Maximum Ground Clearance	N/A
Tread Width	163" (13' 7")
Track Pivot Shaft Size	N/A
Jack	Hydraulic
Shipping Weight	48,177 lbs.



HDB9230 LOADMASTER 2X HI-DUMP Box

- BASE UNIT**
- ❖ Combination 10 & 12-Gauge Steel Tub Construction
 - ❖ Heavy Gusseted & Reinforced Box-Style Frame
 - ❖ Each Box is Capable of Lifting and Dumping Approximately 30,000# of Product for a Total of 60,000#
 - ❖ The ENTIRE Dumping Cycle Takes Approximately 2 Minutes (Depending on Hydraulic Supply Output)
 - ❖ Right-Hand Dump has a 47-Degree Dumping Angle with a Dump Height of Over 15'
 - ❖ Standard 60,000# Safety Chains
 - ❖ Not Restricted to a Full Dump Cycle
 - ❖ (1) 27" x 16" Sight Window and (2) Tub Access Panels in each Box
 - ❖ Overall Length 47' 4"
 - ❖ Overall Height 13' 2"
 - ❖ Shipping Height 11' 2"
 - ❖ Tread Width 13' 7"
 - ❖ Shipping Weight 48,177#
 - ❖ Minimum Dump Height 9' 8"
 - ❖ Maximum Dump Height 15' 4"
 - ❖ Cubic Ft. Capacity Struck Level w/Extension (2) @ 1,129 cu. ft. each
 - ❖ Cubic Ft. Capacity Struck Level w/o Extension (2) @ 863 cu. ft. each
 - ❖ LED Highway Lighting w/Beacon & Work Lights
 - ❖ Camso Track System
 - ❖ Hydraulic Jack

Item #	Description	List Price
HDB9230	Double HI-DUMP Box	\$196,619

ANDEM OR TRACK OPTIONS (Required)

Item #	Description	List Price
HDBO2XTA	Heavy Tandem Option w/750/60-30.5 tires w/rating of 23,500# and 30.5x24 10-bolt wheels. (Factory Installed)	\$70,324
HDBOTO2X	Track Option	\$105,049

HITCH OPTIONS (Required)

HTCHB4	Category 4 Bullnose Hitch	\$883
HTCHB5	Category 5 Bullnose Hitch	\$883




HDB9230 LOADMASTER 2X HI-DUMP Box

Item #	Description	List Price
OPTIONS (<u>NOT</u> Required)		
HDBODE36	Dumping Extension for Unloading Into a 36' Semi-Trailer <i>(Dealer Installed)</i>	\$7,903
HDBODE40	Dumping Extension for Unloading Into a 40' Semi-Trailer <i>(Dealer Installed)</i>	\$8,739
HDBODEIC	Install Charge for Dumping Extension	\$3,004
HDBOSC30	Scale Option for Tracks Only <i>(Factory Installed)</i>	\$20,323

SAFETY CHAIN OPTIONS

SC10100	10,100# Safety Chain	\$94
SC16100	16,100# Safety Chain	\$194
SC30000	30,000# Safety Chain	\$221
SC40500	40,000# Safety Chain	\$318
SC60000	60,000# Safety Chain	\$719

