

H&S

FLEX-FRAME 6116



**The NEW H&S 6116 FLEX-FRAME Rake
joins the 18, 20, wheel models in the
Flex-Frame Family of Rakes!**

FLEX-FRAME RAKE FEATURES



Rake Arm Flex-Joint



Rake Beam Flex-Joint



**Optional Hydraulic Rear
Windrow Adjustment**

6116 FLEX-FRAME Rake Specifications

Model	6116
Number of Wheels	16
Wheel Diameter	60"
Teeth per Wheel	40
Tooth Diameter	7.5mm
Rake Wheel Hubs	Ball Bearings
Rake Wheel Anti-wrap Shields	Standard
Rake Wheel Suspension	Independent "Bee Hive" Spring
Transport Width	10'6"
Transport Length	Approx. 32'7"
Transport Height in Transport Position	80" w/SMV Sign
Maximum Raking Width	Approx. 28'
Windrow Width Adjustment	3' – 5'
Number of Raking Positions	6
Ground Pressure Rake Wheel Adjustment	Nut/Threaded Rod for fine tuning
Rake Wheel Wind Panels	Standard
Hydraulic Rear Windrow Adjustment	Optional - Additional Remote Needed
Hitch Jack	Standard
Weight	5,750#
Center Kicker Wheel	Optional
Hydraulic Requirements	1 Double Acting Cylinder for Folding 1 Double Acting Cylinder for Rake Wheel Lift
Front Gauge Wheels	4 - 9.5L x 15
Standard Single Rear Transport Wheels	2 - 9.5L x 15
Optional Tandem Rear Transport Wheels	4 - 9.5L x 15
Transport Lighting	Optional

H&S

FLEX-FRAME 6118 - 6120

**The NEW H&S
FLEX-FRAME Rakes
are available in 18, 20,
wheel models!**

FLEX-FRAME RAKE FEATURES



Rake Arm Flex-Joint



Rake Beam Flex-Joint



**Optional Hydraulic Rear
Windrow Adjustment**

FLEX-FRAME Rake Specifications

Model	6118	6120
Number of Wheels	18	20
Wheel Diameter	----- 60" -----	
Teeth per Wheel	----- 40 -----	
Tooth Diameter	----- 7.5mm -----	
Rake Wheel Hubs	----- Ball Bearings -----	
Rake Wheel Anti-wrap Shields	----- Standard -----	
Rake Wheel Suspension	----- Independent "Bee Hive" Spring -----	
Transport Width	----- Approximately 11'6" -----	
Transport Length	Appox. 34'8"	Appox. 37'6" Appox. 40'6"
Transport Height in Transport Position	----- N/A -----	
Maximum Raking Width	Appox. 35'6"	Appox. 38'6" Appox. 41'6"
Windrow Width Adjustment	----- 3' - 5' -----	
Number of Raking Positions	----- 6 -----	
Ground Pressure Rake Wheel Adjustment	----- Nut/Threaded Rod for fine tuning -----	
Rake Wheel Wind Panels	----- Standard -----	
Hydraulic Rear Windrow Adjustment	----- Optional - Additional Remote Needed -----	
Hitch Jack	----- Standard -----	
Weight	7894#	8224# 8521#
Center Kicker Wheel	----- TBA -----	
Hydraulic Requirements	----- 1 Double Acting Cylinder for Folding -----	
	----- 1 Double Acting Cylinder for Rake Wheel Lift -----	
Front Gauge Wheels	----- 4 - 11L x 15 -----	
Standard Single Rear Transport Wheels	----- 2 - 11L x 15 -----	
Optional Tandem Rear Transport Wheels	----- 4 - 11L x 15 -----	
Transport Lighting	----- Optional -----	





6100 Series *FLEX-FRAME* Wheel Rakes

BASE UNIT	❖ Hydraulic Open/Close High-Capacity V-Style Flex-Frame Rake
	❖ High & Wide Overhead Rear Frame for Flow-Through of Crop
	❖ Ratchet Jack for Windrow Width Adjustment
	❖ Rear Limited Oscillating Offset Tandem Axle
	❖ Rake Wheels are Positioned Ahead of Rake Beams & Transport Wheels
	❖ 60" Diameter Rake Wheels w/Wind Panels and 7.5mm Teeth
	❖ Heavy Bee Hive-Style Rake Wheel Suspension Springs
	❖ Hydraulic Raise/Lower Independent Rake Wheels
	❖ Single Point Rake Wheel Down Pressure Adjustment On Each Rake Beam
	❖ Hydraulic Hoses w/Tips
	❖ Adjustable Hitch
	❖ Jack
	❖ 10,100# Safety Chain

Item #	Description	List Price
BASE UNIT		
FF6116	16-Wheel Rake w/(8) 9.5L x 15 Tires/Rims	\$52,091
FF6118	18-Wheel Rake w/(8) 11L x 15 Tires/Rims	\$58,321
FF6120	20-Wheel Rake w/(8) 11L x 15 Tires/Rims	\$60,741

6100 Series *FLEX-FRAME* Wheel Rakes

Item #	Description	List Price
OPTIONS (NOT Required)		
FFOHX	Clevis Hitch Extension <i>(Dealer Install)</i>	\$420
FFOH2P	2-Point Hitch	\$2,474
FFO2WHL	2-Wheel Front Add-on Kit for FF6118/FF6120 <i>(Dealer Install)</i>	\$3,856
FFOHYDROP16	Hydraulic Rear Opening Windrow Width Adjustment for FF6116/FF6118 <i>(Dealer Install)</i>	\$1,709
FFOHYDROP	Hydraulic Rear Opening Windrow Width Adjustment for FF6120 <i>(Dealer Install)</i>	\$1,706
FFOCKW	3-Wheel Center Kicker Assembly <i>(Dealer Install)</i>	\$6,632
FFOLIGHT	Highway & Work Lighting Kit <i>(Dealer Install)</i>	\$986

SAFETY CHAIN OPTIONS

SC10100	10,100# Safety Chain	\$94
SC16100	16,100# Safety Chain	\$194
SC30000	30,000# Safety Chain	\$221
SC40500	40,000# Safety Chain	\$318
SC60000	60,000# Safety Chain	\$719