

H&S

ROTARY RAKE



Innovators in the Manufacture
of Agricultural and
Commercial Equipment



**GENERAL
IMPLEMENT**
DISTRIBUTORS




QUALITY - TESTED - PROVEN - DURABLE!

RR420 ROTARY RAKE

- A constant velocity P.T.O. with slip clutch lets the operator make even, uniform windows even in tight corners

- Adjustable front cylinder allows users to fine tune pitch the rake

MODEL	RR420
NUMBER OF ARMS	11
NUMBER OF DOUBLE TINES PER ARM	4
WORKING WIDTH	13'8"
GEAR BOX	Sealed in oil bath
ROTOR DIAMETER (WORKING WIDTH)	11'2"
TRANSPORT WIDTH	5'9"
PTO DRIVELINE WITH SLIP CLUTCH	540 rpm Constant Velocity Overload Protects Gearbox
TIRES	4 Mounted On Tandem Axles 18X8.5X8
HP REQUIRED	30/45
WEIGHT	1369 lbs



ROTARY RAKES

Effective 9-26



Rotary Rake

BASE UNIT

- ❖ 11 Arms
- ❖ Hydraulic Cylinder Lift w/Hoses
- ❖ Adjustable Front Cylinder for Leveling Rake
- ❖ Tandem Offset Axles w/(4) 18/8.5 x 8 Tires
- ❖ Sealed Oil Bath Gearbox
- ❖ 11' 2" Working Width
- ❖ 540 RPM Constant Velocity PTO w/Slip Clutch
- ❖ Adjustable Swath Shield
- ❖ Quick-Remove Tine Arms
- ❖ Jack

Item #	Description	List Price
RR420	Rotary Rake	\$14,287

Double Rotary Rake

BASE UNIT

- ❖ 23' - 25'6" Working Width
- ❖ 18/8.5 x 8 Rotor Tires
- ❖ 340/55 R16 Cart Tires
- ❖ Central Window Delivery
- ❖ Oil Bath Rotor Transmission
- ❖ Mechanical Working Depth Control
- ❖ Overlapping Rotor Arms
- ❖ Hydraulic Working Width Adjustment
- ❖ 2-Point Drawbar Hitch
- ❖ Transmission w/ Cardan Shafts
- ❖ Lights and Road Signaling Kit

Item #	Description	List Price
RR780	Rotary Rake	\$35,001



Effective 9-26



SAFETY CHAIN OPTIONS		
SC10100	10,100# Safety Chain	\$94
SC16100	16,100# Safety Chain	\$194
SC30000	30,000# Safety Chain	\$221
SC40500	40,000# Safety Chain	\$318
SC60000	60,000# Safety Chain	\$719

