

# H&S

# TOP SHOT

## SIDE DISCHARGE MANURE SPREADERS




**TS5215 Top Shot Side Discharge Manure Spreader**

<b>BASE UNIT</b>	❖ Left Side Poly Lined Tank
	❖ Front Splash Shield
	❖ Single Axle
	❖ 24" Diameter Hydraulic Raise/Lower Tank Auger
	❖ 30" Wide <i>Top Shot</i> –Style Discharge Expeller
	❖ Adjustable Expeller Top Shield
	❖ Hardened Replaceable Beater Paddles
	❖ Poly Lined Fine Spread Pan
	❖ 540 RPM PTO w/Overrunning Torque Limiting Clutch
	❖ Shear Bolt–Protected Expeller & Main Auger
	❖ Greaseable Bearings
	❖ Adjustable Hitch
	❖ Jack

Item #	Description	List Price
<b>TS5215</b>	<b>Top Shot</b> Manure Spreader 1,286-Gallon/1500-Gallon w/Extension Struck Level Capacity	<b>\$41,661</b>

**TIRE & RIM CHOICES (Required w/Standard Single Axle)**

<b>TWP19L2S</b>	(2) 19L x 16.1-10 Ply Tire/Rims (Rated Tire/Rim Capacity 13,200#)	<b>\$3,010</b>
<b>TWP4252S</b>	(2) 425 x 22.5 Used Truck Tires w/New Rims (Rated Tire/Rim Capacity 16,000#)	<b>\$1,607</b>

**TANDEM OPTIONS (Tire & Rims Required)**

<b>TSOTA15</b>	Tandem Axle w/8-Bolt Hubs (Factory Installed)	<b>\$4,912</b>
<b>TSDA15</b>	Drop Axle w/8-Bolt Hubs (Factory Installed)	<b>\$5,061</b>
<b>TWP295S</b>	(4) 295R x 22.5 Recap Tires w/New Rims (Rated Tire/Rim Capacity 24,700#)	<b>\$2,597</b>
<b>TWP165S</b>	(4) 16.5 x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 25,400#)	<b>\$4,508</b>
<b>TWP19LS</b>	(4) 19L x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 26,400#)	<b>\$4,508</b>



EFFECTIVE 9-24



TS5215 Top Shot Side Discharge Manure Spreader		
Item #	Description	List Price
OPTIONS ( <u>NOT</u> Required)		
TSORSSR	Rear Splash Guard w/Side Rails (Dealer Install)	\$1,092
TSORSG	Rear Splash Guard (Dealer Install)	\$726
TSOOIL	Automatic Oiler for Roller Chains (Dealer Install)	\$1,125
TSOLIGHT	Highway Lighting Kit (Dealer Install)	\$1,061
TSO1000RPM	1000 RPM 1 3/8" PTO in lieu of 540 RPM PTO (Factory Installed)	\$1,919
SC30000	30,000# Safety Chain	\$203



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

EFFECTIVE 9-24



**TS5220 *Top Shot* Side Discharge Manure Spreader**

- BASE UNIT**
- ❖ Left Side Poly Lined Tank
  - ❖ Front & Rear Splash Shield
  - ❖ Wood Side Rails
  - ❖ Standard Height Tandem Axle
  - ❖ 24" Diameter Hydraulic Raise/Lower Tank Auger
  - ❖ 40" Wide *Top Shot* –Style Discharge Expeller
  - ❖ Adjustable Expeller Top Shield
  - ❖ Hardened Replaceable Beater Paddles
  - ❖ Poly Lined Fine Spread Pan
  - ❖ 540 RPM PTO w/Overrunning Torque Limiting Clutch
  - ❖ Shear Bolt–Protected Expeller & Main Auger
  - ❖ Automatic Oiler for Roller Chains
  - ❖ Greaseable Bearings
  - ❖ Adjustable Hitch
  - ❖ Highway Lighting & Power Cord
  - ❖ Jack

Item #	Description	List Price
TS5220	<i>Top Shot</i> Manure Spreader 2,009-Gallon Struck Level Capacity	\$61,709



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.



EFFECTIVE 9-24



<b>TIRE/RIM CHOICES (Required)</b>		
<b>TWP295S</b>	(4) 295R x 22.5 Recap Tires/Rims (Rated Tire/Rim Capacity 24,700#)	<b>\$2,597</b>
<b>TWP165S</b>	(4) 16.5 x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 25,600#)	<b>\$4,508</b>
<b>TWP19LS</b>	(4) 19L x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 26,400#)	<b>\$6,015</b>

<b>HITCH CHOICES (Required)</b>		
<b>PSOCH</b>	Clevis Hitch	<b>\$551</b>
<b>HTCHP</b>	Pintle Hitch	<b>\$414</b>
<b>HTCHB</b>	Bullnose Hitch	<b>\$493</b>

<b>TS5220 Top Shot Side Discharge Manure Spreader</b>		
<b>Item #</b>	<b>Description</b>	<b>List Price</b>
<b>OPTIONS (NOT Required)</b>		
<b>TSSA</b>	High Axle w/8 Bolt Hubs in lieu of standard (Factory Installed)	<b>\$1,413</b>
<b>TSDA</b>	Drop Axle w/8 Bolt Hubs in lieu of standard (Factory Installed)	<b>\$1,361</b>
<b>TSO1000RPM</b>	1000 RPM 1 3/8" PTO in lieu of 540 RPM PTO (Factory Installed)	<b>\$1,919</b>
<b>TSODHC</b>	Discharge Deflector Hydraulic Cylinder w/ Hoses — <b>Starting Serial #022TS20012</b> (Dealer Install)	<b>\$680</b>
<b>TSOEV</b>	Discharge Deflector Cylinder Electric Valve (Dealer Install)	<b>\$1,153</b>
<b>SC30000</b>	30,000# Safety Chain	<b>\$203</b>



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.




<b>TS5226 Top Shot Side Discharge Manure Spreader</b>		
<b>BASE UNIT</b>	<ul style="list-style-type: none"> <li>❖ Left Side Poly Lined Tank</li> <li>❖ Front &amp; Rear Splash Shield</li> <li>❖ Wood Side Rails</li> <li>❖ Standard Tandem Axle</li> <li>❖ 24" Diameter Hydraulic Raise/Lower Tank Auger</li> <li>❖ 40" Wide <i>Top Shot</i>- Style Discharge Expeller</li> <li>❖ Adjustable Expeller Top Shield</li> <li>❖ Hardened Replaceable Beater Paddles</li> <li>❖ Poly Lined Fine Spread Pan</li> <li>❖ 1 3/8" 1000 RPM PTO w/Overrunning Torque Limiting Clutch</li> <li>❖ Shear Bolt-Protected Expeller &amp; Main Auger</li> <li>❖ Automatic Oiler for Roller Chains</li> <li>❖ Greaseable Bearings</li> <li>❖ Adjustable Hitch</li> <li>❖ Highway Lighting &amp; Power Cord</li> <li>❖ Jack</li> </ul>	
Item #	Description	List Price
<b>TS5226</b>	<b>Top Shot</b> Manure Spreader 2,596-Gallon Struck Level Capacity	<b>\$68,369</b>

<b>TIRE &amp; RIM CHOICES (Required w/Standard Tandem Axle)</b>		
<b>TWP165</b>	(4) 16.5 x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 20,400#)	<b>\$4,508</b>
<b>TWP19L</b>	(4) 19L x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 24,000#)	<b>\$6,015</b>
<b>TWP425</b>	(4) 425 x 22.5 Used Truck Tires w/New Rims (Rated Tire/Rim Capacity 32,000#)	<b>\$3,081</b>

<b>HEAVY TANDEM OPTION (Tire &amp; Rims Required)</b>		
<b>TSO26TA</b>	Heavier Tandem Axle w/11.25" Circle 10-Bolt Bolt Hubs in lieu of Standard (Factory Installed)	<b>\$5,851</b>
<b>TWP42510</b>	(4) 425 x 22.5 10-Bolt Used Truck Tires w/Rims (Rated Tire/Rim Capacity 49,704#)	<b>\$3,932</b>
<b>TWP480</b>	(4) New 480/55R x 22.5 10-Bolt Tires/Rims (Rated Tire/Rim Capacity 46,800#)	<b>\$10,139</b>

EFFECTIVE 9-24



TS5226 Top Shot Side Discharge Manure Spreader		
Item #	Description	List Price
OPTIONS ( <u>NOT</u> Required)		
TSO540RPM	540 RPM PTO in lieu of 1 3/8" 1000 RPM PTO (Factory Installed)	\$1,303
TSODHC	Discharge Deflector Hydraulic Cylinder w/Hoses — <b>Starting Serial #022TS26009</b> (Dealer Install)	\$680
TSOEV	Discharge Deflector Cylinder Electric Valve (Dealer Install)	\$1,153
SC40500	40,500# Safety Chain	\$292

HITCH CHOICES (Required)		
PSOCH	Clevis Hitch	\$551
HTCHP	Pintle Hitch	\$414
HTCHB	Bullnose Hitch	\$493



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.


**TS5234 Top Shot Side Discharge Manure Spreader**

<b>BASE UNIT</b>	❖ Left Side Poly Lined Tank
	❖ Front & Rear Splash Shield
	❖ Wood Side Rails
	❖ Standard Tandem Axle
	❖ 30" Diameter Hydraulic Raise/Lower Tank Auger
	❖ 40" Wide Top Shot-Style Discharge Expeller
	❖ Hydraulic Adjust Expeller Top Shield
	❖ Hardened Replaceable Beater Paddles
	❖ Poly Lined Fine Spread Pan
	❖ 1 <sup>3</sup> / <sub>8</sub> " 1000 RPM PTO w/Overrunning Torque Limiting Clutch
	❖ Heavy-Duty Gearbox Reduction Drive System
	❖ Automatic Oiler for Roller Chains
	❖ Greaseable Bearings
	❖ Adjustable Hitch
	❖ Highway Lighting & Power Cord
	❖ Jack

Item #	Description	List Price
<b>TS5234</b>	<b>Top Shot</b> Manure Spreader 3,377-Gallon Struck Level Capacity	<b>\$88,937</b>

**TIRE & RIM CHOICES (Required w/Standard Tandem Axle)**

<b>TWP445</b>	(4) Used 445 x 22.5 Truck Tires w/New Rims (Rated Tire/Rim Capacity 49,200#)	<b>\$3,932</b>
<b>TWP42510</b>	(4) Used 425 x 22.5 10-Bolt Truck Tires w/New Rims (Rated Tire/Rim Capacity 49,704#)	<b>\$3,894</b>
<b>TWP480</b>	(4) New 480/55R x 22.5 Tires/Rims (Rated Tire/Rim Capacity 46,800#)	<b>\$10,139</b>

**HITCH CHOICES (Required)**

<b>HTCHC</b>	Clevis Hitch	<b>\$552</b>
<b>HTCHP</b>	Pintle Hitch	<b>\$414</b>
<b>HTCHB</b>	Bullnose Hitch	<b>\$493</b>



EFFECTIVE 9-24



<b>TS5234 Top Shot Side Discharge Manure Spreader</b>		
<b>Item #</b>	<b>Description</b>	<b>List Price</b>
<b>OPTIONS (<i>NOT Required</i>)</b>		
<b>TSOPTO1034</b>	1 $\frac{3}{4}$ " 1000 RPM Constant Velocity PTO w/Overrunning Torque Limiting Clutch in lieu of standard PTO ( <i>Factory Installed</i> )	<b>N/C</b>
<b>TSO2WB42</b>	2-Wheel Electric-over-Hydraulic 15" Disc Brakes on Rear Wheels – For Heavy Tandem Axle ONLY ( <i>Factory Installed</i> )	<b>\$9,442</b>
<b>TSOEV</b>	Discharge Deflector Cylinder Electric Valve ( <i>Dealer Install</i> )	<b>\$1,153</b>
<b>TSOLD34</b>	Hydraulic Opening Lid ( <i>Factory Installed</i> )	<b>\$22,819</b>
<b>SC60000</b>	60,000# Safety Chain	<b>\$65</b>

<b>HEAVY TANDEM OPTION (<i>Tire &amp; Rims Required</i>)</b>		
<b>TSOTA</b>	Heavier Tandem Axle w/13.187" Circle 10-Bolt Hubs in lieu of standard axle ( <i>Factory Installed</i> )	<b>\$6,514</b>
<b>TWP425HS</b>	(4) Used 425 x 22.5 10-Bolt Truck Tires w/ New Rims ( <i>Rated Tire/Rim Capacity 49,704#</i> )	<b>\$3,932</b>
<b>TWP700S</b>	(4) 700/50 x 22.5 Flotation Implement Tires/Rims ( <i>Rated Tire/Rim Capacity 59,200#</i> )	<b>\$13,907</b>
<b>TWP7110S</b>	(4) 710/45R22.5 Radial Flotation Implement Tires/Rims ( <i>Rated Tire/Rim Capacity 61,784#</i> )	<b>\$16,</b>



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.


**TS5242 Top Shot Side Discharge Manure Spreader**

<b>BASE UNIT</b>	❖ Left Side Poly Lined Tank
	❖ Front & Rear Splash Shield
	❖ Wood Side Rails
	❖ Tandem Axle
	❖ 30" Diameter Hydraulic Raise/Lower Tank Auger
	❖ 40" Wide <i>Top Shot</i> – Style Discharge Expeller
	❖ Hydraulic Adjust Expeller Top Shield
	❖ Hardened Replaceable Beater Paddles
	❖ Poly Lined Fine Spread Pan
	❖ 1 3/8" 1000 RPM PTO w/Overrunning Torque Limiting Clutch
	❖ Heavy-Duty Gearbox Reduction Drive System
	❖ Automatic Oiler for Roller Chains
	❖ Greaseable Bearings
	❖ Adjustable Hitch
	❖ Highway Lighting & Power Cord
	❖ Jack

Item #	Description	List Price
<b>TS5242</b>	<b>Top Shot</b> Manure Spreader 4,200 Gallon Struck Level Capacity	<b>\$112,621</b>

**TIRE & RIM CHOICES (*Required*)**

<b>TWP28L</b>	(4) 28L - 26 16 Ply Bias Tires & Rims ( <i>Rated Tire/Rim Capacity 36,400</i> )	<b>\$17,897</b>
<b>TWP28LRD</b>	(4) 28L - 26 16 Ply Radial Tires & Rims ( <i>Rated Tire/Rim Capacity 51,200</i> )	<b>\$27,877</b>

**OPTIONS (*NOT Required*)**

<b>TSOPTO1034</b>	1 3/4" 1000 RPM Constant Velocity PTO w/Overrunning/Torque Limiting Clutch in lieu of standard ( <i>Factory Installed</i> )	<b>N/C</b>
<b>TSOLD42</b>	Hydraulic Opening Lid ( <i>Factory Installed</i> )	<b>\$24,432</b>
<b>TSO2WB42</b>	2-Wheel Electric-over-Hydraulic 15" Disc Brakes on Rear Wheels ( <i>Factory Installed</i> )	<b>\$9,442</b>
<b>TSOEV</b>	Discharge Deflector Cylinder Electric Valve ( <i>Dealer Install</i> )	<b>\$1,153</b>
<b>SC60000</b>	60,000# Safety Chain	<b>\$659</b>

EFFECTIVE 9-24



<b>HITCH CHOICES <i>(Required)</i></b>		
<b>HTCHC</b>	Clevis Hitch	<b>\$552</b>
<b>HTCHP</b>	Pintle Hitch	<b>\$414</b>
<b>HTCHB</b>	Bullnose Hitch	<b>\$493</b>

<b><i>Top Shot Manure Spreader Scales</i></b>		
<b>Item #</b>	<b>Description</b>	<b>List Price</b>
<b>SCALE OPTIONS <i>(NOT Required)</i></b>		
<b>TSOS20</b>	Digi-Star 5-Point Scale for TS5220 <i>(Factory Installed)</i>	<b>\$5,889</b>
<b>TSOS26</b>	Digi-Star 5-Point Scale for TS5226 <i>(Factory Installed)</i>	<b>\$7,221</b>
<b>TSOS34</b>	Digi-Star 5-Point Scale for TS5226 w/Heavy Axle & TS5234 w/Standard Axle <i>(Factory Installed)</i>	<b>\$9,076</b>
<b>TSOS42</b>	Digi-Star 5-Point Scale for TS5234 w/Heavy Axle & TS5242 <i>(Factory Installed)</i>	<b>\$15,115</b>
<b>TSOW</b>	Digi-Star GT400 Monitor <i>(Factory Installed w/Scale System)</i>	<b>\$1,734</b>
<b>TSOGP</b>	Digi-Star NT460 Monitor w/GPS <i>(Factory Installed w/Scale System)</i>	<b>\$4,768</b>
<b>TSOALOG</b>	Digi-Star NT460 Monitor w/GPS and Autolog/Automatic Start/Stop Function <i>(Factory Installed w/Scale System)</i>	<b>\$5,388</b>



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.