

H&S

TOP SHOT

SIDE DISCHARGE MANURE SPREADERS





TS5215 Top Shot Side Discharge Manure Spreader		
BASE UNIT	❖ Left Side Poly Lined Tank ❖ Front Splash Shield ❖ Single Axle ❖ 24" Diameter Hydraulic Raise/Lower Tank Auger ❖ 30" Wide <i>Top Shot</i> –Style Discharge Expeller ❖ Adjustable Expeller Top Shield ❖ Hardened Replaceable Beater Paddles ❖ Poly Lined Fine Spread Pan ❖ 540 RPM PTO w/Overrunning Torque Limiting Clutch ❖ Shear Bolt–Protected Expeller & Main Auger ❖ Greaseable Bearings ❖ Adjustable Hitch ❖ Jack ❖ 30,000# Safety Chain	
Item #	Description	List Price
TS5215	Top Shot Manure Spreader 1,286-Gallon/1500-Gallon w/Extension Struck Level Capacity	\$45,056

TIRE & RIM CHOICES (Required w/Standard Single Axle)		
TWP19L2S	(2) 19L x 16.1-10 Ply Tire/Rims (Rated Tire/Rim Capacity 13,200#)	\$3,287
TWP4252S	(2) 425 x 22.5 Used Truck Tires w/New Rims (Rated Tire/Rim Capacity 16,000#)	\$1,607

TANDEM OPTIONS (Tire & Rims Required)		
TSOTA15	Tandem Axle w/8-Bolt Hubs (Factory Installed)	\$5,364
TSDA15	Drop Axle w/8-Bolt Hubs (Factory Installed)	\$5,526
TWP295S	(4) 295R x 22.5 Recap Tires w/New Rims (Rated Tire/Rim Capacity 24,700#)	\$2,836
TWP165S	(4) 16.5 x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 25,400#)	\$4,923
TWP19LS	(4) 19L x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 26,400#)	\$6,569



EFFECTIVE 9-26



TS5215 Top Shot Side Discharge Manure Spreader		
Item #	Description	List Price
OPTIONS (<u>NOT</u> Required)		
TSORSSR	Rear Splash Guard w/Side Rails (Dealer Install)	\$1,192
TSORSG	Rear Splash Guard (Dealer Install)	\$793
TSOOIL	Automatic Oiler for Roller Chains (Dealer Install)	\$1,228
TSOLIGHT	Highway Lighting Kit (Dealer Install)	\$1,158
TSO1000RPM	1000 RPM 1 3/8" PTO in lieu of 540 RPM PTO (Factory Installed)	\$2,096



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

EFFECTIVE 9-26



TS5220 *Top Shot* Side Discharge Manure Spreader

- BASE UNIT**
- ❖ Left Side Poly Lined Tank
 - ❖ Front & Rear Splash Shield
 - ❖ Wood Side Rails
 - ❖ Standard Height Tandem Axle
 - ❖ 24" Diameter Hydraulic Raise/Lower Tank Auger
 - ❖ 40" Wide *Top Shot* –Style Discharge Expeller
 - ❖ Adjustable Expeller Top Shield
 - ❖ Hardened Replaceable Beater Paddles
 - ❖ Poly Lined Fine Spread Pan
 - ❖ 540 RPM PTO w/Overrunning Torque Limiting Clutch
 - ❖ Shear Bolt–Protected Expeller & Main Auger
 - ❖ Automatic Oiler for Roller Chains
 - ❖ Greaseable Bearings
 - ❖ Adjustable Hitch
 - ❖ Highway Lighting & Power Cord
 - ❖ Jack
 - ❖ 30,000# Safety Chain

Item #	Description	List Price
TS5220	<i>Top Shot</i> Manure Spreader 2,009-Gallon Struck Level Capacity	\$66,738



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

EFFECTIVE 9-26



TIRE/RIM CHOICES (Required)		
TWP295S	(4) 295R x 22.5 Recap Tires/Rims (Rated Tire/Rim Capacity 24,700#)	\$2,836
TWP165S	(4) 16.5 x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 25,600#)	\$4,923
TWP19LS	(4) 19L x 16.1-10 Ply Tires/Rims (Rated Tire/Rim Capacity 26,400#)	\$6,569

HITCH CHOICES (Required)		
PSOCH	Clevis Hitch	\$551
HTCHP	Pintle Hitch	\$435
HTCHB	Bullnose Hitch	\$883

TS5220 Top Shot Side Discharge Manure Spreader		
Item #	Description	List Price
OPTIONS (NOT Required)		
TSSA	High Axle w/8 Bolt Hubs in lieu of standard (Factory Installed)	\$1,543
TSDA	Drop Axle w/8 Bolt Hubs in lieu of standard (Factory Installed)	\$1,486
TSO1000RPM	1000 RPM 1 3/8" PTO in lieu of 540 RPM PTO (Factory Installed)	\$2,096
TSODHC	Discharge Deflector Hydraulic Cylinder w/ Hoses — Starting Serial #022TS20012 (Dealer Install)	\$742
TSOEV	Discharge Deflector Cylinder Electric Valve (Dealer Install)	\$1,259



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.



TS5226 Top Shot Side Discharge Manure Spreader		
BASE UNIT	❖ Left Side Poly Lined Tank ❖ Front & Rear Splash Shield ❖ Wood Side Rails ❖ Standard Tandem Axle ❖ 24" Diameter Hydraulic Raise/Lower Tank Auger ❖ 40" Wide <i>Top Shot</i>- Style Discharge Expeller ❖ Adjustable Expeller Top Shield ❖ Hardened Replaceable Beater Paddles ❖ Poly Lined Fine Spread Pan ❖ 1 3/8" 1000 RPM PTO w/Overrunning Torque Limiting Clutch ❖ Shear Bolt-Protected Expeller & Main Auger ❖ Automatic Oiler for Roller Chains ❖ Greaseable Bearings ❖ Adjustable Hitch ❖ Highway Lighting & Power Cord ❖ Jack ❖ 40,000# Safety Chain	
Item #	Description	List Price
TS5226	Top Shot Manure Spreader 2,596-Gallon Struck Level Capacity	\$73,941

TIRE & RIM CHOICES (Required w/Standard Tandem Axle)		
TWP165	(4) 16.5 x 16.1-10 Ply Tires/Rims (<i>Rated Tire/Rim Capacity 20,400#</i>)	\$4,923
TWP19L	(4) 19L x 16.1-10 Ply Tires/Rims (<i>Rated Tire/Rim Capacity 24,000#</i>)	\$6,569
TWP425	(4) 425 x 22.5 Used Truck Tires w/New Rims (<i>Rated Tire/Rim Capacity 32,000#</i>)	\$3,365

HEAVY TANDEM OPTION (Tire & Rims Required)		
TSO26TA	Heavier Tandem Axle w/11.25" Circle 10-Bolt Bolt Hubs in lieu of Standard (<i>Factory Installed</i>)	\$6,389
TWP42510S	(4) 425 x 22.5 10-Bolt Used Truck Tires w/Rims (<i>Rated Tire/Rim Capacity 49,704#</i>)	\$4,294
TWP550S	(4) 550 x 22.5 10-Bolt Silver Rims (<i>Rated Tire/Rim Capacity 38,600#</i>)	\$11,800

EFFECTIVE 9-26



TS5226 Top Shot Side Discharge Manure Spreader		
Item #	Description	List Price
OPTIONS (<u>NOT</u> Required)		
TSO540RPM	540 RPM PTO in lieu of 1 3/8" 1000 RPM PTO (Factory Installed)	\$1,423
TSODHC	Discharge Deflector Hydraulic Cylinder w/Hoses — Starting Serial #022TS26009 (Dealer Install)	\$742
TSOEV	Discharge Deflector Cylinder Electric Valve (Dealer Install)	\$1,259
SC40500	40,500# Safety Chain	\$303
HITCH CHOICES (Required)		
PSOCH	Clevis Hitch	\$551
HTCHP	Pintle Hitch	\$435
HTCHB	Bullnose Hitch	\$883



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.


TS5234 Top Shot Side Discharge Manure Spreader
BASE UNIT

- ❖ Left Side Poly Lined Tank
- ❖ Front & Rear Splash Shield
- ❖ Wood Side Rails
- ❖ Standard Tandem Axle
- ❖ 30" Diameter Hydraulic Raise/Lower Tank Auger
- ❖ 40" Wide Top Shot-Style Discharge Expeller
- ❖ Hydraulic Adjust Expeller Top Shield
- ❖ Hardened Replaceable Beater Paddles
- ❖ Poly Lined Fine Spread Pan
- ❖ 1 3/8" 1000 RPM PTO w/Overrunning Torque Limiting Clutch
- ❖ Heavy-Duty Gearbox Reduction Drive System
- ❖ Automatic Oiler for Roller Chains
- ❖ Greaseable Bearings
- ❖ Adjustable Hitch
- ❖ Highway Lighting & Power Cord
- ❖ Jack
- ❖ 60,000# Safety Chain

Item #	Description	List Price
TS5234	Top Shot Manure Spreader 3,377-Gallon Struck Level Capacity	\$96,185

TIRE & RIM CHOICES (Required w/Standard Tandem Axle)

TWP42510S	(4) Used 425 x 22.5 10-Bolt Truck Tires w/New Rims (Rated Tire/Rim Capacity 49,704#)	\$4,294
TWP550S	(4) Used 550 x 22.5 10-Bolt Silver Rims (Rated Tire/Rim Capacity 38,600#)	\$11,800

HITCH CHOICES (Required)

HTCHC	Clevis Hitch	\$580
HTCHP	Pintle Hitch	\$435
HTCHB	Bullnose Hitch	\$883



TS5234 Top Shot Side Discharge Manure Spreader		
Item #	Description	List Price
OPTIONS (<i>NOT Required</i>)		
TSOPTO1034	1 $\frac{3}{4}$ " 1000 RPM Constant Velocity PTO w/Overrunning Torque Limiting Clutch in lieu of standard PTO (<i>Factory Installed</i>)	N/C
TSO2WB42	2-Wheel Electric-over-Hydraulic 15" Disc Brakes on Rear Wheels – For Heavy Tandem Axle ONLY (<i>Factory Installed</i>)	\$10,310
TSOEV	Discharge Deflector Cylinder Electric Valve (<i>Dealer Install</i>)	\$1,259
TSOLD34	Hydraulic Opening Lid (<i>Factory Installed</i>)	\$24,919

HEAVY TANDEM OPTION (<i>Tire & Rims Required</i>)		
TSOTA	Heavier Tandem Axle w/13.187" Circle 10-Bolt Hubs in lieu of standard axle (<i>Factory Installed</i>)	\$7,113
TWP425HS	(4) Used 425 x 22.5 10-Bolt Truck Tires w/ New Rims (<i>Rated Tire/Rim Capacity 49,704#</i>)	\$4,294
TWP700S	(4) 700/50 x 22.5 Flotation Implement Tires/Rims (<i>Rated Tire/Rim Capacity 59,200#</i>)	\$15,041
TWP7110S	(4) 710/45R22.5 Radial Flotation Implement Tires/Rims (<i>Rated Tire/Rim Capacity 61,784#</i>)	\$17,634

EFFECTIVE 9-26


TS5242 Top Shot Side Discharge Manure Spreader

BASE UNIT	❖ Left Side Poly Lined Tank
	❖ Front & Rear Splash Shield
	❖ Wood Side Rails
	❖ Tandem Axle
	❖ 30" Diameter Hydraulic Raise/Lower Tank Auger
	❖ 40" Wide <i>Top Shot</i> – Style Discharge Expeller
	❖ Hydraulic Adjust Expeller Top Shield
	❖ Hardened Replaceable Beater Paddles
	❖ Poly Lined Fine Spread Pan
	❖ 1 3/8" 1000 RPM PTO w/Overrunning Torque Limiting Clutch
	❖ Heavy-Duty Gearbox Reduction Drive System
	❖ Automatic Oiler for Roller Chains
	❖ Greaseable Bearings
	❖ Adjustable Hitch
	❖ Highway Lighting & Power Cord
	❖ Jack
	❖ 60,000# Safety Chain

Item #	Description	List Price
TS5242	Top Shot Manure Spreader 4,200 Gallon Struck Level Capacity	\$121,800

TIRE & RIM CHOICES (Required)

TWP28LS	(4) 28L - 26 16 Ply Bias Tires & Rims (Rated Tire/Rim Capacity 44,000#)	\$19,544
TWP28LRDS	(4) 28L - 26 16 Ply Radial Tires & Rims (Rated Tire/Rim Capacity 63,040#)	\$30,442

TS5242 Top Shot Side Discharge Manure Spreader

Item #	Description	List Price
OPTIONS (NOT Required)		
TSOPTO1034	1 3/4" 1000 RPM Constant Velocity PTO w/Overrunning Torque Limiting Clutch in lieu of standard PTO (Factory Installed)	N/C
TSO2WB42	2-Wheel Electric-over-Hydraulic 15" Disc Brakes on Rear Wheels – For Heavy Tandem Axle ONLY (Factory Installed)	\$10,310
TSOEV	Discharge Deflector Cylinder Electric Valve (Dealer Install)	\$1,259
TSOLD34	Hydraulic Opening Lid (Factory Installed)	\$26,679



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

EFFECTIVE 9-26



HITCH CHOICES (Required)		
HTCHC	Clevis Hitch	\$580
HTCHP	Pintle Hitch	\$435
HTCHB	Bullnose Hitch	\$883

Top Shot Manure Spreader Scales		
Item #	Description	List Price
SCALE OPTIONS (NOT Required)		
TSOS20	Digi-Star 5-Point Scale for TS5220 (Factory Installed)	\$6,431
TSOS26	Digi-Star 5-Point Scale for TS5226 (Factory Installed)	\$7,885
TSOS34	Digi-Star 5-Point Scale for TS5226 w/Heavy Axle & TS5234 w/Standard Axle (Factory Installed)	\$9,911
TSOS42	Digi-Star 5-Point Scale for TS5234 w/Heavy Axle & TS5242 (Factory Installed)	\$16,506
TSOW	Digi-Star GT400 Monitor (Factory Installed w/Scale System)	\$1,894
TSOGP	Digi-Star NT460 Monitor w/GPS (Factory Installed w/Scale System)	\$5,206
TSOALOG	Digi-Star NT460 Monitor w/GPS and Autolog/Automatic Start/Stop Function (Factory Installed w/Scale System)	\$5,884

SAFETY CHAIN OPTIONS		
SC10100	10,100# Safety Chain	\$94
SC16100	16,100# Safety Chain	\$194
SC30000	30,000# Safety Chain	\$221
SC40500	40,000# Safety Chain	\$318
SC60000	60,000# Safety Chain	\$719



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.