

# Single Auger Snowblowers



## SPECIFICATIONS

Models	SB48	SB54	SB60
HP (Rec.)	12 HP	15 HP	20 HP
Cutting Width	48"	54"	60"
Cutting Edge	¼ x 1-½"	3/8 x 1"	3/8 x 1"
Auger Diam.	12"	14"	14"
Fan Diam.	19"	21"	21"
Chute Diam.	7"	8"	8"
Chute Rotation (Man/Hyd)		Select Option	
Chute Deflector	Manual	Manual Standard/ Hydraulic Option (see pg. 12)	
Main Body Height	22.5"	25"	25"
3PH Mount	Cat. 1	Cat. 1	Cat. 1
Weight (LBS.)	266	366	396
List Price (manual rotator)	\$4,025.00	\$4,295.00	\$4,480.00
with Hydraulic Rotator	\$4,755.00	\$5,025.00	\$5,210.00
with Electric Rotator	\$5,635.00	\$5,905.00	\$6,090.00



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.



# Single Auger Snowblowers



## FEATURES

- 7 year limited warrant
- High tensile steel flightin
- 3PH quick attach compatibl
- 5 blade fan/impelle
- SB48, SB54, and SB60 comes standar with manual rotators
- Manual chute deflecto

## OPTIONS

- Hydraulic rotators (all models)
- Manual rotators optional on all model
- Hydraulic chute deflecto

## WING KITS

- Fits SB54, SB60, SB68, and SB72
- 18" tall. Made with 10 gauge steel
- Increases path 2" per side

Part #	List Price
55399	\$97.00



## SPECIFICATIONS


Models	SB68	SB72	SB78	SB87	SB97
HP (Rec.)	30 HP	35 HP	50 HP	60 HP	75 HP
Cutting Width	68"	72"	78"	87"	97"
Cutting Edge	3/8 x 1	3/8 x 1	1/2 x 1-1/2	1/2 x 2	1/2 x 2
Auger Diam.	14"	14"	15"	19"	19"
Fan Diam.	21"	21"	23"	27"	27"
Chute Diam.	10"	10"	10"	12"	12"
Chute Rotation (Man/Hyd)	Select Option				
Chute Deflector	Manual Standard/ Hydraulic Option (see pg. 12)				
Main Body Height	25"	25"	29"	36"	36"
3PH Mount	Cat. 1	Cat. 1	Cat. 1 & 2	Cat. 2	Cat. 2
Weight (LBS.)	506	540	748	1,034	1,106

List Price (no rotator)	\$4,885.00	\$5,140.00	\$6,340.00	\$7,305.00	\$7,705.00
with Manual Rotator	\$5,160.00	\$5,415.00	\$6,615.00	\$7,580.00	\$7,980.00
with Hydraulic Rotator	\$5,615.00	\$5,870.00	\$7,070.00	\$8,035.00	\$8,435.00
with Electric Rotator	\$6,495.00	\$6,750.00	\$7,950.00	N/A	N/A





# Double Auger Snowblowers



## FEATURES

- 5 Blade impeller
- 7 year limited warrant
- High tensile steel flighting on top and bottom augers
- Cat. 2 - 3PH on model SB87D
- Cat. 2 & Cat. 3 on SB97D-SB120D
- Hydraulic chute rotator standard (SB97D - SB120D)
- Manual chute deflector on all model
- Skid shoe
- Fan housings is made with AR400 steel

## OPTIONS

- Optional hydraulic chute deflector on all models

## 1000 RPM GEARBOX KIT

All models with "F" in the name come standard with the 1000 RPM Gearbox Kit.

The 1000 RPM Kit also raises the input shaft to allow the PTO shaft to run at a lesser angle on larger tractors increasing the efficiency and life of the driveline components. The reduction box allows you to reverse the rotation so you can mount a regular snow blower to the front of a tractor. PTO shaft not included.



# Double Auger Snowblowers



## SPECIFICATIONS

Models	SB87D	SB97D	SB108D
Opt. 1000 RPM	-	Yes	Yes
HP (Rec.)	60 HP	100 HP	125 HP
Cutting Width	87"	97"	108"
Cutting Edge	½ x 2	½ X 6*	½ x 6*
Auger Diam.	15" (x2)	15" (x1) 19" (x1)	15" (x1) 19" (x1)
Fan Diam.	27"	32"	32"
Chute Diam.	12"	13"	13"
Chute Rotation (Man/Hyd)	Selection Req. (Pg. 13)		Hydraulic Standard
Chute Deflector (Man/Hyd)	Manual Deflector Standard/Hydraulic Option Pg.12		
Main Body Height	36"	43"	43"
3PH Mount	Cat. 2	Cat. 2 & 3	Cat. 2 & 3
Weight (LBS.)	1,161	1,900	1,980
Tube	3 ½" OD	4 ½" OD HEAVY WALL	4 ½" OD HEAVY WALL
Flighting	5/16 x 2 ¼	5/16 x 2-¼	5/16 x 2-¼
Roller Chain	#60 Heavy	#80	#80
Fan Depth	10"	12"	12"
Auger Drive Shaft	1 ¼"	1-¾"	1-¾"
Fan Output Shaft	40mm	2"	2"

Models	HP	PTO Shaft	RPM	1000 RPM Kit	List Price
SB87D	100-125	6 Spline	540	N/A	<b>\$8,635.00</b>
SB87DF	100-125	1 3/8" 21 spline	1000	Included	<b>\$13,320.00</b>
SB97D	100-125	6 Spline	540	N/A	<b>\$12,995.00</b>
SB97D175	125-175	6 Spline	540	N/A	<b>\$13,795.00</b>
SB97DF1.75	125-175	1 ¾" 20 Spline	1000	Included	<b>\$16,965.00</b>
SB97DF	150-200	1 3/8" 21 Spline	1000	Included	<b>\$16,970.00</b>
SB108D	100-125	6 Spline	540	N/A	<b>\$13,195.00</b>
SB108D175	125-175	6 Spline	540	N/A	<b>\$14,785.00</b>
SB108DF1.75	125-175	1 ¾" 20 Spline	1000	Included	<b>\$18,165.00</b>
SB108DF	150-200	1 3/8" 21 Spline	1000	Included	<b>\$17,690.00</b>



# Pull Type Snowblowers - Performance Series



MK Martin has completely redesigned the Pull Type Tractor Snowblower. Most notably with the redesign, the new Pull Type blower now cleans tight to the garage door, with no need for an additional back drag system. Connecting to your tractor's 3PH, the inverted snowblower allows you to drive straight forward pulling the blower instead of backing into the snow. Easier on your neck, the pull type blower is ideal for quickly clearing driveways and laneways.

## TIVAR WEAR PARTS

Tivar is a wear resistant plastic that replaces steel cutting edges and bolts onto the skid shoes.

Optional on Pull Type models, the tivar is gentler when clearing, ideal for interlocking brick and decorative stone.



Skid Shoe

Cutting Edge

Part #	Tivar Kit	List Price
<b>SB54PTTK</b>	Cutting Edge & Skid Shoes	\$770.00
<b>SB60PTTK</b>	Cutting Edge & Skid Shoes	\$795.00
<b>SB68PTTK</b>	Cutting Edge & Skid Shoes	\$850.00
<b>SB72PTTK</b>	Cutting Edge & Skid Shoes	\$870.00
<b>SB78PTTK</b>	Cutting Edge & Skid Shoes	\$880.00
<b>SB87PTTK</b>	Cutting Edge & Skid Shoes	\$960.00
<b>SB97PTTK</b>	Cutting Edge & Skid Shoes	\$1,010.00



# Pull Type - Performance Series



## FEATURES

- Cleans tight to the garage door
- 5 blade impeller
- 7 year limited warrant
- High tensile steel flightin
- Multi-hinged deflector (SB68P/ – SB97P/T)

## OPTIONS

- Manual Rotato
- Hydraulic and electric chute rotator
- Hydraulic chute deflector
- Tivar contact surfaces

## SPECIFICATIONS

Models	SB54PT-P	SB60PT-P	SB68PT-P	SB72PT-P	SB78PT-P	SB87PT-P	SB97PT-P
HP (Rec.)	25 HP	25 HP	35 HP	35 HP	50 HP	60 HP	60 HP
Cutting Width	54"	60"	68"	72"	78"	87"	97"
Cutting Edge	Bolt On (½ x 4)						
Auger Diam.	14"	14"	14"	14"	15"	15"	15"
Fan Diam.	21"	21"	21"	21"	23"	27"	27"
Chute Diam.	8"	8"	10"	10"	10"	12"	12"
Chute Rotation	Must select either Hydraulic (opt.) or Electric (opt.) or Manual (opt.)						
Chute Deflector	Manual Std./Opt. 6" cyl.			Manual Std./Opt. 8" cyl.			
Double Hood Deflector	N/A	N/A	Std.	Std.	Std.	Std.	Std.
Main Body Height	23"	23"	23"	23"	26"	28"	28"
3PH Mount	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1 & 2	Cat. 2	Cat. 2
Weight (LBS.)	462	495	671	685	900	1,175	1,260
Tube Size	2 3/8" OD	2 3/8" OD	2 3/8" OD	2 3/8" OD	3 1/2" OD	3 1/2" OD	3 1/2" OD
Flighting Size	¼ x 2 ¼	¼ x 2 ¼	¼ x 2 ¼	¼ x 2 ¼	¼ x 2 ¼	5/16 x 2 ¼	5/16 x 2 ¼
Roller Chain Drive	# 50	# 50	# 60 Heavy	# 60 Heavy	# 60 Heavy	# 60 Heavy	# 60 Heavy
Fan Depth	5"	5"	7"	7"	8"	10"	10"
Blades Per Fan	5	5	5	5	5	5	5
Auger Drive Shaft Size	1"	1"	1 ¼"	1 ¼"	1 ¼"	1 ¼"	1 ¼"
Fan Output Shaft Size	1 3/8"	1 3/8"	1 3/8"	1 3/8"	40mm	40mm	40mm
List Price (no rotator)	\$6,720.00	\$6,870.00	\$7,890.00	\$8,120.00	\$9,620.00	\$11,495.00	\$11,985.00
with Manual Rotator	\$6,995.00	\$7,145.00	\$8,165.00	\$8,395.00	N/A	N/A	N/A
with Hydraulic Rotator	\$7,450.00	\$7,600.00	\$8,620.00	\$8,850.00	\$10,350.00	\$12,225.00	\$12,715.00
with Electric Rotator	\$8,330.00	\$8,480.00	\$9,500.00	\$9,730.00	N/A	N/A	N/A






## SPECIFICATIONS

Models	SB54 P/T	SB60 P/T	SB68 P/T	SB72 P/T	SB78 P/T	SB87 P/T	SB97 P/T
HP (Rec.)	25 HP	25 HP	35 HP	35 HP	50 HP	60 HP	60 HP
Cutting Width	54"	60"	68"	72"	78"	87"	97"
Cutting Edge	Bolt On (½ x 4)						
Auger Diam.	14"	14"	14"	14"	15"	19"	19"
Fan Diam.	21"	21"	21"	21"	23"	27"	27"
Chute Diam.	8"	8"	10"	10"	10"	12"	12"
Chute Rotation	Must select either Manual (opt.) or Hydraulic (opt.) or Electric (opt.)						
Chute Deflector	Manual Std./Opt. 6" cyl.			Manual Std./Opt. 8" cyl.			
Double Hood Deflector	N/A	N/A	Std.	Std.	Std.	Std.	Std.
Main Body Height	25"	25"	25"	25"	28"	32-½"	32-½"
3PH Mount	Cat. 1	Cat. 1	Cat. 1	Cat. 1	Cat. 1 & 2	Cat. 2	Cat. 2
Weight (LBS.)	462	495	671	685	900	1,175	1,225
Tube Size	2 3/8" OD	2 3/8" OD	2 3/8" OD	2 3/8" OD	3 ½" OD	3 ½" OD	3 ½" OD
Flighting Size	¼ x 2 ¼	¼ x 2 ¼	¼ x 2 ¼	¼ x 2 ¼	¼ x 2 ¼	5/16 x 2 ¼	5/16 x 2 ¼
Roller Chain Drive	# 50	# 50	# 60 Heavy	# 60 Heavy	# 60 Heavy	# 60 Heavy	# 60 Heavy
Fan Depth	5"	5"	7"	7"	8"	10"	10"
Blades Per Fan	5	5	5	5	5	5	5
Auger Drive Shaft Size	1"	1"	1 ¼"	1 ¼"	1 ¼"	1 ¼"	1 ¼"
Fan Output Shaft Size	1 3/8"	1 3/8"	1 3/8"	1 3/8"	40mm	40mm	40mm
List Price (no rotator)	\$6,075.00	\$6,155.00	\$6,995.00	\$7,105.00	\$8,505.00	\$10,505.00	\$10,995.00
with Manual Rotator	\$6,350.00	\$6,430.00	\$7,270.00	\$7,380.00	\$8,780.00	\$10,780.00	\$11,270.00
with Hydraulic Rotator	\$6,805.00	\$6,885.00	\$7,725.00	\$7,835.00	\$9,235.00	\$11,235.00	\$11,725.00
with Electric Rotator	\$7,685.00	\$7,765.00	\$8,605.00	\$8,715.00	\$10,115.00	N/A	N/A

# SNOW BLOWERS



## FEATURES

- 5 blade impeller
- 7 year limited warranty
- High tensile steel flighting
- Standard manual chute deflector (all)
- Multi-hinged deflector (SB68P/T – SB97P/T)
- Standard manual chute rotator (SB54PT & SB60PT)

## OPTIONS

- Hydraulic and manual chute rotators
- Hydraulic chute deflectors
- Back drag (manual or hydraulic)
- Tivar contact surfaces

## BACK DRAG

Optional back drags are manual chain adjustment, and can be upgraded to a hydraulic option for 68" and wider models.



## TIVAR WEAR PARTS

Tivar is a wear resistant plastic that replaces steel cutting edges and bolts onto the skid shoes.

Optional on Pull Type models, the tivar is gentler when clearing, ideal for interlocking brick and decorative stone.



Skid Shoe

Cutting Edge

## WING KITS

- 18" tall. Made with 10 gauge steel
- Increases path 2" per sid

Part #		List Price
60962	Fits SB54, SB60, SB68, SB72	\$97.00
60963	Fits SB78, SB87, SB97	\$125.00



Back Drag	Lift Type	List Price
SB54PTRB	Man.	\$1,215.00
SB60PTRB	Man.	\$1,270.00
SB68PTRB17	Man. / Hyd.	\$1,385.00
SB72PTRB	Man. / Hyd.	\$1,430.00
SB78PTRB17	Man. / Hyd.	\$1,470.00
SB87PTRB17	Man. / Hyd.	\$1,605.00
SB97PTRB	Man. / Hyd.	\$1,635.00
<b>Optional Hydraulic Kit (fits SB68PT - SB97PT)</b>		
SBPTRBH17		\$1,240.00

Part #	Tivar Kit	List Price
SB54PTTK	Cutting Edge & Skid Shoes	\$770.00
SB60PTTK	Cutting Edge & Skid Shoes	\$795.00
SB68PTTK	Cutting Edge & Skid Shoes	\$850.00
SB72PTTK	Cutting Edge & Skid Shoes	\$870.00
SB78PTTK	Cutting Edge & Skid Shoes	\$880.00
SB87PTTK	Cutting Edge & Skid Shoes	\$960.00
SB97PTTK	Cutting Edge & Skid Shoes	\$1,010.00

Back Drag Part #	Tivar Kit	List Price
SB54PTBDBTK	Back Drag	\$615.00
SB60PTBDBTK	Back Drag	\$670.00
SB68PTBDBTK	Back Drag	\$730.00
SB72PTBDBTK	Back Drag	\$735.00
SB78PTBDBTK	Back Drag	\$780.00
SB87PTBDBTK	Back Drag	\$810.00
SB97PTBDBTK	Back Drag	\$840.00



# 4000 SERIES Commercial Snowblowers



## FEATURES



**6 BLADE FAN**



**TWIN AUGER  
CHAIN DRIVE**



**HYDRAULIC  
CHUTE &  
MULTI-HINGE  
DEFLECTOR**



**OIL CHAIN BATH**

## OPTIONS



**ROTATING FAN HOUSING  
/ SIDE DISCHARGE**



**TRUCK LOADING CHUTE**

Part #	List Price
SB120TLC	\$6,395.00



**BANK CUTTERS**





## SHEAR BOLT PROTECTION

## FEATURES

- 6-Blade Fa
- Twin Auger Chain Drive
- Hydraulic Chute & Multi-Hinge Deflecto
- Chain is fully enclosed in oil bat
- Heat Treated Cutting Edge
- Shear Bolt Protectio
- Dual Augers with Ribbon Flighting
- Adjustable Skid Shoes

## SPECIFICATIONS

Models	SBR4097	SBR4108	SBR4120
HP (Rec.)	150-250	150-250	150-250
Cutting Width	97"	108"	120"
Main Body Height	47"	47"	47"
Mount	CAT. 2 & 3	CAT. 2 & 3	CAT. 2 & 3
Impeller (Fan)	36" - 3/8" HD 450 Steel		
Impeller Depth	12"	12"	12"
Impeller Blades	6	6	6
Impeller Output Shaft	2-1/2"	2-1/2"	2-1/2"
Rotating Housing	N/A	N/A	N/A
PTO Drive (RPM)	1,000	1,000	1,000
Stages	2	2	2
Rotor	Ribbon Flighting (Flight Notching Available)		
Rotor (Tube)	4-1/2" OD Heavy Wall		
Rotor (Flighting)	1/2" x 3" (Bottom) 5/16" x 2-1/4" (Top)		
Rotor (Diameter)	23" (Bottom) 15" (Top)		
Rotor (Drive Shaft)	1-3/4"	1-3/4"	1-3/4"
Roller Chain	#100	#100	#100
Cutting Edge	3/4" x 6" Bolt on Cutting Edge		
End Plates	3/8" HD 450 Steel x 48" High		
Chute Diameter	13"	13"	13"
Chute Rotator	Hydraulic	Hydraulic	Hydraulic
Deflector Stages	2	2	2
Chute Deflector	Hydraulic	Hydraulic	Hydraulic
Weight (LBS.)	3,230	3,350	3,485
List Price	<b>\$29,500.00</b>	<b>\$30,500.00</b>	<b>\$31,525.00</b>

RH Models*	SBR4097RH	SBR4108RH	SBR4120RH
Rotating Housing	Standard	Standard	Standard
Weight (LBS.)	3,490	3,610	3,745
List Price	<b>\$32,500.00</b>	<b>\$33,500.00</b>	<b>\$34,900.00</b>

\* RH models have the same specs as the corresponding models above however they include a rotating fan housing.



**SCAN QR CODE TO SEE THE COMMERCIAL SNOWBLOWER IN ACTION**

# Loader Mount Snowblowers & Power Packs



## SPECIFICATIONS



Models	SSB66	SSB76	SSB86
Cutting Edge (Bolt-On)	1/2 x 4	1/2 x 4	1/2 x 4
Cutting Width	66"	76"	86"
Auger Tube		3 1/2" Round	
Auger Flighting		5/16 x 2 1/4	
Auger Diam.		19"	
GPM		30	
Mounting		Universal Skidsteer Attach	
Chute Rotation		Hydraulic	
Chute Diam.		10"	
Main Body Height		27 1/2"	
Chute Deflector		Manual Std/Hydraulic Opt	
Fan Diam.	24"		26"
Fan Depth		8"	
Weight (LBS.)*	928	970	1000
With SBLMPP-30	\$23,850.00	\$24,450.00	\$24,575.00
With SBLMPPCS-30	\$26,960.00	\$27,550.00	\$28,240.00

\* Weight includes snowblower only.



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.



## FEATURES

- Hydraulic Chute Rotation
- Hydraulic Chute Deflector

**Available with the following quick tach:**  
(Must be specified at time of order)

- Universal skidsteer
- Euro (ALO)
- JD 440/540 combination

## POWER PACKS

- 3PH Mount PTO
- 30 Gal. Capacity
- 2,500 PSI at 30 Gallons per Minute
- SBLMPP-30 can be run for up to 2-hours before cool down is required



Models	SBLMPP-30	SBLMPPCS-30
Recommended HP	40-60HP	40-60HP
Capacity (gallons)	30	30
Flow Rate (PSI)	30 GPM/2500 PSI	30 GPM/2500 PSI
Mount	3PH	3PH
Weight	535 LBS.	575 LBS.
Height	48"	48"
Width	39"	39"
Depth	30"	32"
Max Operating Temp. (°C)	2° C	30° C
Max Operating Time (hours)	2 Hour Duty Cycle	Full Duty Cycle
Cooling System Included	No	Yes
List Price	\$11,465.00	\$14,575.00



# Self Powered Snow Throwers



## FEATURES

For tractors and compact skid loaders without hydraulic remotes, MK Martin offers our self powered snow thrower.

While being easy to attach with no drive lines or hoses to worry about, the engine belt drives the shaft which transfers power to the rotor by a roller chain.

These self powered snow throwers are ideal for moving snow quickly with precision in mind. The flared body opening helps to cut snow and direct to the efficient rotor assembly.

## SPECIFICATIONS

Model	SBRS1054E	SBRS1060E
Motor Type	Vanguard 14HP	Vanguard 14HP
Electric Start	12 Volt	12 Volt
Clutch	Electric (start/stop blower)	
Rotor	16" @ 750 RPM	
Hood Rotator	Electric	Electric
Hood Deflector	Manual	Manual
Cutting Edge	Bolt on 1/4" x 3-1/2"	
Overall Width	54"	60"
Overall Depth	36"	36"
Main Body Height	22.75"	22.75"
Weight	470 lbs.	545 lb.
List Price	\$13,320.00	\$13,675.00

Part #	Description
SBR100JDMount	JD Mount Option

## WIRED REMOTE

The wired controller allows for remote engine start and shutdown. Oversized buttons allows operators to make quick and accurate adjustment of the chute rotation.



# Skidsteer Snowblowers



## FEATURES

- Adjustable blower fan tolerance for increased performance
- Auger has new teeth
- New curved exit chute for a more direct stream
- 5 blade impeller
- Direct fan drive mount
- Up To 4439 ft/min fan tip speed
- Pivoting hitch plate
- Hitch plate height adjustable
- Solid side plate construction for added strength and rigidity
- Offset chute for better operator visibility
- Hydraulic line check valve allows overrun and prevents reverse rotation
- Solenoid valve feature allows for use of hydraulic rotator motor and hydraulic deflector
- Fan housings are made with AR400 steel

## OPTIONS

- Available with ALO or JD mount
- Hydraulic chute deflector
- Optional wiring kit adapters for skid loader control integration
- Optional multi hinge deflector
- Optional poly edge for skid shoe

## SPECIFICATIONS

Models	SSB62	SSB66	SSB76	SSB86	SSB96					
Cutting Edge (Bolt-On)	½ x 4	½ x 4	½ x 4	½ x 4	½ x 4					
Cutting Width	62"	66"	76"	86"	96"					
Auger Tube	3 ½" Round									
Auger Flighting	5/16 x 2 ¼									
Auger Diam.	19"									
GPM (min)	14	14	14	23	33					
Mounting	Universal Skidsteer Attach									
Chute Rotation	Hydraulic									
Chute Diam.	10"									
Main Body Height	27 ½"									
Chute Deflector	Manual Std/Hydraulic Opt									
Fan Diam.	24"		26"							
Fan Depth	8"									
Weight (LBS.)	910	928	970	1000	1,085					
List Price	SSB62HYD-A	\$12,870.00	SSB66HYD-A	\$13,065.00	SSB76HYD-A	\$13,575.00	SSB86HYD-C	\$15,620.00	SSB96HYD-D	\$15,935.00
	SSB62HYD-B	\$12,870.00	SSB66HYD-B	\$13,065.00	SSB76HYD-B	\$13,575.00	SSB86HYD-C+	\$15,620.00		
	SSB62HYD-B+	\$12,870.00	SSB66HYD-B+	\$13,065.00	SSB76HYD-B+	\$13,575.00	SSB86HYD-D	\$15,735.00		
			SSB66HYD-C	\$13,945.00	SSB76HYD-C	\$14,640.00				
			SSB66HYD-C+	\$13,945.00	SSB76HYD-C+	\$14,640.00	SSB76HYD-D	\$14,735.00		

Flow Rates	HP*	Code
14-17 GPM	22	A
18-20 GPM	27	B
20-22 GPM	30	B+
23-26 GPM	35	C
27-33 GPM	43	C+
33-40 GPM	52	D

\*HP calculated at 2500 PSI  
Code "D" high flow package is recommended on the SSB 96.

## HYDRAULIC DEFLECTOR KIT

Part #	Description	List Price
SSB75HD	Hydraulic Deflector Kit	\$495.00

## WIRING KITS

Optional Wiring Kits	Description	List Price
SSBEWK 7-Bobcat	7 Pin Wire Kit	\$4,260.00
SSBEK 8Cat	8 pin wire kit	\$580.00
SSBEK 8 Terrex	8 Pin Wire Kit	\$580.00
SSBEK 14Gehl/Case/NH/JCB/Volvo	14 Pin Wire Kit	\$510.00
SSBEK 14JD	14 Pin Wire Kit	\$510.00
SSBEWK-KU/Kubota/Wacker Neuson	14 Pin Wire Kit	\$510.00

\*Wacker Neuson standard & high flow

# Bobcat/Ventrac/Steiner Snowblowers



## FEATURES

- Designed to fit Bobcat, Ventrac and Steiner articulating tractors
- Hydraulic chute rotation for smooth blowing
- Ideal for rural driveways and smaller commercial yards
- Compatible with



## SPECIFICATIONS

Models	SBVEN48	SBVEN54
Cutting width	48"	54"
Cutting Edge	3/8 x 1"	
Auger Diam.	14"	
Fan Diam.	21"	
Chute Diam.	8"	
Chute Rotation	Hyd.	
Chute Deflector	Manual	
Body Height	25"	
Drive	Belt drive	
Mount	Bobcat/Ventrac/Steiner	
Weight (LBS.)	475	488
List Price	\$7,280.00	\$7,750.00



## BELT DRIVE



# Snowblower Options



## CHUTE ROTATOR

Meteor Snow Blower chute rotators come in manual (crank), hydraulic (orbital motor), and electric.



**Manual**

Part #	Description
SB48MR25	Fits 48" model
SB60MR25	Fits 54" and 60" models
SB68MR25	Fits 68" and 72" models
SB78MR25	Fits 78" models
SB87MR25	Fits 87s, 97s, 87D models
SB60PTMR25	Fits 60" Pull Type
SB68PTMR25	Fits 68" and 72" Pull Type
SB78PTMR25	Fits 78" Pull Type
SB87PTMR25	Fits 87" Pull Type
SB97PTMR25	Fits 97" Pull Type
SB54PT-PMR25	Fits 54" Performance Pull Type
SB60PT-PMR25	Fits 60" Performance Pull Type
SB68PT-PMR25	Fits 68" Performance Pull Type
SB72PT-PMR25	Fits 72" Performance Pull Type
SB78PT-PMR25	Fits 78" Performance Pull Type
<b>List Price</b>	<b>\$275.00</b>



**Hydraulic**

Part #	List Price
SBHR13	\$730.00



**Electric**

Part #	List Price
SBER13	\$1,610.00



# Snowblower Options



## HYDRAULIC DEFLECTOR

Hydraulic chute deflector includes the cylinder and the hoses.

Part #	Applicable Models	List Price
SB68HD	Fits 54-72	\$495.00
SB75HD	Fits 78-120	\$550.00



## MULTI-HINGED DEFLECTOR

Meteor's Multi-Hinged Deflector provides you with finer control over where your snow is blown. Cylinder not included.

Part #	Applicable Models	List Price
SB78MHD	Fits 78	\$850.00
SB87MHD13	Fits 87-87D-97	\$920.00
SB108MHD	Fits 97D-120D	\$1,135.00



## TRUCK LOADING CHUTE

- Provides up to 40" of additional Height
- Hydraulic Rotation
- Hydraulic Multi-Hinged Deflector

Part #	Applicable Models	List Price
SB87TLC	87S, 97S, & 87D	\$4,695.00
SB108TLC	97D & 108D	\$6,395.00
SB120TLC	120D	\$6,395.00

