

MINI SKID STEER TRENCHERS

T100 TRENCHER

MIN/MAX HYD: 8-12		MIN/MAX PSI: 2,500-3,500			
MIN/MAX RPM: 102-154		MIN/MAX TORQUE: 597-716			
BOOM LEN.	CUT WIDTH	DOUBLE STD CHAIN	50/50 SHARK TOOTH CHAIN	50/50 BULLET TOOTH CHAIN	70/30 SCORPION CHAIN
3'	4"	T100-36DS-4W	T100-36ST55-4W	T100-36BT55-4W	T100-36ST73-4W
	6"	T100-36DS-6W	T100-36ST55-6W	T100-36BT55-6W	T100-36ST73-6W
	8"	T100-36DS-8W			
	10"	T100-36DS-10W			
	12"	T100-36DS-12W			

T125 TRENCHER WITH DUO-TACH™ (PATENT PENDING)

MIN/MAX HYD: 10-15		MIN/MAX PSI: 2,500-3,000			
MIN/MAX RPM: 101-151		MIN/MAX TORQUE: 765-918			
BOOM LEN.	CUT WIDTH	DOUBLE STD CHAIN	50/50 SHARK TOOTH CHAIN	50/50 BULLET TOOTH CHAIN	70/30 SCORPION CHAIN
3'	4"	T125-36DS-4W	T125-36ST55-4W	T125-36BT55-4W	T125-36ST73-4W
	6"	T125-36DS-6W	T125-36ST55-6W	T125-36BT55-6W	T125-36ST73-6W
	8"	T125-36DS-8W			
	10"	T125-36DS-10W			
	12"	T125-36DS-12W			



SKID STEER TRENCHERS

T155 TRENCHER

MIN/MAX HYD: 15–19		MIN/MAX PSI: 2,500–3,500			
MIN/MAX RPM: 116–146		MIN/MAX TORQUE: 995–1393			
BOOM LEN.	CUT WIDTH	DOUBLE STD CHAIN	50/50 SHARK TOOTH CHAIN	50/50 BULLET TOOTH CHAIN	70/30 SCORPION CHAIN
3'	6"	T155-3DS-6W	T155-3ST55-6W	T155-3BT55-6W	T155-3ST73-6W
	8"	T155-3DS-8W			
	10"	T155-3DS-10W			
	12"	T155-3DS-12W			
4'	6"	T155-4DS-6W	T155-4ST55-6W	T155-4BT55-6W	T155-4ST73-6W
	8"	T155-4DS-8W	T155-4ST55-12W		

T255 TRENCHER

MIN/MAX HYD: 19–27		MIN/MAX PSI: 2,500–3,500			
MIN/MAX RPM: 120–170		MIN/MAX TORQUE: 1,219–1,706			
BOOM LEN.	CUT WIDTH	DOUBLE STD CHAIN	50/50 SHARK TOOTH CHAIN	50/50 BULLET TOOTH CHAIN	70/30 SCORPION CHAIN
3'	6"	T255-3DS-6W	T255-3ST55-6W	T255-3BT55-6W	T255-3ST73-6W
	8"	T255-3DS-8W			
	10"	T255-3DS-10W			
	12"	T255-3DS-12W			
4'	6"	T255-4DS-6W	T255-4ST55-6W	T255-4BT55-6W	T255-4ST73-6W
	8"	T255-4DS-8W			

T350 TRENCHER

MIN/MAX HYD: 30–39		MIN/MAX PSI: 2,500–3,500			
MIN/MAX RPM: 155–202		MIN/MAX TORQUE: 1,480–2,072			
BOOM LEN.	CUT WIDTH	DOUBLE STD CHAIN	50/50 SHARK TOOTH CHAIN	50/50 BULLET TOOTH CHAIN	70/30 SCORPION CHAIN
3'	6"	T350-3DS-6W	T350-3ST55-6W	T350-3BT55-6W	T350-3ST73-6W
	8"	T350-3DS-8W			
	10"	T350-3DS-10W			
	12"	T350-3DS-12W			
4'	6"	T350-4DS-6W	T350-4ST55-6W	T350-4BT55-6W	T350-4ST73-6W
	8"	T350-4DS-8W			
5'	6"	T350-5DS-6W	T350-5ST55-6W	T350-5BT55-6W	T350-5ST73-6W



TRENCHERS

Premier Trencher Attachments utilize the power of the host machine to deliver high performance

- Premier's new Patent Pending **DUO-TACH™ Mounting System** allows trenchers to be used on both universal skid steer and mini skid steer mounting systems. Disconnect the mount from your full-size skid steer and re-connect it to your mini skid steer without changing anything.
- Heavy Duty Planetary Drive system eliminates chain reduction
- Heavy-Duty crumpler shoe accessory for loose soil removal
- Replaceable spoil auger mounds most soil to one side of the trench
- Manual side-shift for trenching close to the structure
- Built-in skid shoe provides proper auger depth control
- Built-in mechanical depth gauge
- 2 Year Motor and Planetary/ 1 Year Frame Warranty

TRENCHER CHAIN OPTIONS

- **Double Standard Chain (1)**
Recommended for harder, drier soil conditions
- **50/50 Bullet Tooth Chain (2)**
Recommended for hard soils, frost, and rocky conditions
- **50/50 Shark Tooth Chain (3)**
Recommended for consistent hard soil/rock conditions
- **70/30 Scorpion Tooth Chain (4)**
Recommended for hard soil, rock, asphalt, and frozen ground conditions





TRENCHER ATTACHMENTS

MODEL T100 - MINI TRENCHER

For machines equipped with 10 GPM

- Mini- trenchers come complete with Standard Mini-Skid Steer Mounting Bracket, Hose Kit and Flat Face Couplers.
- Additional Mounts Available for Mini-Excavators and the Bobcat MT Machines. Call Factory for information.

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
T100 36DS 4W	36" Dig Depth, 4" Wide, Double Standard Chain	610 lbs.	\$5,820.00
T100 36DS 6W	36" Dig Depth, 6" Wide, Double Standard Chain	615 lbs.	\$5,951.88
T100 36DS 8W	36" Dig Depth, 8" Wide, Double Standard Chain	620 lbs.	\$6,334.20
T100 36DS 10W	36" Dig Depth, 10" Wide, Double Standard Chain	625 lbs.	\$6,568.56
T100 36DS 12W	36" Dig Depth, 12" Wide, Double Standard Chain	630 lbs.	\$6,654.96
T100 36ST73 4W	36" Dig Depth, 4" Wide, 70/30 Carbide Scorpion Tooth	650 lbs.	\$6,043.68
T100 36ST73 6W	36" Dig Depth, 6" Wide, 70/30 Carbide Scorpion Tooth	665 lbs.	\$6,202.44
T100 36BT55 4W	36" Dig Depth, 4" Wide, 50/50 Bullet Teeth	650 lbs.	\$5,854.00
T100 36BT55 6W	36" Dig Depth, 6" Wide, 50/50 Bullet Teeth	665 lbs.	\$6,143.00
T100 36ST55 4W	36" Dig Depth, 4" Wide, 50/50 Shark Teeth	660 lbs.	\$6,322.22
T100 36ST55 6W	36" Dig Depth, 6" Wide, 50/50 Shark Teeth	670 lbs.	\$6,634.44

*Custom Boom lengths can be made to order, please call for quote 1-866-458-0008

MODEL T125 - MINI SKID STEER TRENCHER (Duo-Tach® AVAILABLE)

For machines equipped with 12.5 GPM

- Add \$450 for the Duo-Tach® Mounting Bracket, 90 lbs. to weight, and add letter "I" to back of part # (Example T125I-3DS-6W)
- Mini trenchers come complete with Standard Mini-Skid Steer Mounting Bracket, Hose Kit and Flat Face Couplers.
- Additional Mounts Available for Mini-Excavators and the Bobcat MT Machines. Call Factory for information.

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
T125 36DS 4W	36" Dig Depth, 4" Wide, Double Standard Chain	610 lbs.	\$6,171.42
T125 36DS 6W	36" Dig Depth, 6" Wide, Double Standard Chain	615 lbs.	\$6,309.36
T125 36DS 8W	36" Dig Depth, 8" Wide, Double Standard Chain	620 lbs.	\$6,721.92
T125 36DS 10W	36" Dig Depth, 10" Wide, Double Standard Chain	625 lbs.	\$6,966.00
T125 36DS 12W	36" Dig Depth, 12" Wide, Double Standard Chain	630 lbs.	\$7,056.72
T125 36ST73 4W	36" Dig Depth, 4" Wide, 70/30 Carbide Scorpion Tooth	650 lbs.	\$6,403.32
T125 36ST73 6W	36" Dig Depth, 6" Wide, 70/30 Carbide Scorpion Tooth	665 lbs.	\$6,576.12
T125 36BT55 4W	36" Dig Depth, 4" Wide, 50/50 Bullet Teeth	650 lbs.	\$6,702.48
T125 36BT55 6W	36" Dig Depth, 6" Wide, 50/50 Bullet Teeth	665 lbs.	\$7,030.80
T125 36ST55 4W	36" Dig Depth, 4" Wide, 50/50 Shark Teeth	660 lbs.	\$6,692.76
T125 36ST55 6W	36" Dig Depth, 6" Wide, 50/50 Shark Teeth	670 lbs.	\$7,026.48



TRENCHER ATTACHMENTS

All Prices include Base Unit, Mounting Bracket, Boom, Spoil Auger, Chain and Teeth, Quick-disconnect and Hoses

• Call Factory for Additional Pricing and Replacement Parts.

MODEL T155 - SKID STEER LOADER TRENCHER

All Prices include Base Unit, Mounting Bracket, Boom, Spoil Auger, Chain and Teeth, Quick-Disconnect and Hoses

• For machines equipped with 15 to 25 GP

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
T155 3DS 6W	T155 Trencher, 3' Boom, 6" Double Standard Chain	1070 lbs.	\$7,812.72
T155 3DS 8W	T155 Trencher, 3' Boom, 8" Double Standard Chain	1080 lbs.	\$8,109.72
T155 3DS 10W	T155 Trencher, 3' Boom, 10" Double Standard Chain	1105 lbs.	\$8,317.08
T155 3DS 12W	T155 Trencher, 3' Boom, 12" Double Standard Chain	1140 lbs.	\$8,394.84
T155 3ST55 6W	T155 Trencher, 3' Boom, 6" 50/50 Shark Tooth Chain	1129 lbs.	\$8,738.28
T155 3BT55 6W	T155 Trencher, 3' Boom, 6" 50/50 Bullet Tooth Chain	1132 lbs.	\$8,900.28
T155 3ST73 6W	T155 Trencher, 3' Boom, 6" 70/30 Scorpion Tooth Chain	1083 lbs.	\$8,566.56
T155 4DS 6W	T155 Trencher, 4' Boom, 6" Double Standard Chain	1135 lbs.	\$8,095.68
T155 4DS 8W	T155 Trencher, 4' Boom, 8" Double Standard Chain	1145 lbs.	\$8,348.40
T155 4ST55 6W	T155 Trencher, 4' Boom, 6" 50/50 Shark Tooth Chain	1207 lbs.	\$9,154.44
T155 4BT55 6W	T155 Trencher, 4' Boom, 6" 50/50 Bullet Tooth Chain	1217 lbs.	\$9,396.00
T155 4ST73 6W	T155 Trencher, 4' Boom, 6" 70/30 Scorpion Tooth Chain	1143 lbs.	\$8,945.64

Deeper/Wider Trenching Options Available Upon Request

MODEL T255 - SKID STEER LOADER TRENCHER

All Prices include Base Unit, Mounting Bracket, Boom, Spoil Auger, Chain and Teeth, Quick-disconnect and Hoses

• For machines equipped with 20 to 30 GP

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
T255 3DS 6W	T255 Trencher, 3' Boom, 6" Double Standard Chain	1070 lbs.	\$8,092.44
T255 3DS 8W	T255 Trencher, 3' Boom, 8" Double Standard Chain	1080 lbs.	\$8,377.56
T255 3DS 10W	T255 Trencher, 3' Boom, 10" Double Standard Chain	1105 lbs.	\$8,601.12
T255 3DS 12W	T255 Trencher, 3' Boom, 12" Double Standard Chain	1140 lbs.	\$8,682.12
T255 3ST55 6W	T255 Trencher, 3' Boom, 6" 50/50 Shark Tooth Chain	1129 lbs.	\$9,008.28
T255 3BT55 6W	T255 Trencher, 3' Boom, 6" 50/50 Bullet Tooth Chain	1132 lbs.	\$9,168.12
T255 3ST73 6W	T255 Trencher, 3' Boom, 6" 70/30 Scorpion Tooth Chain	1083 lbs.	\$8,838.72
T255 4DS 6W	T255 Trencher, 4' Boom, 6" Double Standard Chain	1135 lbs.	\$8,351.64
T255 4DS 8W	T255 Trencher, 4' Boom, 8" Double Standard Chain	1145 lbs.	\$8,694.00
T255 4ST55 6W	T255 Trencher, 4' Boom, 6" 50/50 Shark Tooth Chain	1207 lbs.	\$9,497.52
T255 4BT55 6W	T255 Trencher, 4' Boom, 6" 50/50 Bullet Tooth Chain	1217 lbs.	\$9,667.08
T255 4ST73 6W	T255 Trencher, 4' Boom, 6" 70/30 Scorpion Tooth Chain	1143 lbs.	\$9,128.16

Deeper/Wider Trenching Options Available Upon Request



MODEL T125 WITH DUO-TACH



MODEL T155



**GENERAL
IMPLEMENT**
DISTRIBUTORS



TRENCHER ATTACHMENTS

MODEL T350 - SKID STEER LOADER TRENCHER

- All Prices include Base Unit, Mounting Bracket, Boom, Spoil Auger, Chain and Teeth.
- Quick-disconnect and Hoses are optional and are listed and sold separately
- Call Factory for Additional Pricing and Replacement Parts.

For machines equipped with 30 to 45 GPM

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
T350 3DS 6W	T350 Trencher, 3' Boom, 6" Double Standard Chain	1130 lbs.	\$9,543.96
T350 3DS 8W	T350 Trencher, 3' Boom, 8" Double Standard Chain	1140 lbs.	\$9,573.12
T350 3DS 10W	T350 Trencher, 3' Boom, 10" Double Standard Chain	1165 lbs.	\$9,850.68
T350 3DS 12W	T350 Trencher, 3' Boom, 12" Double Standard Chain	1200 lbs.	\$10,262.16
T350 3ST55 6W	T350 Trencher, 3' Boom, 6" 50/50 Shark Tooth Chain	1189 lbs.	\$10,345.32
T350 3BT55 6W	T350 Trencher, 3' Boom, 6" 50/50 Bullet Tooth Chain	1192 lbs.	\$10,523.52
T350 3ST73 6W	T350 Trencher, 3' Boom, 6" 70/30 Scorpion Tooth Chain	1143 lbs.	\$10,068.84
T350 4DS 6W	T350 Trencher, 4' Boom, 6" Double Standard Chain	1195 lbs.	\$9,835.56
T350 4DS 8W	T350 Trencher, 4' Boom, 8" Double Standard Chain	1205 lbs.	\$10,059.12
T350 4ST55 6W	T350 Trencher, 4' Boom, 6" 50/50 Shark Tooth Chain	1267 lbs.	\$11,476.08
T350 4BT55 6W	T350 Trencher, 4' Boom, 6" 50/50 Bullet Tooth Chain	1277 lbs.	\$11,081.88
T350 4ST73 6W	T350 Trencher, 4' Boom, 6" 70/30 Scorpion Tooth Chain	1203 lbs.	\$10,235.16
T350 5DS 6W	T350 Trencher, 5' Boom, 6" Double Standard Chain	1215 lbs.	\$10,185.48
T350 5ST55 6W	T350 Trencher, 5' Boom, 6" 50/50 Shark Tooth Chain	1292 lbs.	\$11,693.16
T350 5BT55 6W	T350 Trencher, 5' Boom, 6" 50/50 Bullet Tooth Chain	1305 lbs.	\$11,237.40
T350 5ST73 6W	T350 Trencher, 5' Boom, 6" 70/30 Scorpion Tooth Chain	1235 lbs.	\$10,726.56

TRENCHER HOSES & COUPLERS

ITEM #	DESCRIPTION	APPROX. WEIGHT	SUGGESTED LIST PRICE (US \$)
61050	1/2" Hydraulic Hoses 108" Long (Models T150 & T250)	15 lbs.	\$195.00
61006	1/2" Female Flat Faced Coupler (Models T150 & T250)	1 lbs.	\$77.00
61007	1/2" Male Flat Faced Coupler (Models T150 & T250)	1 lbs.	\$39.00
61051	3/4" Hydraulic Hoses 108" Long (Model T350)	19 lbs.	\$365.00
61043	3/4" Female Flat Faced Coupler (Model T350)	5 lbs.	\$175.00
61044	3/4" Male Flat Faced Coupler (Model T350)	2 lbs.	\$106.00
61008	5/8" Female Flat Faced Coupler	5 lbs.	\$109.00
61009	5/8" Male Flat Faced Coupler	2 lbs.	\$68.00

