




EQUESTRIAN



HYDRAULIC HORSEPOWER FORMULA

CALCULATE HYDRAULIC HORSEPOWER FROM HYDRAULIC OIL FLOW AND PRESSURE

$\text{psi} \times \text{gpm} \div 1714 \times \text{percentage efficiency (.80 to .95 is common)} = \text{HP}$

Example:

$2500\text{psi} \times 20\text{gpm} \div 1714 \times .85 = 24.8 \text{ HP}$

MULTI-GROOMER

EQUESTRIAN



ABOUT THE MULTI-GROOMER

- Heavy duty side rub rails
- Double row of adjustable ripper teeth are offset and have a spacing of 4" (and can also be spaced 6" & 8" apart) as well as a working depth of up to 4"
- The rear two rows of spring tines are offset and the pitch and height can be adjusted with a manual ratchet rack or an optional hydraulic cylinder
- The rear bar roller pulverizes and packs to the desired density

Multi-Groomer	MG48	MG60	MG72	MG80	MG96	MG120
Dimensions (WLH)	49 X 68 X 34"	61 X 68 X 34"	73 X 72 X 34"	81 X 72 X 34"	97 X 72 X 34"	121 X 72 X 34"
Working Width	48"	60"	72"	80"	96"	120"
Working Depth	4"	4"	4"	4"	4"	4"
Hitch	CAT I	CAT I	CAT I	CAT I	CAT II	CAT II
Weight (lbs)	580	690	750	875	945	1,500
Tires	16.5 X 6.5-8	16.5 X 6.5-8	20.5 X 8.0-10	20.5 X 8.0-10	20.5 X 8.0-10	20.5 X 8.0-10
# of Ripper Teeth	11	15	19	19	23	31
Rear Bar Roller (dia.)	12.75"	12.75"	12.75"	12.75"	12.75"	12.75"
HP Required	15 -40	20 -40	25-70	30-100	30-100	50-120
Base Unit	\$5,763	\$6,102	\$6,802	\$7,480	\$8,565	\$11,550

Multi-Groomer w/ Lift Axle		MG60-LA	MG72-LA	MG80-LA	MG96-LA	MG120-LA
Weight (lbs)		740	945	1,000	1,160	1,575
With Lift Axle		\$7,876	\$8,468	\$9,145	\$9,925	\$14,086

Model Specific Options	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price
Leveling Blade	MGLB48	\$504	MGLB60	\$564	MGLB72	\$663	MGLB80	\$701	MGLB96	\$775	MGLB120	\$990
Smooth Roller	MG7148	\$1,702	MG7160	\$1,804	MG7172	\$1,900	MG7180	\$2,104	MG7196	\$2,331	N/A	N/A
Drag Packer/Sealer Attachment	N/A	N/A	MGDPS60	\$4,998	MGDPS72	\$5,087	MGDPS80	\$5,342	MGDPS96	\$5,661	MGDPS120	\$11,297
Multi Groomer Grading Bar*	N/A	N/A	N/A	N/A	MGGB72	\$1,590	MGGB80	\$1,765	MGGB96	\$1,925	MGGB120	\$2,450

NOTE: NOT COMPATIBLE WITH LIFT AXLE

Universal Options	Part Number	Price
CAT I, 3PH, 22° Swivel Hitch	3PHSWL-CATI	\$2,660
CAT II, 3PH, 22° Swivel Hitch	3PHSWL-CATII	\$3,875
Tow Hitch (Heavy Duty, Adjustable)	MGTH	\$815
Board Scraper	MGBS	\$885
96" Ripper Attachment (CAT II)	MGRIP96	\$7,567
Electric Actuator 100mm Stroke	EAC100AS	\$1,600
Electric Actuator 200mm Stroke	EAC200AS	\$1,850
Ripper Tooth	MG011	\$37
Ripper Shank	MG012	\$47
Replaceable Shank Tip- Chromium Carbon	GEN43	\$38
Replaceable Shank Tip- Chromium Carbon (Carbide Tip)	GEN43C	\$88
Ripper Cylinder 2" x 8"	20FEM08-NW	\$236
Hose Kit With Male Pioneer Ends	H-KIT	\$183



MULTI-GROOMER


TOW HITCH

- Add tow hitch to tow behind tractor or appropriate vehicle



SMOOTH ROLL WATER TANK

- Add this attachment to get the smoothest finish
- Add water for more compaction




SAW TOOTH LEVELING BLADE

- Levels sand footing



BOARD SCRAPER

- Get a nice finish from your machine even close to boards of arenas with the board scraper attachment
- Thick rubber to not damage boards



HYDRAULIC RIPPER BAR

- Aggressive ripper
- Depth up to 8" deep
- Hydraulically lift ripper out of the way
- Connects to 3PH of MultiGroomer



RIPPER TOOTH (MG011)

- Resistant to wear
- Replaceable tooth



RIPPER SHANK (MG012)

- Resistant to wear



REPLACEABLE SHANK TIP

- Resistant to wear
- Chromium carbon



MULTI-GROOMER

CAT I SWIVEL HITCH

- Swivel hitch (CAT I)
- Turns 22 degrees each way
- Unique self-straightening feature when 3PH is raised
- Lock pin for hard and tough footings




CAT II SWIVEL HITCH

- CAT II Hitch for CAT II tractors



MUTLI GROOMER W/ HYDRAULIC LIFT AXLE

- Hydraulically control depth of ripper teeth with axle adjustment



DRAG PACKER/SEALER

- Pack and seal up synthetic footings
- Hydraulic lift



MULTI-GROOMER PONY

EQUESTRIAN



ABOUT THE MULTI-GROOMER PONY

- Heavy duty side rub rails
- Double row of adjustable ripper teeth are offset and have a spacing of 4" as well as a working depth of up to 4"
- The rear two rows of spring tines are offset and the pitch and height can be adjusted with a manual ratchet rack or the optional hydraulic cylinder
- The rear bar roller pulverizes and packs to the desired density

Multi-Groomer PONY	MGP48	MGP60	MGP72	MGP84
Dimensions (WLH)	48 X 51 X 34"	61 X 51 X 34"	73 X 51 X 34"	85 X 51 X 34"
Working Width	48"	60"	72"	84"
Working Depth	4"	4"	4"	4"
Hitch	CAT I	CAT I	CAT I	CAT I
Weight (lbs)	330	385	475	550
Tires	16.5 X 6.5-8	16.5 X 6.5-8	20.5 X 8.0-10	20.5 X 8.0-10
# of Ripper Teeth	11	15	17	19
Rear Bar Roller (Dia.)	8.75"	8.75"	8.75"	8.75"
HP Required	25 MAX	25 MAX	35 MAX	35 MAX
Base Unit	\$4,486	\$4,972	\$5,932	\$6,441

Model Specific Options	Part Number	Price	Part Number	Price	Part Number	Price	Part Number	Price
Leveling Blade (PONY)	MGPLB48	\$478	MGPLB60	\$546	MGPLB72	\$612	MGPLB84	\$678

Universal Options	Part Number	Price
CATI, 3PH, 22° Swivel Hitch	3PHSWL-CATI	\$2,660
MultiGroomer PONY Tow Hitch	MGPTH	\$600
Multigroomer PONY Rear Wheel Kit	MGPW-KIT	\$858
Ripper Tooth	MGP01	\$30
Electric Actuator 100mm Stroke	EAC100AS	\$1,600
Electric Actuator 200mm Stroke	EAC200AS	\$1,850



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.

MULTI-GROOMER PONY

REAR WHEEL KIT

- Drop and lock wheels down manually to transport



TOW HITCH

- Add tow hitch to tow behind tractor or appropriate vehicle



RIPPER TOOTH MGP01

- Replaceable tooth



LEVELING BLADE

- Levels sand footing



SWIVEL HITCH CAT I

- Turns 22 degrees each way
- Unique self-straightening feature when 3PH is raised
- Lock pin for hard and tough footings



ROTOGROOMER

EQUESTRIAN



ABOUT THE ROTOGROOMER

- Carbide toothed single direction drive rotor
- PTO Driven 540 RPM with slip clutch protection
- 12" rear smooth packing roll with self-adjusting scraper
- Water can be added to rear packer roll for extra weight

RotoGroomer	PTORG72	PTORG96
HP Required	20-80	40-80
Working Width	72"	96"
Height	30"	30"
Weight (lbs)	800	1,000
Hitch	CAT I	CAT II
Drum Speed (RPM)	200	200
Base Unit	\$13,200	\$15,675

Model Specific Options	Part Number	Price	Part Number	Price
3PH, 22° Swivel Hitch	3PHSWL-CATI	\$2,424	3PHSWL-CATII	\$3,528
Ripper Bar	PTORG72-RIP	\$2,394	PTORG96-RIP	\$2,814

Universal Options	Part Number	Price
Floating Spill Shield Kit	RGFSS	\$780
Board Scraper	RGBS	\$885



ROTOGROOMER

PULVERIZER ROLLER

- Replaces smooth packer roller for a patterned finish



CAT II SWIVEL HITCH

- Turns 22 degrees each way
- Unique self-straightening feature when 3PH is raised
- Lock pin for hard and tough footings



BOARD SCRAPER

- Get a nice finish from your machine even close to boards of arenas with the board scraper attachment
- Thick rubber to not damage boards



CAT I SWIVEL HITCH

- Turns 22 degrees each way
- Unique self-straightening feature when 3PH is raised
- Lock pin for hard and tough footings




RIPPER BAR

- Ripper bar add on for the RotoGroomer to rip up ground and mix footing material
- Ripper height adjusts in 1" increments
- Teeth can be spaced at 8, 12 & 16"



FLOATING SPILL SHIELD KIT

- Stop overflow spillage with this shield kit



WEIGHTS & DIMENSIONS

Landscaper	PART #	Weight	Dimensions
Smooth Roller 48"	505548	180 LBS	48X13X13"
Smooth Roller 60"	505560	215 LBS	60X13X13"
Smooth Roller 72"	505572	245 LBS	72X13X13"
Smooth Roller 84"	505584	270 LBS	84X13X13"
Smooth Roller 96"	505596	315 LBS	13X13X96"
6" (CATI) Hitch Extension set	1000HE	45 LBS	20X7X6"
Ripper Cylinder - 2"x8"	20FEM08-NW	20 LBS	23X4X4"
Brush 48"	BR48	110 LBS	27X16X48"
Brush 60"	BR60	125 LBS	16X60X27"
Brush 72"	BR72	132 LBS	16X72X27"
Brush 84"	BR84	140 LBS	16X84X27"
Brush 96"	BR96	150 LBS	16X96X27"
Harrow Cylinder - 2"x5"	CYL-S	20 LBS	24X4X4"
Push/Pull Hitch	FMH	155 LBS	26X48X23"
Hose Kit with Male Pioneer Ends	H-KIT	5 LBS	-
Hydraulic Top Link (CATII) - 10" Stroke	HTC	20 LBS	4X23X4"
Board Scraper	LBS	23 LBS	11X26X9"
Landscaper Base Unit 48"	P48	350 LBS	49X38X33"
Landscaper Base Unit 60"	P60	570 LBS	61X38X33"
Landscaper Base Unit 72"	P72	701 LBS	73X38X33"
Landscaper Base Unit 84"	P84	745 LBS	85X38X33"
Landscaper Base Unit 96"	P96	833 LBS	97X38X33"
Heavy Landscaper Base Unit 96"	P96H	945 LBS	46X99X34"
Push/Pull Hitch with Hydraulic Angling	PFMH	325 LBS	26X49X24"
Ripper 48"	RIP48	125 LBS	15X46X10"
Ripper 60"	RIP60	135 LBS	15X55X10"
Ripper 72"	RIP72	148 LBS	15X67X10"
Ripper 84"	RIP78/84	150 LBS	15X73X10"
Ripper (fits CATI only) 96"	RIP96	215 LBS	15X91X10"
Ripper (fits CATII only) 96"	RIP96H	215 LBS	15X92X10"
Rear Long Tine Rake Attachment (for D60 only) 60"	RLTR-60	80 LBS	24X61X17"
Rear Long Tine Rake Attachment (for D72 only) 72"	RLTR-72	125 LBS	29X72X15"
Rear Long Tine Rake hydraulic attachment (for 84 only) 84"	RLTR-84	180 LBS	30X86X22"
Skid Steer to CATI Quick Hitch Adapter Plate	CATIAP	126 LBS	46X7X27"
Grass Seeder 48"	GS48	110 LBS	24X50X22"
Grass Seeder 60"	GS60	120 LBS	24X62X22"
Grass Seeder 72"	GS72	130 LBS	24X74X22"
Grass Seeder 84"	GS84	160 LBS	24X86X22"
Grass Seeder 96"	GS96	175 LBS	24X98X22"
Harrow 48"	H48	50 LBS	93X17X14"
Harrow 60"	H60	62 LBS	93X17X14"
Harrow 72"	H72	53 LBS	70X17X14"
Harrow 84"	H84	90 LBS	82X17X14"
Harrow 96"	H96	115 LBS	94X17X14"
Skid Steer to CATI Quick Hitch Adapter Plate	CATIAP	165 LBS	46X7X27"

WEIGHTS & DIMENSIONS

AeraSeeder	PART #	WEIGHT	DIMENSIONS
Toolbar Mount 3PH 48"	2AOS48TB	230 LBS	54X71X25"
Toolbar Mount 3PH 48"	2AOS72TB	325 LBS	47X99X25"
Toolbar Mount 3PH 72"	3AOS48TB	300 LBS	46X113X25"
Toolbar Mount 3PH 72"	3AOS72TB	450 LBS	47X168X25"
45 lb Suitcase Weight	45LBW	45 LBS	2-1/2X11X9"
Rear Roller Ext. Kit 48"	48RCSREXT	35 LBS	49X14X8"
8" dia x 4" wide (solid delrin) guage wheel set	4X8GW	12 LBS	8X8X10" SET
Rear Roller Ext. Kit 72"	72RCSREXT	55 LBS	73X14X8"
Rear Roller Ext. Kit 96"	96RCSREXT	70 LBS	97X14X8"
Rear Spiked Roller Kit 24"	AOS-24CC	106 LBS	29X14X11"
Guage Wheel Kit (for AOS24 Self Propelled)	AOS24GW-KIT	15 LBS	28X8X8"
AeraSeeder, 18" wide Self Propelled	AOSCS18SP	310 LBS	27X60X37"
AeraSeeder, 24" wide Self Propelled	AOSCC24SP	455 LBS	60X37X33"
AeraSeeder 48"	AOSCC48	655 LBS	52X31X37"
AeraSeeder 72"	AOSCC72	1350 LBS	44X81X37"
AeraSeeder 96"	AOSCC96	1680 LBS	41X105X37"
AeraSeeder, 24" wide Self Propelled	AOSCS24SP	400 LBS	60X37X33"
AeraSeeder 48"	AOSCS48	530 LBS	36X52X31"
AeraSeeder 72"	AOSCS72	1175 LBS	41X81X37"
AeraSeeder 96"	AOSCS96	1450 LBS	41X105X37"
AeraSeeder 48"	AOSKK48	530 LBS	36X50X31"
AeraSeeder 72"	AOSKK72	1040 LBS	38X81X41"
AeraSeeder 96"	AOSKK96	1300 LBS	38X105X41"
AeraSeeder 48"	AOSKS48	570 LBS	36X52X31"
AeraSeeder 72"	AOSKS72	1075 LBS	41X81X37"
AeraSeeder 96"	AOSKS96	1300 LBS	41X105X37"
Manual Shut-off Kit, 48" model only	MSSSO	10 LBS	-
Tow Dolly 48"	TD48	85 LBS	57X66X16"
Weight Bracket	WB	15 LBS	6X28X5"

In-Fielder	PART #	Weight	Dimensions
Infielder 60"	D60	620 LBS	43X67X31"
Infielder 72"	D72	835 LBS	48X80X32"
Infielder 84"	D84	935 LBS	46X97X33"
50gal. Water Tank, Pump, Switch & Nozzle	WT50G	25 LBS	24X38X20"
Rotary Sweeper Brush, 20" dia, hyd driven	RSB20	140 LBS	28X45X22"
Hand Wand Kit	HWK	3 LBS	-
Tow Kit with Wheels, manual lift with ratchet jacks	ITA	135 LBS	36X43X16"

WEIGHTS & DIMENSIONS

Drag Mat	PART #	Weight	Dimensions
Drag Mat 66"	DM66	105 LBS	20X73X10"
Drag Mat 84"	DM84	118 LBS	20X91X10"
Hitch Extension and Adapter	DMHEX	10 LBS	3X8X13"

RotoRake	PART #	Weight	Dimensions
CAT1 3PH Plate	CAT13PHRR	75 LBS	36X6X20"
RotoRake 48"	RR48	725 LBS	55X57X28"
RotoRake 60"	RR60	1150 LBS	63X69X34"
PTO RotoRake 60"	RR60PTO18G	1370 LBS	66X69X36"
RotoRake 72"	RR72	1220 LBS	63X81X34"
PTO RotoRake 72"	RR72PTO18G	1440 LBS	66X81X36"
RotoRake 84"	RR84	1280 LBS	63X93X34"
PTO RotoRake 84"	RR84PTO18G	1500 LBS	66X93X36"
Angle Cylinder & Hose Kit, ea. (used on tractor remotes)	RRAK	25 LBS	4X23X4"
12V electric valve, harness & hydraulic cylinder, (angle)	RRAKHA	50 LBS	8X23X8"
Rotorake Side Cutters / set	RRSCK	28 LBS	8X6X12" SET
Tilt Cylinder & Hose Kit, ea. (used on tractor remotes)	RRTK	20 LBS	5X21X4"
12V electric valve, harness & hydraulic cylinders, (Angle and Tilt)	RRTKHA	80 LBS	16X23X8"

Lawn Roller	PART #	Weight lbs	Dimensions
Lawn Roller (walk-behind)	LR30	530 LBS	46X62X36"
Ride On Attachment	ROA	180 LBS	NA

WEIGHTS & DIMENSIONS

Multi-Packer	PART #	Weight	Dimensions
Replaceable Tip - Chromium Carbon	GEN43	1.3 LBS	3X5X2"
Ripper Teeth	MG012	5 LBS	4X19X1/2"
Multi-Packer (24" Dia. Roller) 36"	MP36	565 LBS	37X30X40X30"
Multi-Packer (24" Dia. Roller) 48"	MP48	610 LBS	37X52X30"
Multi-Packer (24" Dia. Roller) 60"	MP60	712 LBS	37X64X30"
Multi-Packer (24" Dia. Roller) 72"	MP72	815 LBS	37X76X30"
Multi-Packer (24" Dia. Roller) 84"	MP84	940 LBS	37X88X30"
Multi-Packer (24" Dia. Roller) 96"	MP96	1025 LBS	37X100X30"
Leveling Blade 36"	MPLB36	35 LBS	14X32X4"
Leveling Blade 48"	MPLB48	40 LBS	14X44X4"
Leveling Blade 60"	MPLB60	50 LBS	14X56X4"
Leveling Blade 72"	MPLB72	60 LBS	14X68X4"
Leveling Blade 84"	MPLB84	66 LBS	14X80X4"
Leveling Blade 96"	MPLB96	75 LBS	14X92X4"
Tow Hitch / Draw Bar	MPTH	55 LBS	45X29X8"

Trail Pro	PART #	Weight	Dimensions
TRAILPRO 50"	TP50	1250 LBS	66X55X34"
Rear Roller Attachment 50"	TP50RR	175 LBS	14X54X8"
TRAILPRO 60"	TP60	1420 LBS	66X67X34"
Rear Roller Attachment 60"	TP60RR	185 LBS	14X66X8"
TRAILPRO 72"	TP72	1575 LBS	66X79X34"
Rear Roller Attachment 72"	TP72RR	196 LBS	14X78X8"
TRAILPRO 96"	TP96	-	66X103X33"
Rear Roller Attachment 96"	TP96RR	218 LBS	14X102X8"

HYDRAULIC HORSEPOWER FORMULA

CALCULATE HYDRAULIC HORSEPOWER FROM HYDRAULIC OIL FLOW AND PRESSURE

$\text{psi} \times \text{gpm} \div 1714 \times \text{percentage efficiency (.80 to .95 is common)} = \text{HP}$

Example:

$2500\text{psi} \times 20\text{gpm} \div 1714 \times .85 = 24.8 \text{ HP}$

WEIGHTS & DIMENSIONS

Multi-Groomer	PART #	Weight	Dimensions
MultiGroomer 120"	MG120	1500 LBS	68X121X32"
MultiGroomer with Hydraulic Lift Axle 120"	MG120-LA	1575 LBS	68X121X32"
MultiGroomer 48"	MG48	595 LBS	68X49X32"
MultiGroomer with Hydraulic Lift Axle 48"	MG48-LA	631 LBS	68X49X32"
MultiGroomer 60"	MG60	690 LBS	68X61X32"
MultiGroomer with Hydraulic Lift Axle 60"	MG60-LA	740 LBS	68X61X32"
MultiGroomer Smooth Roller (Water tank) 48"	MG7148	180 LBS	3X48X13"
MultiGroomer Smooth Roller (Water tank) 60"	MG7160	215 LBS	13X60X13"
MultiGroomer Smooth Roller (Water tank) 72"	MG7172	246 LBS	13X72X13"
MultiGroomer Smooth Roller (Water tank) 80"	MG7180	268 LBS	13X80X13"
MultiGroomer Smooth Roller (Water tank) 96"	MG7196	315 LBS	13X96X13"
MultiGroomer 72"	MG72	900 LBS	68X73X32"
MultiGroomer with Hydraulic Lift Axle 72"	MG72-LA	945 LBS	68X73X32"
MultiGroomer 80"	MG80	975 LBS	68X81X32"
MultiGroomer with Hydraulic Lift Axle 80"	MG80-LA	1000 LBS	68X81X32"
MultiGroomer 96"	MG96	1100 LBS	32X68X97X32"
MultiGroomer with Hydraulic Lift Axle 96"	MG96-LA	1160 LBS	68X97X32"
Board Scraper	MGBS	22 LBS	9X20X14"
Drag Packer/Sealer Attachment 120"	MGDPS120	440 LBS	120X72X23"
Drag Packer/Sealer Attachment 60"	MGDPS60	330 LBS	60X72X23"
Drag Packer/Sealer Attachment 72"	MGDPS72	350 LBS	72X72X23"
Drag Packer/Sealer Attachment 80"	MGDPS80	370 LBS	80X72X23"
Drag Packer/Sealer Attachment 96"	MGDPS96	410 LBS	96X72X23"
Leveling Blade 120"	MGLB120	115 LBS	12X112X4"
Leveling Blade 48"	MGLB48	46 LBS	12X42X4"
Leveling Blade 60"	MGLB60	60 LBS	12X54X4"
Leveling Blade 72"	MGLB72	72 LBS	12X68X4"
Leveling Blade 80"	MGLB80	80 LBS	12X74X4"
Leveling Blade 96"	MGLB96	100 LBS	12X84X4"
wide Ripper Attachment (CAT II Hitch) 96"	MGRIP96	680 LBS	88X15X52"
MultiGroomer Tow Hitch (Heavy Duty, Adjustable)	MGTH	45 LBS	29X28X7"

WEIGHTS & DIMENSIONS

Roto Groomer	PART #	Weight	Dimensions
RotoGroomer CATI (540 rpm PTO Drive) 72"	PTORG72	925 LBS	46X82X35"
Ripper Bar Attachment 72"	PTORG72-RIP	175 LBS	20X72X20"
RotoGroomer CATII (540 rpm PTO Drive) 96"	PTORG96	1150 LBS	46X105X35"
Ripper Bar Attachment 96"	PTORG96-RIP	220 LBS	20X93X20"
RotoGroomer Board Scraper	RGBS	23 LBS	11X24X9"
Floating Spill Shield Kit	RGFSS	15 LBS	18X6X3" (SET)

Multi-Groomer Pony	PART #	Weight	Dimensions
MultiGroomer PONY 48"	MGP48	275 LBS	51X46X34"
MultiGroomer PONY 60"	MGP60	325 LBS	51X34X58X34"
MultiGroomer PONY 72"	MGP72	445 LBS	51X34X73X34"
MultiGroomer PONY 84"	MGP84	500 LBS	51X34X85X34"
Leveling Blade (PONY) 48"	MGPLB48	28 LBS	12X42X4"
Leveling Blade (PONY) 60"	MGPLB60	36 LBS	12X54X4"
Leveling Blade (PONY) 72"	MGPLB72	44 LBS	12X68X4"
Leveling Blade (PONY) 84"	MGPLB84	53 LBS	12X80X4"
MultiGroomer PONY Tow Hitch	MGPTH	20 LBS	28X30X5"
Multigroomer PONY Rear Wheel Kit	MGPW-KIT	30 LBS	11X11X19" (TOGETHER)

Universal	PART #	Weight	Dimensions
CATI, 3PH, 22 degree swivel hitch	3PHSWL-CATI	165 LBS	14X36X31"
CATII, 3PH, 22 degree swivel hitch	3PHSWL-CATII	215 LBS	15X39X31"
Hydraulic Top Link (CATII) - 14" Stroke	HTC14	25 LBS	4X27X4"

HYDRAULIC HORSEPOWER FORMULA

CALCULATE HYDRAULIC HORSEPOWER FROM HYDRAULIC OIL FLOW AND PRESSURE

$\text{psi} \times \text{gpm} \div 1714 \times \text{percentage efficiency (.80 to .95 is common)} = \text{HP}$

Example:

$2500\text{psi} \times 20\text{gpm} \div 1714 \times .85 = 24.8 \text{ HP}$