

ABBRIATA®



Square baler M60 SUPER



MADE IN ITALY

 **GENERAL
IMPLEMENT**
DISTRIBUTORS





Machine at work



Rear view with the side pick-up wheel mounted behind



Application third wheel

M60 SUPER

TECHNICAL SPECIFICATIONS

Bale tie	twine			
	cm	34x44	in	13,4x17,3
Bale chamber	cm	34x44	in	13,4x17,3
Straw bale weight	Kg	13 ÷ 20	lb	28 ÷ 44
Hay bale weight	Kg	18 ÷ 28	lb	39 ÷ 62
Bale length	cm	40 ÷ 130	in	16 ÷ 51
Capacity bales/minute		3 ÷ 9		3 ÷ 9
Plunger strokes/minute		90		90
Tractor rating for P.T.O.	CV	20 ÷ 25	HP	20 ÷ 25
Max. width of the pick-up	cm	140	in	54
Weight	Kg	1000	lb	2205
Overall width	cm	210	in	83
Overall width with the side pick-up wheel mounted behind	cm	190	in	75
Length	cm	395	in	155
Height	cm	135	in	53
Tyres		165/80-13	195/75-14 or 7,00-12	

STANDARD EQUIPMENT

Twine knoter - Pick-up jack - Bales counter - Cardan shaft - Third wheel support - Lights (only Italy)

SPECIAL EQUIPMENT

Third wheel - Third wheel with holder - Hydraulic pick-up lift - Hydraulic drawbar adj - Long chute and rear trailer hitch - Wide-angle shaft - Pick-up wheel - Hand brake

Prices Effective as of 1-25



2025 Sitrex M60 Super Baler

List Price

\$31,600

Specifications	M60 Super
Bale Tie	Twine
Bale Chamber	13.4" x 17.3"
Straw Bale Weight	28 - 44 lbs.
Hay Bale Weight	39 - 62 lbs.
Bale Length	16" - 51"
Bales/Minute	3 - 9
Plunger Strokes/Min.	90
Req. PTO H.P.	20 - 25
Max. width Pick-up	54"
Weight	2205 lbs.
Overall Width	83"
Length	155"
Height	53"
Tires	7.0 - 12



RASSPE binder.

Options:	Description	List Price
280.034	Pick-Up Wheel	450
280.028	Hydraulic Pick-Up Lift	875
280.031	Hydraulic Pick-Up Adjustment	\$980

SALT LAKE CITY, UT
800-767-0555

BOISE, ID
800-676-0555

PORTLAND, OR
800-234-0033

BILLINGS, MT
800-772-3165

JAMESTOWN, ND
866-974-2182

WACO, TX
800-227-6367



Prices and Specifications may be subject to change without notice. Prices do not include shipping or setup.