

Pallet Forks

Worksaver



Designed for skid steer or tractor front loaders, our standard pallet forks have rated capacities from 4,000 lbs. to 5,500 lbs. All models feature solid steel alloy forks for long life, with spring loaded latches for easy adjustment spacing.

- Skid steer pallet forks (4,000 lbs.) are offered with a one piece backstop or a step through design for easy cab access and excellent visibility.
- Skid steer models mount with the "Universal" quick-attach mounting system.
- Premium forks include spring loaded latches for easy adjustment spacing.
- Models available with integrated brackets for skid steers, John Deere 400/500/600/700 series loaders, and loaders with euro/global attaching method.
- Pallet Forks for John Deere H480 loader with Global Series II tool carrier.
- Optional interfacing quick-attach brackets available for most other loader models.
- Machined rails allow ease of fork spacing adjustment.



Pallet Fork Specifications

For Skid Steer & Tractor Front Loaders the "Universal" Quick Attach System						For Tractor Loaders
Model	SSPF-442	SSPF-448	SSPF-5548	SSPF-3748	PF-448	
Equipment Used On	Skid Steer Loader	Skid Steer Loader	Skid Steer Loader	Skid Steer Loader	Tractor Loader	
Capacity (lbs/kg)	4,000 / 1,814	4,000 / 1,814	5,500 / 2,495	4,000 / 1,814	4,000 / 1,814	
Frame Construction	Welded Steel	Welded Steel	Welded Steel	Welded Steel	Welded Steel	
Backstop	Step-through	Step-through	Step-through	Single Piece	N/A	
Mounting	"Universal" Skid Steer	"Universal" Skid Steer	"Universal" Skid Steer	"Universal" Skid Steer	Mgt. Brt. Available*	
Fork Spacing (in/mm)	6-40 / 152-1016	6-40 / 152-1016	6-40 / 152-1016	6-40 / 152-1016	6-40 / 152-1016	
Fork Carrier	Beveled Notched Rail	Beveled Notched Rail	Beveled Notched Rail	Beveled Notched Rail	Beveled Notched Rail	
Forks	1.375" x 4" w/Latch	1.375" x 4" w/Latch	1.57" x 4" w/Latch	1.375" x 4" w/Latch	1.375" x 4" w/Latch	
Fork Length (in/mm)	42 / 1067	48 / 1219	48 / 1219	48 / 1219	48 / 1219	
Weight (lbs/kg)	345 / 157	359 / 163	410 / 186	315/143	438 / 199	
Product No.	832400	832415	832495	831370	831830	

John Deere Integrated Frame Pallet Forks

Model	JDPF-5442	JDPF-5448	JDPF-6748	JDPF-H48048	JDPF-H48060
Equipment Used On	JD Front Loader				
Capacity (lbs/kg)	4,000 / 1,814	4,000 / 1,814	5,500 / 2,495	7,500 / 3,402	7,500 / 3,402
Frame Construction	Welded Steel				
Mounting	400 / 500 Series JD	400 / 500 Series JD	600 / 700 Series JD	Global Series II	Global Series II
Fork Spacing (in/mm)	6-40 / 152-1016	6-40 / 152-1016	6-40 / 152-1016	6-56 / 152-1422	6-56 / 152-1422
Fork Carrier	Beveled Notched Rail				
Forks	1.375" x 4" w/Latch	1.375" x 4" w/Latch	1.57" x 4" w/Latch	1.75" x 4.75"	1.75" x 4.75"
Fork Length (in/mm)	42 / 1067	48 / 1219	48 / 1219	48 / 1219	60 / 1524
Weight (lbs/kg)	345 / 157	359 / 163	373 / 169	785 / 356	845 / 383
Product No.	832420	832435	832440	834130	834140

Global (Euro Hook Style) Integrated Frame Pallet Forks

Model	GLPF-442	GLPF-448	GLPF-5548
Equipment Used On	Tractor Front Loader	Tractor Front Loader	Tractor Front Loader
Capacity (lbs/kg)	4,000 / 1,814	4,000 / 1,814	5,500 / 2,495
Frame Construction	Welded Steel	Welded Steel	Welded Steel
Mounting	Euro / Global Carrier	Euro / Global Carrier	Euro / Global Carrier
Fork Spacing	6" to 40"	6" to 40"	6" to 40"
Fork Carrier	Beveled Notched Rail	Beveled Notched Rail	Beveled Notched Rail
Forks	1.375" x 4" w/Latch	1.375" x 4" w/Latch	1.57" x 4" w/Latch
Fork Length (in/mm)	42 / 1067	48 / 1219	48 / 1219
Weight (lbs/kg)	335 / 152	350 / 159	393 / 178
Product No.	832452	832458	832460

*Optional interfacing quick attach brackets available for most popular loaders.

Note: Rated lift capacity is based on a pair of forks with no more than 1/2 - load per fork and load no more than halfway out on each fork.



WARNING: Read and understand the operator's manual before operation. Be sure tractor/skid steer is properly counterbalanced. Damage to equipment or personal injury could occur.

Worksaver



Compact Pallet Forks

Don't let their small size fool you. These pallet forks are designed for compact tractors up to 40 horsepower equipped with a front loader. They incorporate many of the same durability features found in our larger units. Excellent for moving bulky, bagged or palletized materials quickly and easily, saving time and effort.

- Pallet forks are rated at 2,000 lbs.
- Class I solid steel alloy forks for long life.
- Models available with integrated brackets for John Deere 200/300 series loaders, as well as loaders utilizing the universal skid steer system.
- Fits other loaders with our FLPF model & bolt-on interfacing quick attach brackets available for most major compact loader models.

Mini Skid Steer Pallet Forks

Pallet Forks designed for Mini Skid Steers / Compact Tool Carriers. These tools elevate the professional's productivity while offering the large property owner increased flexibility.

- Rated at either 900 lbs. or 2,000 lbs.
- All steel construction.
- Model MPF-2000 utilizes Class I solid steel alloy forks.
- Fits Toro-Dingo, Ramrod, Boxer, Ditch Witch and others with "Universal" mounting system.
- Model available for Bobcat MT-series (MT-50, MT-52, MT-55).



Clamp-On Bucket Forks

These Clamp-On Bucket Forks are built to meet the demands of today's acreage owner. Sturdy construction provides outstanding performance over years of service. Easy on/off design offers the utmost in convenience when moving palletized materials.

- Designed for handling palletized material only.
- Useable fork length of 35 or 42 inches, depending on model.
- Forks extend 14.5 Inches under bucket, 8 in. inside bucket.
- Completely independent – allows fork adjustment to any pallet width.
- Mounts to most loader buckets without the use of tools – easy on/off design.
- Rated from 1,000 to 4,000 lbs. Lift is limited by fork capacity or loader capacity, whichever is less.
- Each fork has a built-in stake pocket for a 2 x 4 to be installed as an upright backstop (recommended).



Compact Pallet Forks Specifications

	FLPF-2000	SSPF-242	JDPF-2000
Equipment Used On	Loaders < 40 hp	Loaders < 40 hp	JD 200 / 300 Series
Weight Capacity (lbs/kg)	2,000 / 907	2,000 / 907	2,000 / 907
Frame Construction	Welded Steel	Welded Steel	Welded Steel
Fork Spacing (in/mm)	6 – 40 / 152 – 1016	6 – 40 / 152 – 1016	6 – 40 / 152 – 1016
Fork Carrier	Beveled Notched Rail	Beveled Notched Rail	Beveled Notched Rail
Forks	1.18" x 3.5" w/Latch	1.18" x 3.5" w/Latch	1.18" x 3.5" w/Latch
Fork Length (in/mm)	42 / 1067	42 / 1067	42 / 1067
Weight (lbs/kg)	270 / 123	290 / 131	280 / 127
Product No.	832525	832520	832530

Note: Rated lift capacity is based on a pair of forks with no more than 1/2 - load per fork and load no more than halfway out on each fork.

Mini Skid Steer Pallet Forks Specifications

	MPF-900	MPF-2000	MPF-2000 B/G
Equipment Used On	Mini Skid Steer	Mini Skid Steer	Bobcat MT-Series
Weight Capacity (lbs/kg)	900 / 408	2,000 / 907	2,000 / 907
Frame Construction	Welded Steel	Welded Steel	Welded Steel
Fork Carrier	Steel Tube	Notched Rail	Notched Rail
Forks	1" x 3" x 31.5"	1.18" x 3" x 42"	1.18" x 3" x 42"
Weight (lbs/kg)	150 / 68	215 / 98	225 / 102
Product No.	832670	832640	832695

Note: Rated lift capacity is based on a pair of forks with no more than 1/2 - load per fork and load no more than halfway out on each fork.

Clamp-On Bucket Fork Specifications



	BF-1000	BF-2000	BF-4000
Weight Capacity (lbs/kg)	1,000 / 453.5	2,000 / 907	4,000 / 1,814
Overall Length (in/cm)	49.5 / 1257	56.5 / 1435	56.5 / 1435
Fork Length (in/mm)	35 / 889	42 / 1067	42 / 1067
Forks (in/mm)	2 x 3 / 51 x 76	2 x 3 / 51 x 76	2 x 4 / 51 x 76
Weight (lbs/kg)	78 / 35	102 / 46	191 / 87
Product No.	831950	831930	831960

Note: Rated lift capacity is based on a pair of forks with no more than 1/2-load per fork and load no more than halfway out on each fork.



WARNING: Read and understand the operator's manual before operation. Be sure tractor/skid steer is properly counterbalanced. Damage to equipment or personal injury could occur.

Material Handling Attachments

Pallet Forks Designed for Use on Skid Steer Loaders					
Interfaces with the "Universal" skid steer quick attach mount. Check if unit was built before 1995.					
Product	Model	Item #	Description	Lbs.	List
	SSPF-442	832400	Skid Steer Pallet Forks with <u>step-through backstop</u> . Rated at 4,000 lbs. Rail style, 42" x 1-3/8" x 4" solid forks.	356	1,393.00
	SSPF-448	832415	Skid Steer Pallet Forks with <u>step-through backstop</u> . Rated at 4,000 lbs. Rail style, 48" x 1-3/8" x 4" solid forks.	370	1,393.00
	SSPF-5548	832495	Skid Steer Pallet Forks step-through backstop. Rated at 5,500 lbs. Rail style	410	1,533.00
	SSPF-5560	832510	Skid Steer Pallet Forks step-through backstop. Rated 5,500 lbs. Rail style, forks 60" x 1.57" x 4"	445	1,750.00
	SSPF-3742	831360	Skid Steer Pallet Forks w/ 42" forks. One Piece backstop Rated 4,000 lbs.	360	1,393.00
	SSPF-3748	831370	Skid Steer Pallet forks w/ 48" forks One-piece backstop Rated 4,000 lbs.	375	1,393.00
	SSPF-3755	831380	Skid Steer Pallet forks w/ One-piece backstop. Rated 5,500 lbs. Rail style	415	1,673.00
	SSPF-3760	831385	Skid Steer Pallet forks w/One-piece back stop Rated 5,500 lbs. Forks are 60"x1.57" x4"	450	1,806.00
Skid Steer Pallet forks rated at 10,000 lbs.					
	SSPF-1048	833500	Skid Steer Pallet Forks with step-through backstop. Rated at 10,000 lbs. Rail style, 48" x 2" x 5" solid forks	TBA	2,793.00
	SSPF-1060	833505	Skid Steer Pallet Forks step-through backstop. Rated 10,000 lbs. Rail style, forks 60" x 2" x 5" solid forks	TBA	3,045.00
	SSPF-1072	833510	Skid Steer Pallet Forks step-through backstop. Rated 5,500 lbs. Rail style, forks 72" x 2" x 5" solid forks	TBA	3,255.00
Pallet Forks Designed for Use on Front Loaders					
	PF-448	831830	Rail Style Front Loader Pallet Forks. Rated at 4,000 lbs. Solid 48" long (1-3/8" x 4") forks. Designed to mount to loaders with center to center between arms up to 50". Optional interfacing brackets Available (pgs. 62-76). NOT FOR USE ON BI-DIRECTIONAL	438	1,533.00
	PF-5548	833540	Rail Style Front Loader Pallet Forks. Rated at 5,500 lbs. Solid 48" long (1-1/2" x 4") forks. Designed to mount to loaders with center to center between arms up to 50". Optional interfacing brackets Available (pgs. 32-76). NOT FOR USE ON BI-DIRECTIONAL	480	1,673.00

Material Handling Attachments


Product	Model	Item #	Description	Lbs.	List
	PF-5560	833545	Rail Style Front Loader Pallet Forks. Rated at 5,500 lbs. Solid 60" long (1.57" x 4") forks. Designed to mount to loaders with center to center between arms up to 50". Optional interfacing brackets Available (pgs. 62-76). NOT FOR USE ON BI-DIRECTIONAL	512	1,806.00

Integrated Frame Pallet Forks for JD 400/500 Series Loaders With JD quick-change attachment carrier, hook and pin style					
	JDPF-5442	832420	Integrated frame pallet forks for John Deere 400/500 / D160 /D170 /H160 / H165 /H180 H240 /H260 series ldr., rated at 4,000 lbs. Solid forks are 1-3/8"x 4"x 42" long.	345	1,505.00
	JDPF-5448	832435	Integrated frame pallet forks for John Deere 400/500 /D160 /D170 /H160 /H165 /H180 H240 /H260 series ldr., rated at 4,000 lbs. Solid forks are 1-3/8"x 4"x 48" long.	359	1,505.00
	JDPF-5460	833520	Integrated frame pallet forks for John Deere 400/500 series loaders. Rated at 5,500 lbs. Forks are 60" x 1.57" x 4"	435	1,813.00

Integrated Frame Pallet Forks With Euro / Global Attaching Method

	GLPF-442	832452	Integrated frame pallet forks for loaders with the Euro / Global attaching method. Forks are 42" long (1-3/8 "x 4"). Rated at 4,000 lbs.	335	1,505.00
	GLPF-448	832458	Integrated frame pallet forks for loaders with the Euro / Global attaching method. Forks are 48" long (1-3/8 "x 4"). Rated at 4,000 lbs.	350	1,505.00
	GLPF-5548	832460	Integrated frame pallet forks for loaders with the Euro / Global attaching method. Forks are 48" long (1 -1/2 "x 4"). Rated at 5,500 lbs.	393	1,533.00
	GLPF-5560	833530	Integrated frame pallet forks for loaders with the Euro/Global attaching method. Rated at 5,500 lbs. Forks are 60" x 1.57" x 4"	425	1,785.00



Clamp-On Bucket Pallet Forks – Pair

	BF-1000	831950	Clamp-On Bucket Pallet Forks – 1,000 lbs. capacity. 35" useable tine length. Fits most loader buckets. Socket for 2x4 backstop.	78	581.00
	BF-2000	831930	Clamp-On Bucket Pallet Forks – 2,000 lbs. capacity. 42" useable tine length. Fits most loader buckets. Socket for 2x4 backstop.	102	651.00
	BF-4000	831960	Clamp-On Bucket Pallet Forks – 4,000 lbs. capacity. 42" useable tine length. Fits most loader buckets. Socket for 2x4 backstop.	168	1,071.00

Misc. Forks Replacements sold in pairs

		832516	Pair of 36" Replacement Forks (Class I) rail mount rated 1,250 lbs. for SSPF-1236, JDPF-1236, MPF-1200	94	427.00	
		832536	Pair of 42" Replacement forks (Class I) rail mount rated 2,400 lbs. for JDPF-2000, SSPF-242	122	529.20	
		831369	Pair of 42" Replacement Forks (Class-II) Rail Mount rated 4,000 lbs. for SSPF-3742, SSPF-442, JDPF-5442	175	784.00	
		831379	Pair of 48" Replacement Forks (Class-II) Rail Mount rated 4,000 lbs. for SSPF-3748, SSPF-448, JDPF-5448, PF-448	196	735.00	
		832475	Pair of 48" Replacement Forks (Class-II) rated at 5,500 lbs. for GLPF-5448, SSPF-5548	226	784.00	
		832512	Pair of 60" Replacement Forks (Class-II) rated at 5,500 lbs. for SSPF-5560, SSPF-3760, JDPF-5460, JDPF-6760 GLPF-5560	270	994.00	
		834090	Pair of 48" Replacement forks (Class III) Rail mounted 1.75" x 4.75" x 48" rated at 7,500 lbs.	266	1,099.00	
		834091	Pair of 60" Replacement forks (Class III) Rail mounted 1.75" x 4.75" x 60" rated at 7,500 lbs.	370	1,295.00	
		833534	Pair of 48" Replacement forks (Class III) Rail mounted 2" x 5" x 48" rated at 10,000 lbs.	362	1,505.00	
		833536	Pair of 60" Replacement forks (Class III) Rail mounted 2" x 5" x 60" rated at 10,000 lbs.	428	1,767.00	
		833538	Pair of 72" Replacement forks (Class III) Rail mounted 2" x 5" x 72" rated at 10,000 lbs.	494	2,044.00	
		2504274	Latch Repair Kit for Class I/II fork tines	0.40	24.00	
		2504282	Latch Repair Kit for Class III fork tines	0.40	24.00	

Material Handling Attachments

Pallet Forks for Compact Tractors Units feature Class I forks rated at 2,400 lbs. for the pair. Forks feature spring-loaded toggle latches for positioning					
	JDPF-2000	832530	Integrated frame pallet forks for John Deere 200/300 / D120/ D160/ D170/ H120/ H130 H160/ H165 loaders (not compatible with 240,245,260,265) JD hook & pin. Rail style rated at 2,400 lbs. Solid forks, 1.18"x 3"x 42"	247	1,155.00
	SSPF-242	832520	Integrated frame pallet forks for compact tractor loaders that utilize the "universal" skid steer attachment system. Rail style rated at 2,400 lbs. Solid forks 1.18"x3"x42"	266	1,119.00
Sub-Compact Pallet Forks Units feature forks rated at 1,250 lbs. for the pair. Forks use spring-loaded toggle latches for positioning					
	SSPF-1236	833300	Pallet forks for Sub-Compact tractors rated at 1,250 lbs. Skid steer type mount. Class I forks 1" x 3" x 36"	208	917.00
	SSPF-1242	833350	Pallet Forks Sub-Compact rated 1,250 lbs. Skid steer mount Class I forks 1.18x3x42	245	973.00
	JDPF-1236	833320	Pallet forks for 200X, 200CX, D120, H120, H130, D160, H160 loaders, rated at 1,250 lbs. JD hook & pin QA mount. Class I forks 1" x 3" x36"	200	987.00
	JDPF-1242	833340	Pallet forks for 200X, 200CX, D120, H120, H130, D160, H160 loaders, rated at 1,250 lbs. JD hook & pin QA mount. Class I forks 1.18" x 3" x42"	237	1,043.00
Mini Skid Steer / Compact Tool Carrier Pallet Forks Designed for mini skid steers with the "universal" attaching system (Toro Dingo, Ditch Witch, Ramrod, etc.) Models are also available for Bobcat MT-50, MT-52, MT-55 and Gehl 1640E					
	MPF-1200	833310	Designed for Mini Skid Steers / Compact Tool Carries, forks that are 1"x3"x36" w/ universal mini mount rated at 1,200 lbs.	160	875.00
	MPF-2000	832640	Designed for Mini Skid Steers / Compact Tool Carries features forks that are 1.18"x3"x42" w/ universal mini mount Rated at 2,000 lbs.	215	1,015.00
	MPF-2000 B/G	832695	Designed for Bobcat MT-series (MT-50, MT-52, MT-55) and S-70 also Gehl 1640E unit features forks that are 1.18"x3"x42" Rated at 2,000 lbs.	225	1,050.00
	MPF-1200 B/G	833330	Designed for Bobcat MT-series (MT-50, MT-52, MT-55) and S-70 also Gehl 1640E. Unit features forks that are 1"x3"x36" Rated at 1,200 lbs.	185	938.00

Electric Pallet Fork Clamp

Designed for Sub-Compact Tractors up to 32 Engine HP.

Mounts to pallet fork frames that uses Class-I forks (13" vertical spacing on carriage height)

Clamp is controlled by a linear actuator, direct wired to tractors' battery to provide power.

Note: Clamp is designed to hold loose brush, logs, trimmings and other loose material against the pallet fork tines. It is **NOT** built for pushing, pulling or lifting heavy objects.

	EPFC-1	834240	36" long Electric Pallet Fork Clamp for Sub-compact tractors w/loader. Includes wiring harness and push button switch to allow installation with connection to tractor battery. Mounts to rail of pallet fork frame with 13" vertical spacing on carriage height	75	1,795.00
---	---------------	--------	--	----	----------