Worksaver

Snow Blades

Designed for skid steers and tractor front loaders, heavy duty snow blades remove snow easily from driveways, parking lots or other large areas. Available in 5, 6, 7½ and 9 foot widths. 7½′ and 9′ blades feature 5 degree lateral oscillation allowing these wider blades to easily follow the ground contour. SBS models utilize the "Universal" skid steer mounting system. SBFL models offer interfacing brackets for most tractor front loaders. SBC models easily install on compact tractors by clamping onto the bucket for fast snow removal.

- Ideal for residential or commercial snow removal.
- Two trip springs for controlled break over in snow.
- Blade floats to clean uneven surfaces.
- Reinforced 21″ or 27″ high 10-gauge moldboards provide long service life.
- 3/8″ x 6″ reversible cutting edge of 1044 steel.
- Two clamp-on models for compact tractors.
- Step-through design allows for easy access to skid steer seat.
- Quick hook up on skid steers or front loaders equipped with "Universal" mounting plate.
- Select models integrate either the Euro/Global or John Deere 400/500 series mounting for easier hook up.
- Blade angles right or left.
- Adjustable skid shoes are ½″ thick and rotate for longer life.

Adjustable skid shoes are standard

GENERAL IMPLEMENT DISTRIBUTORS

Snow Blades Specifications

For skid steers and tractors with a recommended HP of 40-95 HP.

	SBFL-27108A	SSB-27108A	SBG-27108A	SBJD-27108A	SBFL-2790A	SBS-2790A	SBG-2790A	SBJD-2790A
Overall Width (in/cm)	108 / 274	108 / 274	108 / 274	108 / 274	90 / 229	90 / 229	90 / 229	90 / 229
Overall Height (in/cm)	27 / 69	27 / 69	27 / 69	27 / 69	27 / 69	27 / 69	27 / 69	27 / 69
Moldboard Thickness	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge
Cutting Edge (in/mm) 3/8 x 6 / 9.525 x 152.4	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
5° Lateral Oscillation	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Extension Trip Springs	2	2	2	2	2	2	2	2
Manual Angle Positions	N/A	N/A	N/A	N/A	5	5	5	5
Width @ Full Angle	96 / 244	96 / 244	96 / 244	96 / 244	80 / 203	80 / 203	80 / 203	80 / 203
Tractor Loader Mount	*Brackets Req.	N/A	Euro / Global	400 / 500 JD	*Brackets Req.	N/A	Euro / Global	400 / 500 JD
Skid Steer Mount	N/A	Universal	N/A	N/A	N/A	Universal	N/A	N/A
Adjustable Skid Shoes	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Horse Power Rating	50-95 HP	50-95 HP	50-95 HP	50-95 HP	40-80 HP	40-80 HP	40-80 HP	40-80 HP
Weight (lbs/kg)	748 / 339	735 / 333	717 / 325	765 / 347	660 / 299	646 / 293	630 / 286	675 / 306
Hydraulic Angle Kit	Standard	Standard	Standard	Standard	Optional	Optional	Optional	Optional
Crossover Ref. Valve	Standard	Standard	Standard	Standard	Optional	Optional	Optional	Optional
Optional Top Deflector	360230	360230	360230	360230	360227	360227	360227	360227
Optional Sight Indicator	360235	360235	360235	360235	360235	360235	360235	360235
Product No.	360075	360070	360078	360275	360040	360000	360090	360270

*Optional interfacing quick attach brackets available for most popular models.

WARNING: Read and understand the operator's manual before operation. Be sure tractor/skid steer is properly counterbalanced. Damage to equipment or personal injury could occur.

GENERAL IMPLEMENT DISTRIBUTORS

Choose Worksaver For All Your Land Management

Worksaver

Snow Blades Specifications

Models 2160 & 2172 are for skid steers and tractors with a recommended HP of 25-45 HP. SBC clamp-on models are for tractors with a recommended HP up to 35 HP.

	SBFL-2172	SBS-2172	SBC-2172	SBJD-2172	SBFL-2160	SBS-2160	SBC-2160	SBJD-2160
Overall Width (in/cm)	72 / 183	72 / 183	72 / 183	72 / 183	60 / 152	60 / 152	60 / 152	60 / 152
Overall Height (in/cm)	21 / 53	21 / 53	21 / 53	21 / 53	21 / 53	21 / 53	21 / 53	21 / 53
Moldboard Thickness	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge	10-gauge
Cutting Edge (in/mm) 3/8 x 6 / 9.525 x 152.4	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Extension Trip Springs	2	2	2	2	2	2	2	2
Manual Angle Positions	5	5	5	5	5	5	5	5
Width @ Full Angle	62 / 157	62 / 157	62 / 157	62 / 157	52 / 132	52 / 132	52 / 132	52 / 132
Tractor Loader Mount	*Brackets Req.	N/A	Clamp-On	200 / 400 JD	*Brackets Req.	N/A	Clamp-On	200 / 400 JD
Skid Steer Mount	N/A	Universal	N/A	N/A	N/A	Universal	N/A	N/A
Adjustable Skid Shoes	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Horse Power Rating	<45 HP	<45 HP	<35 HP	<45 HP	<45 HP	<45 HP	<35 HP	<45 HP
Weight (lbs/kg)	360 / 163	353 / 160	335 / 152	373 / 169	335 / 152	325 / 147	305 / 138	345 / 156
Hydraulic Angle Kit	Optional	Optional	N/A	Optional	Optional	Optional	N/A	Optional
Crossover Ref. Valve	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Optional Top Deflector	360223	360223	360223	360223	360220	360220	360220	360223
Optional Sight Indicator	360235	360235	360235	360235	360235	360235	360235	360235
Product No.	360160	360130	360290	360225	360140	360100	360280	360250

*Optional interfacing quick attach brackets available for most popular models.

GENERAL IMPLEMENT DISTRIBUTORS

Snow Blades for Skid Steers & Front Loaders

All snow blades have trip springs for controlled break over in snow, or lock for light grading of loose dirt or gravel. All have 3/8" x 6" reversible steel cutting edges/ height adjustable skid shoes (6" x ½" thick) rotate for long wear. Manual angle adjustment is std. on 5-ft., 6-ft., & 7.5-ft. models (optional hyd. angle kits avail.). 9-ft. blades have hyd. angle adj. & cross-over relief valve as std. equip. 7.5-ft. & 9-ft. models have 5° lateral oscillation feature as std. equip.

Product	Model	Item #	Description	Lbs.	List
	Recommended HP 50 – 95 / Maximum Operating Weight 10,000 lbs.				
	**SBS-27108A**	360070	HD 9-ft Snow Blade for skid steer loaders. 5° lateral oscillation and hyd. angle adj. with cross-over relief valve, 27" high moldboard.	735	4,705.00
	SBFL-27108A	360075	HD 9-ft Snow Blade for tractor front loaders. 5 °lateral oscillation and hyd. angle adj. With cross-over relief valve, 27" high moldboard. Opt. interfacing brackets	748	4,910.00
	SBG-27108A	360078	HD 9-ft. Snow Blade for tractor front loaders w/ Global / Euro carrier system. 5° degree lateral oscillation and hyd. Angle adj. w/ crossover relief valve, 27" high moldboard.	717	4,985.00
	SBJD-27108A	360275	HD 9-ft. Snow Blade for JD 400/500 series front loaders. 5° degree lateral oscillation and hyd. Angle adj. w/ crossover relief valve, 27" high moldboard	765	5,090.00
	Recommended HP 40 –80 / Maximum Operating Weight 10,000 lbs.				
	SBS-2790A	360080	HD 7.5-ft Snow Blade for skid steer loaders. 5° lateral oscillation & man. angle adj. std. 27" high moldboard.	646	3,370.00
		360165	Opt. Hyd. Angle Adj. Kit for SBS-2790A installed on a skid steer. Cylinders, 6' hoses / flat faced couplers	45	819.00
	SBFL-2790A	360085	HD 7.5-ft Snow Blade for tractor front loaders. 5 °lateral oscillation and man. angle adj. std. 27" high moldboard. Opt. interfacing brackets	660	3,490.00
	SBG-2790A	360090	HD 7.5-ft. Snow Blade for tractor front loaders w/ Global / Euro carrier system. 5° lateral oscillation and man. Angle adj. std. 27" high moldboard.	630	3,565.00
	SBJD-2790A	360270	HD 7.5-ft. Snow Blade for JD 400/500 series front loaders. 5° lateral oscillation and man. Angle adj. std. 27" high moldboard	675	3,765.00
		360168	Opt. Hyd. Angle Adj. Kit for SBFL-2790A, SBG-2790A, or SBS-2790A installed on a front loader. Incl. cylinders, fittings / hoses between cylinders. **Does not include remote hoses / quick couplers.**	40	511.00
		360065	Opt. crossover relief valve. Fits all hyd. angle adj. kits for snow blades. Protects blade from damage.	**7**	392.00
		360161	Hose kit for tractors equipped with loader mounted 3rd function valve to interface with Snow Blades with Hydraulic Angle Kit. Includes 84" hoses, adapters, and ISO couplers		165.00

Land Management Attachments

Snow Blades for Skid Steers & Front Loaders

Designed for Tractors and Skid Steers 40 hp. and Less

All snow blades have trip springs for controlled break over in snow and lock for light grading of loose dirt or gravel. All have 3/8" x 6" reversible hard steel cutting edge and height adjustable skid shoes (6" x ½" thick) that rotate for long wear. Manual angle adjustment is standard on 5-ft., 6-ft. models

Product	Model	Item #	Description	Lbs.	List
	Recommended HP 25 - 45 / Maximum Operating Weight 5,000 lbs.				
	SBS-2160	360100	5-ft. Snow Blade for compact tractors 40-hp or less w/ loaders that utilize the "Universal" quick-attach system. 21" high moldboard.	325	2,465.00
	SBFL-2160	360140	5-ft. Snow Blade for compact tractors 40-hp or less. 21" high moldboard. Shipped less brackets. Optional interfacing brackets	335	2,545.00
	SBJD-2160	360250	5-ft Snow Blade for JD 200/300/400/D120/H120/H130/D160/H160 H165 (not compatible with 240,245 260,265) loaders equipped with JD QA System.	345	2,595.00
	Recommended HP 25 - 45 / Maximum Operating Weight 5,000 lbs.				
	SBS-2172	360130	6-ft. Snow Blade for compact tractors 40-hp or less w/ loaders that utilize the "Universal" quick-attach system. 21" high moldboard.	353	2,550.00
	SBFL-2172	360160	6-ft. Snow Blade for compact tractors 40-hp or less. 21" high moldboard. Shipped less brackets. Optional interfacing brackets .	360	2,585.00
	SBJD-2172	360255	6-ft Snow Blade for JD 200/300/400/D120/H120/H130/D160/H160 H165 (not compatible with 240,245,260,265) loaders equipped with JD QA System.	373	2,750.00
		360170	Optional Hydraulic Angle Adjustment Kit for SBS & SBFL - 5-ft and 6-ft. snow blades. Includes cylinders, fittings and hoses between cylinders. **Does not include hoses to tractor remotes or quick couplers.**	40	588.00
		360065	Optional crossover relief valve. Fits all hydraulic angle adjustment kits for snow blades. Protects blade from damage.	**7**	392.00
		360220	Optional top deflector for 5-ft blade		177.00
		360223	Optional top deflector for 6-ft blade		206.00

Optional Rubber Cutting Edge Kits for 5, 6, 7.5 and 9 foot Snow Blades.
Includes Rubber edge, Retaining Bar & Hardware

	Edge Kit	358054	Rubber cutting edge kit for 5-ft Blade		336.00
	Edge Kit	358056	Rubber cutting edge kit for 6-ft Blade		378.00
	Edge Kit	358058	Rubber cutting edge kit for 7.5-ft Blade		469.00
	Edge Kit	358059	Rubber cutting edge kit for 9-ft Blade		511.00

Land Management Attachments

Snow Blades Continued					
Product	**Model**	**Item #**	**Description**	**Lbs.**	**List**
		360227	Optional top defector for 7.5-ft blade		236.00
		360230	Optional to deflector for 9-ft blade		294.00
		358058	Rubber cutting edge kit for 7.5-ft blade		469.00
		358059	Rubber cutting edge kit for 9-ft blade		511.00
		360235	Optional sight indicator (pair) for all blades		59.00
Clamp-on Snow Blades for Compact Tractors up to 35 hp. Easily clamps on to the bucket for quick installation					
	**SBC-2160**	360280	5-ft Clamp-on Snow Blade for compact tractors. Uses chain & turnbuckle system. Moldboard height 21-inches	305	2,305.00
	SBC-2172	360290	6-ft Clamp-on Snow Blade for compact tractors. Uses chain & turnbuckle system. Moldboard height 21-inches	335	2,395.00
Mini Skid Steer Snow Blades Models available for universal mount or Bobcat MT-Series					
	**SBMS-50**	360245	Designed for Mini Skid Steers / Compact Tool Carriers, Moldboard is 50” wide with dual trip springs, reversible cutting edge. 21” high moldboard	280	2,275.00
	SBMS-50 B/G	360260	Designed for Bobcat MT – series (MT-50, MT-52, MT-55) & S-70 and Gehl 1640E Moldboard is 50” wide with dual trip springs, reversible cutting edge. 21” high moldboard	285	2,345.00
	Hyd. Kit	360172	Optional Hydraulic Angle kit for Mini Skid Steer snow blade. Includes cylinder, all hoses, flat face couplers		710.00

Worksaver®

Land Management Attachments

20-Series Snow Pushers for Sub-Compact Tractors

Designed to fit Sub-Compact tractors with loaders that utilize either the "universal" skid steer attaching system or John Deere loaders using the 200/300, D120, H120, H130, hook and pin attaching system. **20-Series** Snow Pusher is 20" deep and 20" tall. Replaceable 1" x 4" rubber cutting edge (reversible) is standard on the "R" models and 3/8" x 4" (reversible) harden steel cutting edge is standard on the "M" models. Optional Pull-Back Kits are available.

Product	Model	Item #	Description	Lbs.	List
20-Series Designed for use on loaders using the universal skid steer attaching system Recommended up to 30 HP, Maximum Operating Weight 1,800 lbs.					
	SPS-2048R	358160	4-ft Snow Pusher with Rubber Cutting Edge	146	1,259.00
	SPS-2048M	358165	4-ft Snow Pusher with Metal Cutting Edge	163	1,225.00
	SPS-2060R	358170	5-ft Snow Pusher with Rubber Cutting Edge	159	1,316.00
	SPS-2060M	358175	5-ft Snow Pusher with Metal Cutting Edge	180	1,274.00
20-Series Designed for use on John Deere Loaders with the 200/300/D120/H120/H130 quick-change attachment carrier (hook & pin) Recommended up to 30 HP, Maximum Operating Weight 1,800 lbs.					
	SPJD-2048R	358180	4-ft JD Snow Pusher w/ Rubber Edge	131	1,259.00
	SPJD-2048M	358185	4-ft JD Snow Pusher w/ Metal Edge	148	1,225.00
	SPJD-2060R	358190	5-ft JD Snow Pusher w/ Rubber Edge	145	1,316.00
	SPJD-2060M	358195	5-ft JD Snow Pusher w/ Metal Edge	166	1,274.00
Pull-Back Kits for 20-Series Snow Pushers, ideal for pulling snow away from overhead doors					
Pull-Back kit with Replaceable Rubber Cutting Edge					
	4-ft Pull-Back	358200	4-ft Pull-Back Kit w/rubber edge	37	427.00
	5-ft Pull-Back	358205	5-ft Pull-Back Kit w/rubber edge	46	532.00
Pull-Back Metal Cutting Edge					
	4-ft Metal Pull-Back	358230	4-ft Metal Pull-Back Kit for 20-Series	27	175.00
	5-ft Metal Pull-Back	358235	5-ft Metal Pull-Back Kit for 20-Series	32	189.00
Rubber Cutting Edge Kits for 20-Series Snow Pushers. Includes Rubber edge, Retaining Bar & Hardware					
	Edge Kit (R)	358210	Rubber cutting edge kit for 4-ft Pusher	35	259.00
	Edge Kit (R)	358220	Rubber cutting edge kit for 5-ft Pusher	44	306.00
Metal Cutting Edge Kits for 20-Series Snow Pushers Includes Metal edge & Hardware					
	Edge Kit (M)	358215	Metal cutting edge kit for 4-ft Pusher	22	147.00
	Edge Kit (M)	358225	Metal cutting edge kit for 5-ft Pusher	27	170.00
Poly Skid Shoe Kit for 20-Series Snow Pushers					
	Poly Skid Shoes Kit	358240	Pair of Poly Skid Shoes for 20-Series pushers. Includes mounts & hardware	27	329.00

GENERAL IMPLEMENT DISTRIBUTORS

Worksaver®

Land Management Attachments

24-Series Snow Pushers

Designed to fit Compact tractors with loaders that utilize the "universal" skid steer attaching system. Models are also available for John Deere loaders using the 200/300/400 attaching system. **24-Series** Snow Pusher is 24" deep and 24" tall. Replaceable 1" x 6" rubber cutting edge (reversible) is standard on the "R" models and 3/8" x 6" (reversible) harden steel cutting edge is standard on the "M" models. Optional Pull-Back Kits are available.

Product	Model	Item #	Description	Lbs.	List
24-Series Designed for use on loaders using the universal skid steer attaching system Recommended up to 40 HP, Maximum Operating Weight 3,500 lbs.					
	SPS-2460R	358000	5-ft Snow Pusher with Rubber Cutting Edge	390	1,757.00
	SPS-2460M	358005	5-ft Snow Pusher with Metal Cutting Edge	410	1,722.00
	SPS-2472R	358010	6-ft Snow Pusher with Rubber Cutting Edge	430	1,897.00
	SPS-2472M	358015	6-ft Snow Pusher with Metal Cutting Edge	450	1,848.00
	SPS-2484R	358020	7-ft Snow Pusher with Rubber Cutting Edge	465	2,058.00
	SPS-2484M	358025	7-ft Snow Pusher with Metal Cutting Edge	485	2,002.00
24-Series Designed for use on John Deere Loaders with the 200/300/400/D120/H120/H130/D160/H160/H165/D170/H180 quick-change attachment carrier Recommended up to 40 HP, Maximum Operating Weight 3,500 lbs.					
	SPJD-2460R	358030	5-ft JD Snow Pusher w/ Rubber Edge	379	1,757.00
	SPJD-2460M	358035	5-ft JD Snow Pusher w/ Metal Edge	399	1,722.00
	SPJD-2472R	358040	6-ft JD Snow Pusher w/ Rubber Edge	415	1,897.00
	SPJD-2472M	358045	6-ft JD Snow Pusher w/ Metal Edge	435	1,848.00
	SPJD-2484R	358050	7-ft JD Snow Pusher w/ Rubber Edge	450	2,058.00
	SPJD-2484M	358055	7-ft JD Snow Pusher w/ Metal Edge	470	2,002.00
Pull-Back Kits for 24-Series Snow Pushers, ideal for pulling snow away from overhead doors					
	5-ft Pull-Back	358095	5-ft Pull-Back Kit w/rubber edge	79	679.00
	6-ft Pull-Back	358105	6-ft Pull-Back Kit w/rubber edge	95	759.00
	7-ft Pull-Back	358115	7-ft Pull-Back Kit w/rubber edge	108	833.00
Rubber Cutting Edge Kits for 24-Series Snow Pushers. Includes Rubber edge, Retaining Bar & Hardware					
	Edge Kit (R)	358054	Rubber cutting edge kit for 5-ft Pusher	38	336.00
	Edge Kit (R)	358056	Rubber cutting edge kit for 6-ft Pusher	45	378.00
	Edge Kit (R)	358057	Rubber cutting edge kit for 7-ft Pusher	53	420.00
Metal Cutting Edge Kits for 24-Series Snow Pushers Includes Metal edge & Hardware					
	Edge Kit (M)	358137	Metal cutting edge kit for 5-ft Pusher	40	$196.00
	Edge Kit (M)	358138	Metal cutting edge kit for 6-ft Pusher	49	$217.00
	Edge Kit (M)	358139	Metal cutting edge kit for 7-ft Pusher	59	$238.00
	Poly Skid Shoe Kit	358245	Pair of Poly Skid Shoes for 24-Series pushers Includes mounts & hardware	34	371.00

GENERAL IMPLEMENT DISTRIBUTORS

Worksaver®

Land Management Attachments

36-Series Snow Pushers

Designed to fit Skid Steer and Tractors with loaders that utilize the "universal" skid steer attaching system. Models are also available for John Deere loaders using the 400/500 series attaching system, and loaders that use the Euro/Global tool carrier. **36-Series** Snow Pusher is 36" deep and 36" tall. Replaceable 1.5" x 8" rubber cutting edge (reversible) is standard on the "R" models. Optional Pull-Back Kits are available for all sizes to clear snow from tight areas.

Product	Model	Item #	Description	Lbs.	List
36-Series Designed for use on loaders using the universal skid steer attaching system. Recommended HP 50-90 HP					
	SPS-3696R	358060	8-ft Snow Pusher with Rubber Cutting Edge	815	4,172.00
	SPS-36120R	358090	10-ft Snow Pusher w/ Rubber Cutting Edge	905	4,466.00
36-Series Designed for use on JD 400/500/H160/H165/D170/H180/H240/H260 Series Loaders Recommended HP 50-90 HP					
	SPJD-3696R	358070	8-ft Snow Pusher with Rubber Cutting Edge	780	4,214.00
	SPJD-36120R	358100	10-ft Snow Pusher w/ Rubber Cutting Edge	870	4,508.00
36-Series Designed for use on Loaders with Euro/Global Tool Carrier Recommended HP 50-90 HP					
	SPG-3696R	358080	8-ft Snow Pusher with Rubber Cutting Edge	810	4,172.00
	SPG-36120R	358110	10-ft Snow Pusher w/ Rubber Cutting Edge	900	4,508.00
Universal Blank Back 36-Series allowing interfacing Quick Attach Brackets to be welded-on. Most of our brackets listed on pages 57-71					
	SPB-3696R	358130	8-ft Snow Pusher w/ Rubber Cutting Edge, Blank back to allowing brackets to be welded-on	762	4,060.00
	SPB-36120R	358135	10-ft Snow Pusher w/ Rubber Cutting Edge, Blank back to allowing brackets to be welded-on	865	4,354.00
36-Series Quick Connection Bucket Mount Snow Pushers. Mounts over bucket cutting edge Retained by chains and turnbuckles.					
	SPC-3696R	358140	8-ft Bucket Mount (chain on) Snow Pusher w/rubber Cutting Edge.	845	4,494.00
	SPC-36120R	358150	10-ft Bucket Mount (chain on) Snow Pusher w/rubber Cutting Edge	935	4,788.00
Pull-Back Kits for 36-Series Snow Pushers, ideal for pulling snow away from overhead doors					
	8-ft Pull-Back	358120	8-ft Pull-Back Kit with rubber edge	190	1,095.00
	10-ft Pull-Back	358125	10-ft Pull-Back Kit with rubber edge	230	1,290.00

GENERAL IMPLEMENT DISTRIBUTORS